

HIGH CAPACITY TRANSFER CONVEYORS

124,24534

CONVEYALL

INNOVATIVE QUALITY SOLUTIONS

HIGH CAPACITY TRANSFER CONVEYORS

Our high capacity transfer conveyors are well balanced, easy to maneuver and position.

We have a longer collapsible hopper for superior containment and better reach.

The conveyor comes with a tow package which includes highway tires and a hitch.

We offer electric, hydraulic or gas drives.



DRIVE OVER CONVEYORS



- Large containment area for easy unloading from bulk trailers and end dump grain bodies.
- Electric or hydraulic drives available.

- 14" diameter tube, 22" wide belt.
- 7" high deck for easy driving over.
- Extra large 12' long drive-over deck for easier positioning of truck and trailers.
- Containment flaps lay flat for driving on and off, then can be raised to hold unloaded product.
- Comes with highway tires and tow hitch.



RAIL CAR CONVEYORS

- Extra low profile to easily fit under rail cars.
- Exceptional reach to make set up to unload fast and easy.
- 2 models to match your capacity requirements.
 - Fold up containment flaps to ensure grain
 - stays where it should.
 - Stainless steel options are available.
 - Gas, electric or hydraulic drive.

	A DECEMBER OF THE OWNER OWNE	11111111111		0000000	
T. H.					
SPECIFICATIONS:					
Model	Discharge Height to Ground	Hopper to Ground	Overall Length	Hopper Length	Tube Diameter

36" - 48"

38" - 48"

36" - 48"

38" - 48"

36" - 48"

3' 2"

3' 2"

6¹/₂"

6¹/₂" - 7³/₄"

4⁵/8″

6¹/₂" - 7³/₄"

45/8"

8″

8″

Specifications subject to change without notice

15' 4"

17' 4"

20'

20' 2"

21'6"

29'

29'

4' 9"

5' 10"

7′

5' 10"

7'

9' 6"

9' 6"

1214-GN

1615

1616-RC

2218

2218-RC

2226-DO

2226-DOSC

CONVEY-ALL INDUSTRIES INC. INNOVATIVE QUALITY SOLUTIONS

130 CANADA STREET WINKLER MANITOBA R6W 0J3 CANADA 1.800.418.9461 P: 204.325.4195 F: 204.325.8116 convey-all.com

PRINTED IN CANADA

©2016 Convey-All Industries Inc. All Rights Reserved

10"

10"

10"

14"

14"

14"

14"

Belt

Width

12″

16"

16"

22"

22"

22"

22"