





BALE HANDLING SERIES BALE CART

SIMPLE. EFFICIENT. BUILT FOR WORK.

Gather 1000 bales per day. Relocate and sort bales guickly and easily. The Rite Way bale cart allows you to accomplish a day's worth of work in a few hours. Designed for farmers and ranchers with a large number of bales to move, the bale cart is the fastest and most efficient link between your bales and their final destination. Built to be durable, the Bale Cart is nearly maintenance free. Aside from the wheel hubs, there are no grease points, and the Bale Cart can easily handle over 200,000 bales in its lifetime.











DO MORE, BETTER.

THE BALE CART ENABLES YOU TO:

- Pick up bales 48" to 72" in diameter
- Gather bales without damaging wrapping
- Pick up bales at 4 mph and move from bale to bale at 6 mph or faster
- Move up to 12 bales at a time
- Set bales with correct spacing for efficient tube-style loading
- Always set bales down in the same position
- Securely haul bales between locations
- Quickly remove bales from fields to allow for a second cut
- Reduce waste from dropped or damaged bales











GRAPPLE

MAKE SHORT WORK OF YOUR BALE HANDLING.

The Grapple and Bale Cart make for a powerful combination. Once bales have been gathered by the bale cart, the grapple can load a semi-trailer with 30 bales in less than 10 minutes. The Grapple allows you to stack bales into mushroom stacks, maximizing storage space, eliminating net wrap freezing and preventing animal damage. Plus, it's compatible with all standard coupling systems

THE RITE WAY GRAPPLE

- Eliminates flipping and re-aligning just rotate and place
- Creates straight, consistent stacks
- · Loads two bales at a time
- Keeps bales same-side down for safer loads
- Handles bales 60" to 72" in diameter
- Moves bales weighing up to 1,650 lbs
- Preserves the net wrap on bales
- Requires only one hydraulic circuit to operate and rotate
- Is compatible with all standard coupling systems



MADE TO WORK. BUILT TO LAST.

Rite Way is a manufacturer of hardworking farm equipment. Our hay equipment simplifies your bale handling, reducing labour and time investments. We strive to improve your farm operation, making it as efficient and productive as possible.

SPECIFICATIONS:

BALE CART

Minimum HP required: 100 hp (75 kw)

Minimum Hydraulic Outlets: 2 (3 with rear gate)

Minimum Hydraulic Pressure: 2,300 psi (15,858 kpsa)

Capacity: 8 - 72" (1.83 m) diameter bales; 10 - 60" (1.52 m) bales; 12 - 48" (1.22 m) bales

Tires: 4 - 13.5 x 15 FL 12 ply, 8 bolt wheels

Transport Width: 12' 5" (10.26 m)

Shipping Weight: 9,600 lbs (4,354 kgs)

GRAPPLE

Bale size range: 60" (1.5 m) to 72" (1.8 m)

Bale weight capacity: 1,650 lbs (750 kgs)

Hydraulic Pressure: 2,5000 psi (13,790 kPs)



SEE THE BALE CART AND GRAPPLE IN ACTION. Search Rite Way Mfg on Youtube to see how Rite Way haying equipment simplifies on-farm bale transit and storage through increased efficiency and reduced waste.

We are continuously improving our products. Design, specifications, and material are subject to change without notice.

For more information on the Bale Cart, Grapple, or other land improvement equipment, see your local Rite Way equipment dealer,

