

INDEX

	FARM PINS	PG
A1	CLEVIS PINS - SAE	3
A2	UNIVERSAL CLEVIS PINS - SAE	3
A3	COTTER PINS - METRIC	3
A4	LARGE COTTER PINS - METRIC	3
A6	HAIR PINS - SAE	3
A74	LYNCH PINS - SAE	4
A75	SQUARE PTO LOCK PINS - SAE	4
A76	ROUND PTO LOCK PINS - SAE	4

	HARDWARE	PG
C23	INTERNAL & EXTERNAL SNAP RINGS - SAE	6
C24	INTERNAL SNAP RINGS - METRIC	6
C25	EXTERNAL SNAP RINGS - METRIC	6
C26	EXTERNAL E-CLIPS - METRIC	6
C27	ROLL PINS - SAE	7
C28	ROLL PINS - METRIC	7
C29	STAINLESS STEEL HOSE CLAMPS	7
C31	COPPER WASHERS - SAE	7
C32	WIRE ROPE CLIPS & SHACKLES	7
C33	COMPRESSION & EXTENSION SPRINGS	8
C36	WOODRUFF KEYS - METRIC	8
C37	HNBR O-RINGS - SAE / METRIC	8
C40	GREASE FITTINGS - METRIC	8
C41	GREASE FITTINGS - SAE	8
C67	KEYSTOCK - SAE	9
C77	NITRILE O-RINGS - METRIC	9
C78	NITRILE O-RINGS - SAE	9

	FASTENERS	PG
B8	HEX HEAD SET SCREWS - METRIC	4
B9	HEX HEAD SET SCREWS - SAE	4
B10	HEX HEAD CAP SCREWS - SAE	5
B11	HEX HEAD CAP SCREWS - METRIC	5
B15	NUTS, BOLTS & WASHERS - METRIC	5
B16	NUTS, BOLTS, & WASHERS - SAE	5
B17	NYLON LOCK NUTS - METRIC	5
B18	NYLON LOCK NUTS - SAE	6

	ELECTRICAL	PG
D44	INSULATED RUBBER CLAMPS	9
D45	RUBBER GROMMETS	9
D46	ELECTRICAL WIRE CONNECTORS - TWIST ON	10
D48	WIRE TERMINAL & CRIMPER	10
D49	BLACK HEAT SHRINK TUBES	10
D55	AUTOMOTIVE FUSES - ATO/MINI/MAXI/BOSCH	10
D57	AUTOMOTIVE BULBS - 12V	10

	KITS NOT INCLUDED	PG
	FARM PINS	11
	FASTENERS	12
	HARDWARE	13
	ELECTRICAL	15

CLEVIS PINS - SAE

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.000.060 / HWG400256

A1**60
PCS**

5/32" HOLE 1/2" X 1-1/2" 1/2" X 2"	5/32" HOLE 3/8" X 1" 3/8" X 1-1/2" 3/8" X 2"	1/8" HOLE 5/16" X 2" 5/16" X 2-1/4" 5/16" X 2-3/4"	1/8" HOLE 5/16" X 1" 5/16" X 1-1/4" 5/16" X 1-1/2" 5/16" X 1-3/4"	3/32" HOLE 1/4" X 1-3/4" 1/4" X 2" 1/4" X 2-1/2"	3/32" HOLE 3/16" X 1" 1/4" X 1" 1/4" X 1-1/4" 1/4" X 1-1/2"
4PC	9PC	7PC	13PC	12PC	15PC

UNIVERSAL CLEVIS PINS - SAE

- Clear zinc plated steel / corrosion resistant
- Includes hair pin clips

67.999.071 / HWG400252

A2**71
PCS**

5/64" X 1-5/16" 7PC	7/16" X 1-5/8" 20PC	3/8" X 2" 18PC	7/16" X 2-1/2" 5PC	5/16" X 2" 5PC
5/64" X 1-9/16" 7PC	9/64" X 1-3/4" 6PC			1/2" X 2" 3PC

COTTER PINS - METRIC

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.100.555 / HWG400204

A3**555
PCS**

1.6 X 25MM 150PC	2.4 X 38MM 100PC	3.2 X 51MM 50PC	2.4 X 25MM 150PC	3.2 X 32MM 75PC	4.0 X 64MM 30PC

LARGE COTTER PINS - METRIC

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.100.144 / HWG400208

A4**144
PCS**

3.1 X 50MM 50PC	4.0 X 63MM 30PC	4.8 X 75MM 20PC	6.4 X 50MM 20PC	6.4 X 75MM 16PC	8.0 X 63MM 8PC

HAIR PINS - SAE

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.100.150 / HWG400228

A6**150
PCS**

3/32" X 1-3/16" 42PC	5/64" X 1-5/16" 30PC	5/64" X 1-9/16" 25PC	7/64" X 1-5/8" 25PC	9/64" X 1-3/4" 20PC	5/32" X 2-5/8" 8PC

LYNCH PINS - SAE

- Yellow zinc plated steel / corrosion resistant
- Four popular sizes for many applications

67.700.200 / HWG400236

A74**50
PCS**

1/4" X 1-3/4"	3/16" X 1-7/16"	5/16" X 1-3/4"	7/16" X 1-3/4"
18PC	16PC	6PC	10PC

SQUARE PTO LOCK PINS - SAE

- Clear zinc plated steel / corrosion resistant
- Includes hair pin clips

67.700.220 / HWG400244


A75**20
PCS**

1/4" X 2 1/2" 1/4" X 2-1/2"	3/8" X 2 1/4" 3/8" X 2-1/4"	5/16" X 2 1/4" 5/16" X 2-1/4"
5PCs	5PCs	10PCs

ROUND PTO LOCK PINS - SAE

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.701.220 / HWG400248

A76**20
PCS**

1/4" X 1-3/4"	3/8" X 2-1/4"	5/16" X 2-1/4"
5PC	5PC	10PC

HEX HEAD SET SCREWS - METRIC

- High quality grade 12.9 screws in fine & coarse thread
- Black oxide finish steel for corrosion resistance

67.984.460 / HWG400304

B8**200
PCS**

M4 X 5 	M10 X 10 FINE THREAD 	M8 X 10 FINE THREAD 	M8 X 10 	M10 X 10 	M8 X 12
10PC	10PC	20PC	30PC	10PC	20PC
M3 X 5 	M5 X 6 	M6 X 6 FINE THREAD 	M6 X 6 	M10 X 12 	M6 X 10
10PC	10PC	20PC	30PC	10PC	20PC

HEX HEAD SET SCREWS - SAE

- High quality grade 12.9 screws in fine & coarse thread
- Black oxide finish steel for corrosion resistance

67.984.450 / HWG400300

B9**200
PCS**

5/32" - 32 X 3/16" 	3/8" - 24 X 3/8" FINE THREAD 	5/16" - 24 X 3/8" FINE THREAD 	5/16" - 18 X 3/8" 	3/8" - 16 X 3/8" 	5/16" - 18 X 1/2"
10PC	10PC	20PC	30PC	10PC	20PC
1/8" - 40 X 3/16" 	3/16" - 24 X 1/4" 	1/4" - 28 X 1/4" FINE THREAD 	1/4" - 20 X 1/4" 	3/8" - 16 X 1/2" 	1/4" - 20 X 3/8"
10PC	10PC	20PC	30PC	10PC	20PC

HEX HEAD CAP SCREWS - SAE

- High quality carbon steel screws in most popular sizes
- Black oxide finish steel for corrosion resistance

67.100.106 / HWG400128

B10**106
PCS**

#8 - 32 X 1/2"	#10 - 24 X 1/2"	#10 - 24 X 1"	3/8" - 16 X 1-1/2"	1/4" - 20 X 1"	5/16" - 18 X 1-1/2"
25PC	25PC	20PC	3PC	10PC	5PC
			3/8" - 16 X 1"	1/4" - 20 X 1/2"	5/16" - 18 X 1"
			3PC	10PC	5PC

HEX HEAD CAP SCREWS - METRIC

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.444.106 / HWG400132

B11**106
PCS**

4 X 12MM	5 X 12MM	5 X 25MM	10 X 35MM	6 X 25MM	8 X 35MM
25PC	25PC	20PC	3PC	10PC	5PC
			10 X 25MM	6 X 12MM	8 X 25MM
			3PC	10PC	5PC

NUTS, BOLTS & WASHERS - METRIC

- Popular variety of bolts, nuts and washers
- Zinc plated steel for corrosion resistance

67.444.240 / HWG400104

B15**240
PCS**

M5 X 25	M5 X 16 M5	M6 X 20	M10 X 16	M6 X 30 M6	M10 X 40
10PC	10PC 20PC	10PC	5PC	10PC 20PC	5PC
M5	M8	M10	M4 X 12 M4	M8 X 40	M10
20PC	10PC	10PC	5PC 10PC	5PC	10PC
M6	M4 X 20 M4	M4 X 12 M4			
20PC	10PC 20PC	10PC 20PC			

NUTS, BOLTS & WASHERS - SAE

- Popular variety of bolts, nuts and washers
- Zinc plated steel for corrosion resistance

67.100.240 / HWG400100

B16**240
PCS**

#10 X 1	#10 X 5/8" #10	1/4" X 3/4"	3/8" X 5/8"	1/4" X 1-1/4" 5/16"	3/8" X 1-1/2"
10PC	10PC 20PC	10PC	5PC	10PC 20PC	5PC
#10	#5/16	3/8"	5/16" X 1" 5/16"	5/16" X 1-1/2"	3/8"
20PC	10PC	10PC	5PC 10PC	5PC	10PC
1/4"	#8 X 3/4" #8	#8 X 1/2" #8			
20PC	10PC 20PC	10PC 20PC			

NYLON LOCK NUTS - METRIC

- Nylon insert acts as lock washer to secure fastener
- Zinc plated steel for corrosion resistance

67.444.146 / HWG400112

B17**146
PCS**

M4	M5	M6	M8	M10	M12
35PC	35PC	25PC	25PC	16PC	10PC

NYLON LOCK NUTS - SAE

- High quality carbon steel screws in most popular sizes
- Black oxide finish steel for corrosion resistance

67.000.150 / HWG400108

B18**150
PCS**

#10-24	1/4" - 20	1/4" - 28	5/16" - 18	3/8" - 16	1/2" - 13
25PC	35PC	25PC	30PC	25PC	10PC

INTERNAL & EXTERNAL SNAP RINGS - SAE

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.100.285 / HWG400324

C23**285
PCS**

7/16"	5/8"	5/8"	9/16"	5/8"	3/4"
15PC	15PC	20PC	20PC	20PC	20PC
1/2"	3/4"	1-1/4"	1"	7/8"	13/16"
15PC	15PC	5PC	10PC	10PC	10PC
9/16"	13/16"	7/16"	3/8"	5/16"	1/4"
15PC	15PC	15PC	20PC	20PC	20PC

INTERNAL SNAP RINGS - METRIC

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.200.300 / HWG400328

C24**300
PCS**

3MM	4MM	5MM	6MM	8MM	9MM
20PC	10PC	15PC	25PC	15PC	20PC
20MM	22MM	25MM	26MM	28MM	32MM
15PC	20PC	15PC	15PC	10PC	5PC
11MM	12MM	13MM	14MM	15MM	
15PC	15PC	25PC	15PC	20PC	25PC

EXTERNAL SNAP RINGS - METRIC

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.100.300 / HWG400332

C25**300
PCS**

3MM	6MM	11MM	13MM	16MM	22MM
20PC	25PC	15PC	25PC	20PC	20PC
4MM	8MM	32MM	28MM	19MM	25MM
10PC	15PC	5PC	10PC	25PC	15PC
5MM	10MM	12MM	14MM	20MM	26MM
15PC	20PC	15PC	15PC	15PC	15PC

EXTERNAL E-CLIPS - METRIC

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.300.300 / HWG400344

C26**300
PCS**

1.5MM	3MM	5MM	15MM	19MM	22MM
30PC	30PC	40PC			
6MM	10MM	12MM			
50PC	50PC	40PC	20PC	20PC	20PC

ROLL PINS - SAE

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.100.120 / HWG400220

C27**120**
PCS

5/32" X 5/8" 5/32" X 1" 5/32" X 1 1/2" 4 PC	1/4" X 5/8" 1/4" X 1 1/4" 1/4" X 1 3/4" 4 PC			3/32" X 5/8" 3/32" X 1" 3/32" X 1 1/4" 4 PC	1/8" X 5/8" 1/8" X 1" 1/8" X 1 1/4" 5 PC
5/64" X 1/4" 5/64" X 1/2" 5/64" X 1" 4 PC	1/16" X 3/16" 1/16" X 3/4" 1/16" X 5/16" 4 PC	5/16" X 3/4" 5/16" X 1 1/2" 5/16" X 2" 4 PC	3/8" X 3/4" 3/8" X 1 1/2" 3/8" X 2" 2 PC	7/32" X 1 1/4" 7/32" X 1 3/4" 7/32" X 5/8" 4 PC	3/16" X 5/8" 3/16" X 1" 3/16" X 1 1/4" 5 PC

ROLL PINS - METRIC

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.444.120 / HWG400224

C28**120**
PCS

4 X 16 4 X 25 4 X 40 4 PC	6 X 16 6 X 30 6 X 45 4 PC			2.5 X 16 2.5 X 25 2.5 X 30 4 PC	3 X 16 3 X 25 3 X 30 5 PC
2 X 16 2 X 12 2 X 25 4 PC	1.5 X 5 1.5 X 20 1.5 X 8 4 PC	8 X 20 8 X 40 8 X 50 4 PC	10 X 20 10 X 40 10 X 50 2 PC	5.5 X 30 5.5 X 45 5.5 X 16 4 PC	5 X 16 5 X 25 5 X 30 5 PC

STAINLESS STEEL HOSE CLAMPS

- Heavy duty 304 stainless steel band & zinc plated gear
- Popular sizes from 5/8" to 1-1/2"

67.999.026 / HWG400600

C29**26**
PCS

5/8" (10-16MM) 8PC	1" (16-25MM) 4PC	1-1/16" (14-27MM) 2PC 1-1/2" (21-38MM) 4PC	1-1/4" (18-32MM) 2PC	7/8" (1-22MM) 6PC
--------------------------	------------------------	---	----------------------------	-------------------------

COPPER WASHERS - SAE

- Corrosion resistant and high conductivity
- Ideal for sump plugs, fuel, water or electrical connections

67.000.110 / HWG400620

C31**110**
PCS

1/4" 30PC	5/16" 25PC	3/8" 20PC	7/16" 15PC	1/2" 10PC	5/8" 10PC
--------------	---------------	--------------	---------------	--------------	--------------

WIRE ROPE CLIPS & SHACKLES

- Zinc plated steel / corrosion resistant
- Popular sizes of wire rope & carabiner clips and shackles

67.999.030 / HWG400636

C32**30**
PCS

5 X 50MM 4PC	8 X 80MM 2PC	10 X 100MM 1PC	3MM 5PC	8MM 3PC
6 X 60MM 3PC		6MM 4PC	5MM 5PC	

COMPRESSION & EXTENSION SPRINGS

- Constructed of #75 zinc plated steel for durability
- Great for DIY projects, home repairs or hand tool repairs

67.000.200 / HWG400608

C33200
PCS

COMP. 7 x 1.25MM EXT. 5 x 20.5MM 10PC	COMP. 9.0 x 10MM EXT. 8 x 28.5MM 6PC 8PC	FIRST FRACTION - OUTSIDE DIAMETER SECOND FRACTION - LENGTH		COMP. 9 x 35MM EXT. 4.5 x 44.5MM 8PC	COMP. 5.5 x 38MM EXT. 7 x 38MM 10PC
COMP. 6.5 x 10MM EXT. 5 x 25.5MM 10PC	COMP. 9.5 x 19MM EXT. 8 x 31.5MM 12PC	EXT. 8.5 x 47MM 12PC	EXT. 7 x 51MM 12PC	EXT. 7 x 38MM 10PC	EXT. 8.5 x 36.5MM 10PC

WOODRUFF KEYS - METRIC

- Constructed of heat treated carbon steel
- Black oxide finish steel for corrosion resistance

67.200.080 / HWG400312

C3680
PCS

4 x 7.5 x 19 10PC	5 x 7.5 x 19 10PC	3 x 5 x 13 10PC	3 x 6.5 x 16 10PC	5 x 9 x 22 10PC	6 x 9 x 22 10PC
		4 x 5 x 13 10PC	4 x 6.5 x 16 10PC		

HNBR O-RINGS - SAE / METRIC

- HNBR - hydrogenated nitrile butadiene rubber
- For use with air conditioning applications

67.700.270 / HWG400416

C37270
PCS

7/32" X 1/16" 20PC	1/4" X 1/16" 20PC	9/32" X 5/64" 20PC	5/16" X 1/16" 20PC	5/16" X 5/64" 20PC	11/32" X 5/64" 20PC
7/16" X 1/16" 15PC	7/16" X 3/32" 15PC	9/16" X 1/16" 10PC	9/16" X 3/32" 10PC	11/16" X 1/16" 10PC	11/16" X 1/8" 10PC
8MM X 2MM 20PC	10MM X 2MM 10PC	10MM X 2MM 15PC	12MM X 2MM 15PC	15MM X 2MM 10PC	17MM X 2MM 10PC

GREASE FITTINGS - METRIC

- Clear zinc plated steel / corrosion resistant
- Includes straight, 45° and 90° angled zerks

67.444.110 / HWG400424

C40110
PCS

M6 x 1 30PC	M6 x 1 45° 15PC	M6 x 1 90° 15PC	M10 x 1.25 90° 15PC	M10 x 1.25 45° 15PC	M10 x 1.25 20PC
----------------	-----------------------	-----------------------	---------------------------	---------------------------	--------------------

GREASE FITTINGS - SAE

- Clear zinc plated steel / corrosion resistant
- Includes straight, 45° and 90° angled zerks

67.100.110 / HWG400420

C4130
PCS

1/4" - 28 30PC	1/4" - 28 45° 15PC	1/4" - 28 90° 15PC	1/8" - 27 90° 15PC	1/8" - 27 45° 15PC	1/8" - 27 20PC
-------------------	--------------------------	--------------------------	--------------------------	--------------------------	-------------------

KEYSTOCK - SAE

- 5 sizes
- 67.700.313 / HWG400320

C67**30
PCS**

1/8"x1/8"x1 1/2"	3/16"x3/16"x1 1/2"	1/4"x1/4"x1 1/2"	5/16"x5/16"x1 1/2"	3/8"x3/8"x1 1/2"
6 PCS	6 PCS	6 PCS	6 PCS	6 PCS

NITRILE O-RINGS - METRIC

- NBR - nitrile butadiene rubber (BUNA-N 70)
 - Rubber resists oil, gas, water and alcohol solvents
- 67.444.407 / HWG400404

C77**407
PCS**

NUMBERS	I/D	SECTION	QTY	NUMBERS	I/D	SECTION	QTY	NUMBERS	I/D	SECTION	QTY
568-006	2.90	1.78	20	568-115	17.13	2.62	13	568-217	29.75	3.53	10
568-008	4.48	1.78	20	568-116	18.72	2.62	13	568-218	31.34	3.53	10
568-010	6.07	1.78	20	568-117	20.29	2.62	13	568-219	32.92	3.53	10
568-011	7.66	1.78	20	568-118	21.89	2.62	13	568-220	34.52	3.53	10
568-012	9.25	1.78	20	568-210	18.64	2.62	13	568-221	36.10	3.53	10
568-014	12.42	1.78	20	568-211	20.22	3.53	10	568-222	37.69	3.53	10
568-110	9.19	2.62	13	568-212	21.82	3.53	10	568-223	40.87	3.53	10
568-111	10.77	2.62	13	568-213	23.40	3.53	10	568-224	44.04	3.53	10
568-112	12.37	2.62	13	568-214	24.99	3.53	10	568-225	47.22	3.53	10
568-113	13.95	2.62	13	568-215	26.58	3.53	10	568-226	50.40	3.53	10
568-114	15.54	2.62	13	568-216	28.17	3.53	10				

NITRILE RINGS - SAE

- NBR - nitrile butadiene rubber (BUNA-N 70)
 - Rubber resists oil, gas, water and alcohol solvents
- 67.100.407 / HWG400400

C78**407
PCS**

NUMBERS	I/D	O/D	SECTION	QTY	NUMBERS	I/D	O/D	SECTION	QTY	NUMBERS	I/D	O/D	SECTION	QTY
KIT	AS568				KIT	AS568				KIT	AS568			
R-01	006	1/8	1/4	1/16	20	R-12	115	11/16	7/8	3/32	13	R-23	217	1 3/16 1 7/16 1/8 10
R-02	008	3/16	5/16	1/16	20	R-13	116	3/4	15/16	3/32	13	R-24	218	1 1/4 1 1/2 1/8 10
R-03	010	1/4	3/8	1/16	20	R-14	117	13/16	1	3/32	13	R-25	219	1 5/16 1 9/16 1/8 10
R-04	011	5/16	7/16	1/16	20	R-15	118	7/8	1 1/16	3/32	13	R-26	220	1 3/8 1 5/8 1/8 10
R-05	012	3/8	1/2	1/16	20	R-16	210	3/4	1	1/8	10	R-27	221	1 7/16 1 11/16 1/8 10
R-06	014	1/2	5/8	1/16	20	R-17	211	13/16	1 1/16	1/8	10	R-28	222	1 1/2 1 3/4 1/8 10
R-07	110	3/8	9/16	3/32	13	R-18	212	7/8	1 1/8	1/8	10	R-29	223	1 5/8 1 7/8 1/8 10
R-08	111	7/16	5/8	3/32	13	R-19	213	15/16	1 3/16	1/8	10	R-30	224	1 3/4 2 1/8 10
R-09	112	1/2	11/16	3/32	13	R-20	214	1	1 1/4	1/8	10	R-31	225	1 7/8 2 1/8 1/8 10
R-10	113	9/16	3/4	3/32	13	R-21	215	1 1/16	1 5/16	1/8	10	R-32	226	2 2 1/4 1/8 10
R-11	114	5/8	13/16	3/32	13	R-22	216	1 1/8	1 3/8	1/8	10			

INSULATED RUBBER CLAMPS

- Perfect to organize wire, cable, conduit, pipe & tubing
 - Rubber insulation absorbs vibrations & jolts
- 67.999.042 / HWG400516

D44**42
PCS**

5/16"	3/8"	1/4"	1/2"	5/8"
8PC	6PC	20PC	4PC	4PC

RUBBER GROMMETS

- Popular variety of EWG & RBG style grommets
 - Popular for automotive, electrical and home use
- 67.999.125 / HWG400520

C45**125
PCS**

1/8" X 1/4"	1/2" X 19/32"	5/16" X 9/16"	5/8" X 31/32"	3/8"	3/4"
15PC	3PC	3PC	3PC	20PC	4PC
7/32" X 5/16"	3/8" X 15/32"	3/8" X 13/16"	3/4" X 15/16"	1/2"	7/8"
10PC	6PC	3PC	2PC	10PC	3PC
9/32" X 1/2"	3/8" X 1/2"	7/16" X 3/4"	9/32"	5/8"	1"
7PC	5PC	4PC	20PC	5PC	2PC

ELECTRICAL WIRE CONNECTORS - TWIST ON

- Color coded terminals to distinguish gauge size
- Provides secure connection between wires, no tools needed

67.999.158 / HWG400508

D46

158
PCS



GREY MIN 2 X #22 MAX 2 X #16 40PC	BLUE MIN 2 X #22 MAX 2 X #16 40PC	ORANGE MIN 1 X #18 / 1 X #20 MAX 4 X #16 / 1 X #20 50PC	YELLOW MIN 2 X #18 MAX 4 X #14 / 1 X #18 18PC	RED MIN 2 X #14 MAX 2 X #10 / 1 X #12 10PC
--	--	--	--	---

WIRE TERMINAL & CRIMPER

- Large variety of connectors from 22 to 10 gauge
- 3-in-1 crimper tool crimps, cuts and strips wires

67.999.175 / HWG400504

D48

175
PCS



22-16GA FEMALE CONNECTOR FD01-125-250 12PC	22-16GA RING TERMINAL RV1-125-15 12PC	16-14GA RING TERMINAL RV2-4 12PC	16-14GA SPADE TERMINAL SV2-4 12PC	16-14GA SPADE TERMINAL SV2-15 12PC	22-16GA BUTT CONNECTOR BV1-25 12PC
16-14GA FEMALE CONNECTOR FD02-250 12PC	22-16GA RING TERMINAL RV1-25-5 12PC	16-14GA RING TERMINAL RV2-5 12PC	16-14GA SPADE TERMINAL SV2-5 12PC	22-16GA SPADE TERMINAL SV2-5-5 12PC	16-14GA BUTT CONNECTOR BV2 12PC
12-10GA FEMALE CONNECTOR FD03-250 5PC	12-10GA RING TERMINAL RV3-5 5PC	12-10GA RING TERMINAL RV3-6 5PC	12-10GA RING TERMINAL RV3-8 5PC	12-10GA SPADE TERMINAL SV3-5-5 5PC	12-10GA BUTT CONNECTOR BV3 5PC
 CRIMPING TOOL					

BLACK HEAT SHRINK TUBES

- Tubes shrink to up to half their original size when heated
- Repairs, seals, insulates and adds strength to wire

67.999.127 / HWG400512

D49

127
PCS



2.0 x 40MM 30PC	3.5 x 40MM 20PC	5.0 x 40MM 20PC	7.0 x 80MM 16PC	10.0 x 80MM 8PC	13.0 x 85MM 8PC
2.5 x 40MM 25PC					

AUTOMOTIVE FUSES - ATO/MINI/ MAXI/BOSCH

- Perfect to organize wire, cable, conduit, pipe & tubing
- Rubber insulation absorbs vibrations & jolts

67.999.147 / HWG400532

D55

147
PCS



5 AMP ATM ORANGE 10PC	15 AMP ATM BLUE 10PC	5 AMP ATO ORANGE 5PC	15 AMP ATO BLUE 10PC	2 AMP 5PC 5 AMP 2PC 8 AMP BLACK 2PC 16 AMP RED 5PC 25 AMP BLUE 5PC 40 AMP WHITE 5PC	30 AMP ATX GREEN 2PC 40 AMP ATX ORANGE 2PC 60 AMP ATX BLUE 2PC 70 AMP ATX BROWN 2PC
7.5 AMP ATM BROWN 10PC	20 AMP ATM YELLOW 10PC	7.5 AMP ATO BROWN 10PC	20 AMP ATO YELLOW 10PC	25 AMP ATO CLEAR 30 AMP ATO GREEN 2 X 5PC	
10 AMP ATM RED 10PC	30 AMP ATM GREEN 10PC	10 AMP ATO RED 10PC			

AUTOMOTIVE BULBS - 12V

- Variety of stop, tail, turn, cluster and interior bulbs
- Easy identification by industry standard codes

67.999.017 / HWG400528

D57

17
PCS



#53 3PC	#67 1PC	#1003 1PC	#1141 1PC	#1157 1PC	#2057 1PC
#57 2PC					
#194 2PC	#67 1PC	#1073 1PC	#1034 1PC	#1157 1PC	#2057 1PC

HARDWARE KITS NOT INCLUDED

The following pieces **are not included in the Grab & Go Kit**, but are available at your local Flaman. If you're interested in any of the following, reach out to your sales contact, or visit your nearest Flaman location.

FARM PINS


LYNCH PINS & HAIR PINS - SAE

- Zinc plated steel for corrosion resistance
- Most popular sizes of lynch pin and hair pins

67.700.700 / HWG400240

A80

**70
PCS**



FARM PINS


COTTER PINS - SAE

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.101.000 / HWG400200

A5

**1000
PCS**



FARM PINS

CLEVIS PINS - SAE

- 14 sizes

67.700.312

HWG400260

A58

**23
PCS**



FARM PINS

COTTER PINS - METRIC

- Small / 8 sizes

67.700.302

HWG400212

A59

**215
PCS**



FARM PINS

HAIR PINS - SAE

- 6 sizes

67.700.305 / HWG400232

A61

**28
PCS**



FARM PINS

COTTER PINS - METRIC

- Large / 10 sizes

67.700.303 / HWG400216

A60

**40
PCS**



MAGNETIC BIT HOLDER & ASSORTED BITS

- 6 x magnetic 1/4" bit holders included
- Assortment of Pozidriv, Phillips, Slotted, Hex and Torx bits

67.999.114 / HWG400640

B7**114
PCS**

PZ1 6PC	PZ2 6PC	PZ3 6PC	PH0 6PC	PH1 6PC	PH2 6PC
SL4 6PC	SL5 6PC	SL6 6PC	H2 6PC	H3 6PC	H4 6PC
H5 6PC	H6 6PC	T10 6PC	T20 6PC	T25 6PC	T30 6PC
 MAGNETIC BIT HOLDER 6PC					

LOCK WASHER KIT

- High quality alloy steel construction
- Zinc plated steel for corrosion resistance

67.100.720 / HWG400124

B12**720
PCS**

#6 SPRING CUSHIONS COUSSINS A RESSORT 50PC	#8 SPRING CUSHIONS COUSSINS A RESSORT 50PC	#10 SPRING CUSHIONS COUSSINS A RESSORT 50PC	1/4" SPRING CUSHIONS COUSSINS A RESSORT 40PC	5/16" SPRING CUSHIONS COUSSINS A RESSORT 30PC	3/8" SPRING CUSHIONS COUSSINS A RESSORT 20PC
#6 EXTERNAL WASHERS RONDELLES EXTERNES 50PC	#8 EXTERNAL WASHERS RONDELLES EXTERNES 50PC	#10 EXTERNAL WASHERS RONDELLES EXTERNES 50PC	1/4" EXTERNAL WASHERS RONDELLES EXTERNES 40PC	5/16" EXTERNAL WASHERS RONDELLES EXTERNES 30PC	3/8" EXTERNAL WASHERS RONDELLES EXTERNES 20PC
#6 INTERNAL WASHERS RONDELLES INTERNES 50PC	#8 INTERNAL WASHERS RONDELLES INTERNES 50PC	#10 INTERNAL WASHERS RONDELLES INTERNES 50PC	1/4" INTERNAL WASHERS RONDELLES INTERNES 40PC	5/16" INTERNAL WASHERS RONDELLES INTERNES 30PC	3/8" INTERNAL WASHERS RONDELLES INTERNES 20PC

WING NUTS - SAE

- Stamped and machined steel construction
- Zinc plated steel for corrosion resistance

67.110.150 / HWG400136

B19**150
PCS**

3/16" - 24	3/16" - 32	1/4" - 20	1/4" - 28	5/16" - 18	5/16" - 24
					
30PC	30PC	25PC	25PC	20PC	20PC

FLAT & LOCK WASHERS - SAE

- High quality carbon steel construction
- Zinc plated steel for corrosion resistance

67.100.350 / HWG400116

B20**350
PCS**

#6 FLAT WASHER 50PC	#8 FLAT WASHER 40PC	#10 FLAT WASHER 30PC	1/4" FLAT WASHER 25PC	5/16" FLAT WASHER 15PC	3/8" FLAT WASHER 15PC
#6 LOCK WASHER 50PC	#8 LOCK WASHER 40PC	#10 LOCK WASHER 30PC	1/4" LOCK WASHER 25PC	5/16" LOCK WASHER 15PC	3/8" LOCK WASHER 15PC

FLAT & LOCK WASHERS - METRIC

- Popular variety of lock, internal & external star washers
- Zinc plated steel for corrosion resistance

67.444.350 / HWG400120

B21**350
PCS**

3MM FLAT WASHER 50PC	4MM FLAT WASHER 40PC	5MM FLAT WASHER 30PC	6MM FLAT WASHER 25PC	8MM FLAT WASHER 15PC	10MM FLAT WASHER 15PC
3MM LOCK WASHER 50PC	4MM LOCK WASHER 40PC	5MM LOCK WASHER 30PC	6MM LOCK WASHER 25PC	8MM LOCK WASHER 15PC	10MM LOCK WASHER 15PC

ALUMINUM RIVETS - SAE

- Rustproof aluminum heads & steel shanks
- Four popular sizes of 1/8" diameter rivets

67.100.500 / HWG400628

B22500
PCS

1/8" X 1/4"	1/8" X 4/16"	1/8" X 3/8"	1/8" X 5/8"
125PC	125PC	125PC	125PC

STAINLESS STEEL HOSE CLAMPS - KEY TYPE

- Heavy duty 304 stainless steel band & zinc plated gear
- Popular sizes from 5/8" to 1-1/2"

67.991.026 / HWG400604

C3026
PCS

7/8" (22MM)	1" (25MM)	1/2" (13MM)	5/8" (16MM)	3/4" (19MM)
2PC	2PC	10PC	6PC	6PC

EXTENSION SPRING ASSORTMENT

- Black oxide plated steel for durability & corrosion resistance
- Great for DIY projects, home repairs or hand tool repairs

67.100.054 / HWG400616

C3454
PCS

0.015"X0.125"X1.5" 0.023"X0.218"X1.5" 0.035"X0.25"X1.5" 0.02"X0.312"X1.5" 0.028"X0.343"X1.5" 0.028"X0.437"X1.5"	0.08"X0.5"X1.625" 	0.02"X0.156"X2.5" 0.018"X0.25"X2.5" 0.035"X0.25"X2.5" 0.028"X0.437"X2.5" 0.047"X0.437"X2.5"	0.035"X0.437"X2.75" 	0.047"X0.437"X3.5" 0.054"X0.437"X3.5" 	0.035"X0.375"X4" 0.041"X0.375"X3.75"
2PC EACH	4PC EACH	2PC EACH	4PC EACH	2PC EACH	2PC EACH
0.02"X0.156"X1.875" 0.035"X0.25"X1.875" 0.025"X0.281"X1.875" 0.025"X0.343"X1.875" 0.028"X0.437"X1.875" 0.047"X0.437"X1.875"	0.062"X0.437"X2" 				
2PC EACH	4PC EACH	2PC EACH	4PC EACH	2PC EACH	2PC EACH

COMPRESSION SPRING

- Black oxide plated steel for durability & corrosion resistance
- Great for DIY projects, home repairs / hand tool repairs

67.100.114 / HWG400612

C35114
PCS

0.035"X0.25"X0.5" 0.026"X0.312"X0.625" 0.032"X0.375"X0.75"	0.028"X0.187"X1.375" 0.016"X0.187"X1.375" 	0.013"X0.218"X1.75" 0.018"X0.312"X1.75" 0.047"X0.343"X1.5" 0.026"X0.375"X1.75" 0.035"X0.375"X1.75"	0.047"X0.312"X2" 	0.047"X0.406"X2.75" 0.072"X0.5"X2.75" 	0.032"X0.437"X2.125" 0.054"X0.562"X3"
6PC EACH	6PC EACH	4PC EACH	4PC EACH	2PC EACH	2PC EACH
0.011"X0.156"X1" 0.028"X0.187"X1" 0.035"X0.25"X1" 6pc each	0.02"X0.25"X1.375" 0.028"X0.281"X1.375" 0.041"X0.312"X1.25" 0.041"X0.375"X1.125" 0.062"X0.5"X1" 0.054"X0.562"X1"	0.02"X0.25"X1.375" 0.028"X0.281"X1.375" 0.041"X0.312"X1.25" 0.041"X0.437"X1.062" 0.028"X0.218"X1.375" 0.062"X0.5"X1.75"	0.047"X0.5"X2" 0.054"X0.437"X2"		
2PC EACH	4PC EACH	2PC EACH	2PC EACH	2PC EACH	2PC EACH

NITRILE O-RINGS - SAE

- NBR - nitrile butadiene rubber (BUNA-N 70)
- Rubber resists oil, gas, water and alcohol solvents

67.100.225 / HWG400408

C38225
PCS

3/32" x 15/64"	1/8" x 1/4"	5/32" x 9/32"	3/16" x 5/16"	7/32" x 11/32"	1/4" x 3/8"
10PC	20PC	20PC	20PC	15PC	15PC
9/16" x 3/4"	5/8" x 13/16"	11/16" x 7/8"	3/4" x 15/16"	3/4" x 1"	13/16" x 1-1/16"
10PC	10PC	10PC	10PC	10PC	10PC
5/16" x 7/16"	3/8" x 1/2"	5/8" x 3/4"	3/8" x 9/16"	7/16" x 5/8"	1/2" x 11/16"
10PC	10PC	10PC	10PC	10PC	10PC

NITRILE O-RINGS - METRIC

- NBR - nitrile butadiene rubber (BUNA-N 70)
- Rubber resists oil, gas, water and alcohol solvents

67.444.225 / HWG400412

C39**225
PCS**

3 x 1 20PC	4 x 1 20PC	4.5 x 2 20PC	5 x 2 20PC	6 x 2 20PC	6 x 2.5 20PC
13 x 3 5PC	14 x 2.5 5PC	17 x 2.5 5PC	18 x 4 5PC	20 x 2 5PC	22 x 2 5PC
6 x 3 20PC	7 x 2 20PC	8 x 2 20PC	9 x 2 5PC	10 x 2 5PC	12 x 3 5PC

GREASE FITTINGS - METRIC

- Clear zinc plated steel / corrosion resistant
- Includes straight, 45° and 90° angled zerks

67.444.060 / HWG400440

C42**60
PCS**

M6 x 1 STRAIGHT 10PC	M6 x 1 45° 5PC	M8 x 1 STRAIGHT 10PC	M8 x 1 90° 5PC	M10 x 1 90° 5PC	M10 x 1 STRAIGHT 10PC
	M6 x 1 90° 5PC	M8 x 1 45° 5PC	M10 x 1 45° 5PC		

GREASE FITTINGS - SAE

- Clear zinc plated steel / corrosion resistant
- Includes straight, 45° and 90° angled zerks

67.100.100 / HWG400428

C43**100
PCS**

1/4" - 28 STRAIGHT 25PC	1/4" - 28 STRAIGHT LONG 5PC	1/4" - 28 90° 10PC	1/8" - 27 90° 10PC	1/8" - 27 45° 10PC	1/8" - 28 STRAIGHT 30PC
	1/4" - 28 45° 10PC				

EXTERNAL E-CLIPS - METRIC

- 7 sizes

67.700.309

HWG400348

C62**70
PCS****INTERNAL SNAP RINGS - METRIC**

- 6 sizes

67.700.310

HWG400336

C63**55
PCS****EXTERNAL SNAP RINGS - METRIC**

- 13 sizes

67.700.311

HWG400340

C64**70
PCS****HEX HEAD SET SCREWS - SAE**

- 8 sizes

67.700.306

HWG400308

C65**65
PCS****WOODRUFF KEYS - METRIC**

- 8 sizes

67.700.308

HWG400316

C66**40
PCS****MACHINES BUSHINGS - SAE**

- 4 sizes

67.983.906

HWG400624

C68**20
PCS**

GREASE FITTINGS - SAE

- 6 sizes
- 67.700.304
HWG400436

C6940
PCS

GREASE FITTINGS - METRIC

- 7 sizes
- 67.700.314
HWG400444

C7050
PCS

GREASE FITTINGS - DRIVE IN

- 4 sizes
- 67.700.315
HWG400432

C7150
PCS

O-RING, COTTER, AND ROLL PIN ASSORTMENT

- Metal storage rack is mountable
- Includes 3 parts trays filled with 1000 popular components
- Extra storage case with handle included for on-the-go jobs
- Large popular variety of springs, cotter pins and roll pins

67.111.000 / HWG400632

C791000
PCS

1/16" X 1"	3/32" X 1 1/2"	1/8" X 2"	3/16" X 3"	1/4" X 3"
60PC	35PC	16PC	5PC	5PC
3/32" X 1"	1/8" X 1 1/4"	5/32" X 2 1/2"	1/4" X 2"	5/16" X 2 1/2"
40PC	35PC	14PC	5PC	5PC

7/32" X 1 1/2"	5/16" X 1 1/8"	23/64" X 1 3/8"	7/32" X 1"	9/32" X 1/2"	9/32" X 2"	5/32" X 3 1/8"
20PC	20PC	20PC	30PC	30PC	20PC	20PC
3/8" X 3/4"		3/16" X 1 3/4"	1 1/32" X 1 7/16"	1/4" X 7/8"	7/32" X 1 1/16"	5/16" X 1 3/4"
20PC		20PC	20PC	30PC	30PC	20PC

5/32" X 15/64"	7/32" X 1 1/32"	5/8" X 3/4"	9/16" X 3/4"	3/4" X 1"	3MM X 1.5MM	10MM X 1.5MM	13MM X 2.5MM	19MM X 2.5MM	20MM X 3.5MM
10PC	15PC	10PC	10PC	10PC	10PC	15PC	10PC	10PC	10PC
1/8" X 1/4"	1/4" X 3/8"	3/8" X 9/16"	5/8" X 13/16"	13/16" X 1 1/16"	4.4MM X 2MM	13MM X 1.5MM	14MM X 2.5MM	21MM X 2.5MM	22MM X 3.5MM
20PC	15PC	10PC	10PC	10PC	20PC	15PC	10PC	10PC	10PC
5/32" X 9/32"	5/16" X 7/16"	7/16" X 5/8"	1 1/16" X 3/8"	7/8" X 1 1/8"	5MM X 2MM	10MM X 2.5MM	16MM X 2.5MM	22MM X 2.5MM	25.5MM X 3.5MM
20PC	15PC	10PC	10PC	10PC	20PC	15PC	10PC	10PC	5PC
3/16" X 5/16"	3/8" X 1/2"	1/2" X 1 1/16"	3/4" X 15/16"	15/16" X 1 3/16"	7MM X 1.5MM	10MM X 2.5MM	18MM X 2.5MM	18MM X 3.5MM	25MM X 3.5MM
20PC	10PC	10PC	10PC	10PC	20PC	10PC	10PC	10PC	5PC

WIRE TERMINALS & CONNECTORS

- Large variety of terminal ends & connectors
- Crimp and connect wires from 22 to 10 gauge

67.000.360 / HWG400500

D47360
PCS

16-14GA BULLET MALE CONNECTOR MPD2-156	16-14GA RING TERMINAL RVS2-5	12-10GA RING TERMINAL RVS5-5	22-18GA BUTT CONNECTOR PVT1.25	16-14GA SPADE TERMINAL SVS5.5-5	12-10GA SPADE TERMINAL SVS5.5-5
25PC	30PC	20PC	30PC	30PC	20PC
22-18GA BUTT CONNECTOR PVT2	16-14GA RING TERMINAL 14RV2-5	12-10GA RING TERMINAL 14RV5-5-10	16-14GA BUTT CONNECTOR PVT2	16-14GA MALE DISCONNECTOR MDQ2-250	22-18GA MALE DISCONNECTOR MDQV1.25-250
10PC	20PC	15PC	30PC	25PC	10PC
16-14GA BULLET FEMALE CONNECTOR FRD2-156	16-14GA RING TERMINAL 3/8RV2-10	12-10GA RING TERMINAL 3/8RV5-5-10	12-10GA BUTT CONNECTOR PVT5.5	16-14GA FEMALE DISCONNECTOR FRD2-250	22-18GA FEMALE DISCONNECTOR FRDVT1.25-250
10PC	20PC	15PC	15PC	25PC	10PC

ALLIGATOR & CHARGING CLIPS

- Red or black PVC grips for insulation & easy identification
- Clear zinc plated finish for corrosion resistance

67.999.060 / HWG400524

D50**60
PCS**

MINI ALLIGATOR CLIPS PINCES CROCODILES	1-3/4" ALLIGATOR CLIPS PINCES CROCODILES	30AMP CHARGING CLIPS PINCES DE CHARGEMENT	15AMP CHARGING CLIPS PINCES DE CHARGEMENT	2" ALLIGATOR CLIPS PINCES CROCODILES	5AMP CHARGING CLIPS PINCES DE CHARGEMENT
					
20PC	16PC	2PC	2PC	12PC	8PC

AUTOMOTIVE FUSES - ATM

- Large variety of most popular ATM "mini" auto fuses
- Color coded to industry standard for easy identification

67.998.120 / HWG400540

D51**120
PCS**

5 AMP	10 AMP	15 AMP	20 AMP	25 AMP	30 AMP
					
ORANGE	RED	BLUE	YELLOW	CLEAR	GREEN
20PC	20PC	20PC	20PC	20PC	20PC

AUTOMOTIVE FUSES - ATO

- Large variety of most popular ATO standard auto fuses
- Color coded to industry standard for easy identification

67.999.120 / HWG400544

D52**120
PCS**

5 AMP	10 AMP	15 AMP	20 AMP	25 AMP	30 AMP
					
ORANGE	RED	BLUE	YELLOW	CLEAR	GREEN
20PC	20PC	20PC	20PC	20PC	20PC

AUTOMOTIVE FUSES - ATX

- Large variety of most popular ATX "maxi" auto fuses
- Color coded to industry standard for easy identification

67.999.024 / HWG400560

D53**24
PCS**

20 AMP	30 AMP	40 AMP	50 AMP	60 AMP	70 AMP
					
YELLOW	GREEN	ORANGE	RED	BLUE	BROWN
4PC	4PC	4PC	4PC	4PC	4PC

AUTOMOTIVE FUSES - ATO/MINI

- Large variety of ATO and ATM fuses
- Color coded to industry standard for easy identification

67.999.080 / HWG400548


D54**80
PCS**

5 AMP ATO ORANGE	10 AMP ATO RED	15 AMP ATO BLUE	20 AMP ATO YELLOW	25 AMP ATO WHITE	30 AMP ATO GREEN
					
5PC	10PC	5PC	10PC	5PC	10PC
5 AMP ATM ORANGE	10 AMP ATM RED	15 AMP ATM BLUE	20 AMP ATM YELLOW	25 AMP ATM WHITE	30 AMP ATM GREEN
					
5PC	5PC	5PC	10PC	5PC	5PC

ALLIGATOR & CHARGING CLIPS

- Red or black PVC grips for insulation & easy identification
- Clear zinc plated finish for corrosion resistance

67.999.121 / HWG400536

D56**121
PCS****AUTOMOTIVE FUSES - ATO**

- 5 sizes

67.700.300 / HWG400556

D72**50
PCS****AUTOMOTIVE FUSES - ATM**

- 5 sizes

67.700.301 / HWG400552

D73**50
PCS**

You won't be caught without the hardware you need in the field with the **Flaman Grab & Go Kit**.



Have Questions?
Contact your local Flaman

Southey, SK
306.726.4403

Prince Albert, SK
306.764.6004

Moosomin, SK
306.435.4143

Yorkton, SK
306.783.1689

Swift Current, SK
306.778.3338

Swan River, MB
204.734.9999

Saskatoon, SK
306.934.2121

FLAMAN

www.flaman.com