

# HARDWARE KITS

Your portable collection of **Braber Equipment** electrical,  
fasteners, hardware and pins.

***FLAMAN***

**BE**  
AG & INDUSTRIAL

# INDEX

|     | FARM PINS                    | PG |
|-----|------------------------------|----|
| A1  | CLEVIS PINS - SAE            | 4  |
| A2  | UNIVERSAL CLEVIS PINS - SAE  | 4  |
| A3  | COTTER PINS - METRIC         | 4  |
| A4  | LARGE COTTER PINS - METRIC   | 4  |
| A5  | COTTER PINS - SAE            | 4  |
| A6  | HAIR PINS - SAE              | 5  |
| A58 | CLEVIS PINS - SAE            | 5  |
| A59 | COTTER PINS - METRIC         | 5  |
| A60 | COTTER PINS - METRIC         | 5  |
| A61 | HAIR PINS - SAE              | 5  |
| A74 | LYNCH PINS - SAE             | 5  |
| A75 | SQUARE PTO LOCK PINS - SAE   | 5  |
| A76 | ROUND PTO LOCK PINS - SAE    | 6  |
| A80 | LYNCH PINS & HAIR PINS - SAE | 6  |

|     | FASTENERS                      | PG |
|-----|--------------------------------|----|
| B8  | HEX HEAD SET SCREWS - METRIC   | 6  |
| B9  | HEX HEAD SET SCREWS - SAE      | 6  |
| B10 | HEX HEAD CAP SCREWS - SAE      | 7  |
| B11 | HEX HEAD CAP SCREWS - METRIC   | 7  |
| B12 | LOCK WASHER KIT                | 7  |
| B15 | NUTS, BOLTS & WASHERS - METRIC | 7  |
| B16 | NUTS, BOLTS, & WASHERS - SAE   | 7  |
| B17 | NYLON LOCK NUTS - METRIC       | 8  |
| B18 | NYLON LOCK NUTS - SAE          | 8  |
| B19 | WING NUTS - SAE                | 8  |
| B20 | FLAT & LOCK WASHERS - SAE      | 8  |
| B21 | FLAT & LOCK WASHERS - METRIC   | 8  |
| B22 | ALUMINUM RIVETS - SAE          | 9  |

|     | ELECTRICAL                              | PG |
|-----|-----------------------------------------|----|
| D44 | INSULATED RUBBER CLAMPS                 | 15 |
| D45 | RUBBER GROMMETS                         | 15 |
| D46 | ELECTRICAL WIRE CONNECTORS - TWIST ON   | 15 |
| D47 | WIRE TERMINALS & CONNECTORS             | 15 |
| D48 | WIRE TERMINAL & CRIMPER                 | 15 |
| D49 | BLACK HEAT SHRINK TUBES                 | 16 |
| D50 | ALLIGATOR & CHARGING CLIPS              | 16 |
| D51 | AUTOMOTIVE FUSES - ATM                  | 16 |
| D52 | AUTOMOTIVE FUSES - ATO                  | 16 |
| D53 | AUTOMOTIVE FUSES - ATX                  | 16 |
| D54 | AUTOMOTIVE FUSES 0 ATO/MINI             | 17 |
| D55 | AUTOMOTIVE FUSES - ATO/MINI/ MAXI/BOSCH | 17 |
| D56 | ALLIGATOR & CHARGING CLIPS              | 17 |
| D57 | AUTOMOTIVE BULBS - 12V                  | 17 |
| D72 | AUTOMOTIVE FUSES - ATO                  | 17 |
| D73 | AUTOMOTIVE FUSES - ATM                  | 17 |

|     | HARDWARE                              | PG |
|-----|---------------------------------------|----|
| C23 | INTERNAL & EXTERNAL SNAP RINGS - SAE  | 9  |
| C24 | INTERNAL SNAP RINGS - METRIC          | 9  |
| C25 | EXTERNAL SNAP RINGS - METRIC          | 9  |
| C26 | EXTERNAL E-CLIPS - METRIC             | 9  |
| C27 | ROLL PINS - SAE                       | 10 |
| C28 | ROLL PINS - METRIC                    | 10 |
| C29 | STAINLESS STEEL HOSE CLAMPS           | 10 |
| C30 | STAINLESS STEEL HOSE CLAMPS KEY TYPES | 10 |
| C31 | COPPER WASHERS - SAE                  | 10 |
| C32 | WIRE ROPE CLIPS & SHACKLES            | 11 |
| C33 | COMPRESSION & EXTENSION SPRINGS       | 11 |

|            | <b>HARDWARE</b>                         | <b>PG</b> |
|------------|-----------------------------------------|-----------|
| <b>C34</b> | EXTENSION SPRING ASSORTMENT             | <b>11</b> |
| <b>C35</b> | COMPRESSION SPRING                      | <b>11</b> |
| <b>C36</b> | WOODRUFF KEYS - METRIC                  | <b>11</b> |
| <b>C37</b> | HNBR O-RINGS - SAE / METRIC             | <b>12</b> |
| <b>C38</b> | NITRILE O-RINGS - SAE                   | <b>12</b> |
| <b>C39</b> | NITRILE O-RINGS METRIC                  | <b>12</b> |
| <b>C40</b> | GREASE FITTINGS - METRIC                | <b>12</b> |
| <b>C41</b> | GREASE FITTINGS - SAE                   | <b>12</b> |
| <b>C42</b> | GREASE FITTINGS - METRIC                | <b>13</b> |
| <b>C43</b> | GREASE FITTINGS - SAE                   | <b>13</b> |
| <b>C62</b> | EXTERNAL E-CLIPS - METRIC               | <b>13</b> |
| <b>C63</b> | INTERNAL SNAP RINGS - METRIC            | <b>13</b> |
| <b>C64</b> | EXTERNAL SNAP RINGS - METRIC            | <b>13</b> |
| <b>C65</b> | HEX HEAD SET SCREWS - SAE               | <b>13</b> |
| <b>C66</b> | WOODRUFF KEYS - METRIC                  | <b>13</b> |
| <b>C67</b> | KEYSTOCK - SAE                          | <b>13</b> |
| <b>C68</b> | MACHIES BUSHINGS - SAE                  | <b>14</b> |
| <b>C69</b> | GREASE FITTINGS - SAE                   | <b>14</b> |
| <b>C70</b> | GREASE FITTINGS - METRIC                | <b>14</b> |
| <b>C71</b> | GREASE FITTINGS - DRIVE IN              | <b>14</b> |
| <b>C77</b> | NITRILE O-RINGS - METRIC                | <b>14</b> |
| <b>C78</b> | NITRILE RINGS -SAE                      | <b>14</b> |
| <b>C79</b> | O-RING, COTTER, AND ROLL PIN ASSORTMENT |           |

**CLEVIS PINS - SAE**

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.000.060 / HWG400256

**A1****60  
PCS**

|                                          |                                                       |                                                                               |                                                                               |                                                                            |                                                                         |
|------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------------------------------------------------|-------------------------------------------------------------------------|
|                                          |                                                       |                                                                               |                                                                               |                                                                            |                                                                         |
| 5/32" HOLE<br>1/2" X 1-1/2"<br>1/2" X 2" | 5/32" HOLE<br>3/8" X 1"<br>3/8" X 1-1/2"<br>3/8" X 2" | 1/8" HOLE<br>5/16" X 2"<br>5/16" X 2-1/4"<br>5/16" X 2-1/2"<br>5/16" X 2-3/4" | 1/8" HOLE<br>5/16" X 1"<br>5/16" X 1-1/4"<br>5/16" X 1-1/2"<br>5/16" X 1-3/4" | 3/32" HOLE<br>1/4" X 1-3/4"<br>1/4" X 2"<br>1/4" X 2-1/4"<br>1/4" X 2-1/2" | 3/32" HOLE<br>3/16" X 1"<br>1/4" X 1"<br>1/4" X 1-1/4"<br>1/4" X 1-1/2" |
| 4PC                                      | 9PC                                                   | 7PC                                                                           | 13PC                                                                          | 12PC                                                                       | 15PC                                                                    |

**UNIVERSAL CLEVIS PINS - SAE**

- Clear zinc plated steel / corrosion resistant
- Includes hair pin clips

67.999.071 / HWG400252

**A2****71  
PCS**

|                 |                |           |                |            |
|-----------------|----------------|-----------|----------------|------------|
|                 |                |           |                |            |
| 5/64" X 1-5/16" | 7/16" X 1-5/8" | 3/8" X 2" | 7/16" X 2-1/2" | 5/16" X 2" |
| 7PC             | 20PC           |           |                | 5PC        |
|                 |                |           |                |            |
| 5/64" X 1-9/16" | 9/64" X 1-3/4" |           |                |            |
| 7PC             | 6PC            | 18PC      | 5PC            | 3PC        |

**COTTER PINS - METRIC**

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.100.555 / HWG400204

**A3****555  
PCS**

|            |            |            |            |            |            |
|------------|------------|------------|------------|------------|------------|
|            |            |            |            |            |            |
| 1.6 X 25MM | 2.4 X 38MM | 3.2 X 51MM | 2.4 X 25MM | 3.2 X 32MM | 4.0 X 64MM |
| 150PC      | 100PC      | 50PC       | 150PC      | 75PC       | 30PC       |

**LARGE COTTER PINS - METRIC**

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.100.144 / HWG400208

**A4****144  
PCS**

|            |            |            |            |            |            |
|------------|------------|------------|------------|------------|------------|
|            |            |            |            |            |            |
| 3.1 X 50MM | 4.0 X 63MM | 4.8 X 75MM | 6.4 X 50MM | 6.4 X 75MM | 8.0 X 63MM |
| 50PC       | 30PC       | 20PC       | 20PC       | 16PC       | 8PC        |

**COTTER PINS - SAE**

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.101.000 / HWG400200

**A5****1000  
PCS**

|            |            |                |               |           |                |
|------------|------------|----------------|---------------|-----------|----------------|
|            |            |                |               |           |                |
| 1/16" X 1" | 3/32" X 1" | 3/32" X 1-1/2" | 1/8" X 1-1/4" | 1/8" X 2" | 5/32" X 2-1/2" |
| 380PC      | 240PC      | 140PC          | 115PC         | 75PC      | 50PC           |



**HAIR PINS - SAE**

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.100.150 / HWG400228

**A6****150**  
PCS

|                 |                 |                 |                |                |                |
|-----------------|-----------------|-----------------|----------------|----------------|----------------|
| 3/32" X 1-3/16" | 5/64" X 1-5/16" | 5/64" X 1-9/16" | 7/64" X 1-5/8" | 9/64" X 1-3/4" | 5/32" X 2-5/8" |
|                 |                 |                 |                |                |                |
| 42PC            | 30PC            | 25PC            | 25PC           | 20PC           | 8PC            |

**CLEVIS PINS - SAE**

- 14 sizes

67.700.312

HWG400260

**A58****23**  
PCS**COTTER PINS - METRIC**

- Small / 8 sizes

67.700.302

HWG400212

**A59****215**  
PCS**HAIR PINS - SAE**

- 6 sizes

67.700.305 / HWG400232

**A61****28**  
PCS**COTTER PINS - METRIC**

- Large / 10 sizes

67.700.303 / HWG400216

**A60****40**  
PCS**LYNCH PINS - SAE**

- Yellow zinc plated steel / corrosion resistant
- Four popular sizes for many applications

67.700.200 / HWG400236

**A74****50**  
PCS

|               |                 |                |                |
|---------------|-----------------|----------------|----------------|
| 1/4" X 1-3/4" | 3/16" X 1-7/16" | 5/16" X 1-3/4" | 7/16" X 1-3/4" |
|               |                 |                |                |
| 18PC          | 16PC            | 6PC            | 10PC           |

**SQUARE PTO LOCK PINS - SAE**

- Clear zinc plated steel / corrosion resistant
- Includes hair pin clips

67.700.220 / HWG400244


**A75****20**  
PCS

|                                |                                |                                  |
|--------------------------------|--------------------------------|----------------------------------|
| 1/4" X 2 1/2"<br>1/4" X 2-1/2" | 3/8" X 2 1/4"<br>3/8" X 2-1/4" | 5/16" X 2 1/4"<br>5/16" X 2-1/4" |
|                                |                                |                                  |
| 5PC                            | 5PC                            | 10PCs                            |

## ROUND PTO LOCK PINS - SAE

- Constructed of clear zinc plated steel
- Rust and corrosion resistant


67.701.220 / HWG400248

**A76****20  
PCS**

## LYNCH PINS & HAIR PINS - SAE

- Zinc plated steel for corrosion resistance
- Most popular sizes of lynch pin and hair pins

67.700.700 / HWG400240

**A80****70  
PCS**

## MAGNETIC BIT HOLDER & ASSORTED BITS

- 6 x magnetic 1/4" bit holders included
- Assortment of Pozidriv, Phillips, Slotted, Hex and Torx bits

67.999.114 / HWG400640

**B7****114  
PCS**

|                            |            |            |            |            |            |
|----------------------------|------------|------------|------------|------------|------------|
| PZ1<br>6PC                 | PZ2<br>6PC | PZ3<br>6PC | PH0<br>6PC | PH1<br>6PC | PH2<br>6PC |
| SL4<br>6PC                 | SL5<br>6PC | SL6<br>6PC | H2<br>6PC  | H3<br>6PC  | H4<br>6PC  |
| H5<br>6PC                  | H6<br>6PC  | T10<br>6PC | T20<br>6PC | T25<br>6PC | T30<br>6PC |
| MAGNETIC BIT HOLDER<br>6PC |            |            |            |            |            |

## HEX HEAD SET SCREWS - METRIC

- High quality grade 12.9 screws in fine & coarse thread
- Black oxide finish steel for corrosion resistance

67.984.460 / HWG400304

**B8****200  
PCS**

|                |                                 |                                |                 |                  |                 |
|----------------|---------------------------------|--------------------------------|-----------------|------------------|-----------------|
| M4 X 5<br>10PC | M10 X 10<br>FINE THREAD<br>10PC | M8 X 10<br>FINE THREAD<br>20PC | M8 X 10<br>30PC | M10 X 10<br>10PC | M8 X 12<br>20PC |
| M3 X 5<br>10PC | M5 X 6<br>10PC                  | M6 X 6<br>FINE THREAD<br>20PC  | M6 X 6<br>30PC  | M10 X 12<br>10PC | M6 X 10<br>20PC |

## HEX HEAD SET SCREWS - SAE

- High quality grade 12.9 screws in fine & coarse thread
- Black oxide finish steel for corrosion resistance

67.984.450 / HWG400300

**B9****200  
PCS**

|                            |                                         |                                          |                           |                          |                           |
|----------------------------|-----------------------------------------|------------------------------------------|---------------------------|--------------------------|---------------------------|
| 5/32" - 32 X 3/16"<br>10PC | 3/8" - 24 X 3/8"<br>FINE THREAD<br>10PC | 5/16" - 24 X 3/8"<br>FINE THREAD<br>20PC | 5/16" - 18 X 3/8"<br>30PC | 3/8" - 16 X 3/8"<br>10PC | 5/16" - 18 X 1/2"<br>20PC |
| 1/8" - 40 X 3/16"<br>10PC  | 3/16" - 24 X 1/4"<br>10PC               | 1/4" - 28 X 1/4"<br>FINE THREAD<br>20PC  | 1/4" - 20 X 1/4"<br>30PC  | 3/8" - 16 X 1/2"<br>10PC | 1/4" - 20 X 3/8"<br>20PC  |

## HEX HEAD CAP SCREWS - SAE

- High quality carbon steel screws in most popular sizes
- Black oxide finish steel for corrosion resistance

67.100.106 / HWG400128

**B10**106  
PCS

|                |                 |               |                    |                  |                     |
|----------------|-----------------|---------------|--------------------|------------------|---------------------|
| #8 - 32 X 1/2" | #10 - 24 X 1/2" | #10 - 24 X 1" | 3/8" - 16 X 1-1/2" | 1/4" - 20 X 1"   | 5/16" - 18 X 1-1/2" |
|                |                 |               |                    |                  |                     |
| 25PC           | 25PC            | 20PC          | 3PC                | 10PC             | 5PC                 |
|                |                 |               | 3/8" - 16 X 1"     | 1/4" - 20 X 1/2" | 5/16" - 18 X 1"     |
|                |                 |               |                    |                  |                     |
|                |                 |               | 3PC                | 10PC             | 5PC                 |

## HEX HEAD CAP SCREWS - METRIC

- Constructed of clear zinc plated steel
- Rust and corrosion resistant

67.444.106 / HWG400132

**B11**106  
PCS

|          |          |          |           |          |          |
|----------|----------|----------|-----------|----------|----------|
| 4 X 12MM | 5 X 12MM | 5 X 25MM | 10 X 35MM | 6 X 25MM | 8 X 35MM |
|          |          |          |           |          |          |
| 25PC     | 25PC     | 20PC     | 3PC       | 10PC     | 5PC      |
|          |          |          | 10 X 25MM | 6 X 12MM | 8 X 25MM |
|          |          |          |           |          |          |
|          |          |          | 3PC       | 10PC     | 5PC      |

## LOCK WASHER KIT

- High quality alloy steel construction
- Zinc plated steel for corrosion resistance

67.100.720 / HWG400124

**B12**720  
PCS

|                                              |                                              |                                               |                                                |                                                 |                                                |
|----------------------------------------------|----------------------------------------------|-----------------------------------------------|------------------------------------------------|-------------------------------------------------|------------------------------------------------|
| #6<br>SPRING CUSHIONS<br>COUSSINS A RESSORT  | #8<br>SPRING CUSHIONS<br>COUSSINS A RESSORT  | #10<br>SPRING CUSHIONS<br>COUSSINS A RESSORT  | 1/4"<br>SPRING CUSHIONS<br>COUSSINS A RESSORT  | 5/16"<br>SPRING CUSHIONS<br>COUSSINS A RESSORT  | 3/8"<br>SPRING CUSHIONS<br>COUSSINS A RESSORT  |
|                                              |                                              |                                               |                                                |                                                 |                                                |
| 50PC                                         | 50PC                                         | 50PC                                          | 40PC                                           | 30PC                                            | 20PC                                           |
| #6<br>EXTERNAL WASHERS<br>RONDELLES EXTERNES | #8<br>EXTERNAL WASHERS<br>RONDELLES EXTERNES | #10<br>EXTERNAL WASHERS<br>RONDELLES EXTERNES | 1/4"<br>EXTERNAL WASHERS<br>RONDELLES EXTERNES | 5/16"<br>EXTERNAL WASHERS<br>RONDELLES EXTERNES | 3/8"<br>EXTERNAL WASHERS<br>RONDELLES EXTERNES |
|                                              |                                              |                                               |                                                |                                                 |                                                |
| 50PC                                         | 50PC                                         | 50PC                                          | 40PC                                           | 30PC                                            | 20PC                                           |
| #6<br>INTERNAL WASHERS<br>RONDELLES INTERNES | #8<br>INTERNAL WASHERS<br>RONDELLES INTERNES | #10<br>INTERNAL WASHERS<br>RONDELLES INTERNES | 1/4"<br>INTERNAL WASHERS<br>RONDELLES INTERNES | 5/16"<br>INTERNAL WASHERS<br>RONDELLES INTERNES | 3/8"<br>INTERNAL WASHERS<br>RONDELLES INTERNES |
|                                              |                                              |                                               |                                                |                                                 |                                                |
| 50PC                                         | 50PC                                         | 50PC                                          | 40PC                                           | 30PC                                            | 20PC                                           |

## NUTS, BOLTS & WASHERS - METRIC

- Popular variety of bolts, nuts and washers
- Zinc plated steel for corrosion resistance

67.444.240 / HWG400104

**B15**240  
PCS

|         |            |            |            |            |          |
|---------|------------|------------|------------|------------|----------|
| M5 X 25 | M5 X 16 M5 | M6 X 20    | M10 X 16   | M6 X 30 M6 | M10 X 40 |
|         |            |            |            |            |          |
| 10PC    | 10PC 20PC  | 10PC       |            |            |          |
| M5      | M8         | M10        |            |            |          |
|         |            |            |            |            |          |
| 20PC    | 10PC       | 10PC       | 5PC        | 10PC 20PC  | 5PC      |
| M6      | M4 X 20 M4 | M4 X 12 M4 | M4 X 12 M4 | M8 X 40    | M10      |
|         |            |            |            |            |          |
| 20PC    | 10PC 20PC  | 10PC 20PC  | 5PC 10PC   | 5PC        | 10PC     |

## NUTS, BOLTS & WASHERS - SAE

- Popular variety of bolts, nuts and washers
- Zinc plated steel for corrosion resistance

67.100.240 / HWG400100

**B16**240  
PCS

|         |                |              |                  |                     |               |
|---------|----------------|--------------|------------------|---------------------|---------------|
| #10 X 1 | #10 X 5/8" #10 | 1/4" X 3/4"  | 3/8" X 5/8"      | 1/4" X 1-1/4" 5/16" | 3/8" X 1-1/2" |
|         |                |              |                  |                     |               |
| 10PC    | 10PC 20PC      | 10PC         |                  |                     |               |
| #10     | #5/16          | 3/8"         |                  |                     |               |
|         |                |              |                  |                     |               |
| 20PC    | 10PC           | 10PC         | 5PC              | 10PC 20PC           | 5PC           |
| 1/4"    | #8 X 3/4" #8   | #8 X 1/2" #8 | 5/16" X 1" 5/16" | 5/16" X 1-1/2"      | 3/8"          |
|         |                |              |                  |                     |               |
| 20PC    | 10PC 20PC      | 10PC 20PC    | 5PC 10PC         | 5PC                 | 10PC          |



**NYLON LOCK NUTS - METRIC**

- Nylon insert acts as lock washer to secure fastener
- Zinc plated steel for corrosion resistance

67.444.146 / HWG400112

**B17****146  
PCS**

| M4   | M5   | M6   | M8   | M10  | M12  |
|------|------|------|------|------|------|
|      |      |      |      |      |      |
| 35PC | 35PC | 25PC | 25PC | 16PC | 10PC |

**NYLON LOCK NUTS - SAE**

- High quality carbon steel screws in most popular sizes
- Black oxide finish steel for corrosion resistance

67.000.150 / HWG400108


**B18****150  
PCS**

| #10-24 | 1/4" - 20 | 1/4" - 28 | 5/16" - 18 | 3/8" - 16 | 1/2" - 13 |
|--------|-----------|-----------|------------|-----------|-----------|
|        |           |           |            |           |           |
| 25PC   | 35PC      | 25PC      | 30PC       | 25PC      | 10PC      |

**WING NUTS - SAE**

- Stamped and machined steel construction
- Zinc plated steel for corrosion resistance

67.110.150 / HWG400136

**B19****150  
PCS**

| 3/16" - 24 | 3/16" - 32 | 1/4" - 20 | 1/4" - 28 | 5/16" - 18 | 5/16" - 24 |
|------------|------------|-----------|-----------|------------|------------|
|            |            |           |           |            |            |
| 30PC       | 30PC       | 25PC      | 25PC      | 20PC       | 20PC       |

**FLAT & LOCK WASHERS - SAE**

- High quality carbon steel construction
- Zinc plated steel for corrosion resistance

67.100.350 / HWG400116

**B20****350  
PCS**

| #6<br>FLAT WASHER | #8<br>FLAT WASHER | #10<br>FLAT WASHER | 1/4"<br>FLAT WASHER | 5/16"<br>FLAT WASHER | 3/8"<br>FLAT WASHER |
|-------------------|-------------------|--------------------|---------------------|----------------------|---------------------|
|                   |                   |                    |                     |                      |                     |
| 50PC              | 40PC              | 30PC               | 25PC                | 15PC                 | 15PC                |
| #6<br>LOCK WASHER | #8<br>LOCK WASHER | #10<br>LOCK WASHER | 1/4"<br>LOCK WASHER | 5/16"<br>LOCK WASHER | 3/8"<br>LOCK WASHER |
|                   |                   |                    |                     |                      |                     |
| 50PC              | 40PC              | 30PC               | 25PC                | 15PC                 | 15PC                |

**FLAT & LOCK WASHERS - METRIC**

- Popular variety of lock, internal & external star washers
- Zinc plated steel for corrosion resistance

67.444.350 / HWG400120

**B21****350  
PCS**

| 3MM<br>FLAT WASHER | 4MM<br>FLAT WASHER | 5MM<br>FLAT WASHER | 6MM<br>FLAT WASHER | 8MM<br>FLAT WASHER | 10MM<br>FLAT WASHER |
|--------------------|--------------------|--------------------|--------------------|--------------------|---------------------|
|                    |                    |                    |                    |                    |                     |
| 50PC               | 40PC               | 30PC               | 25PC               | 15PC               | 15PC                |
| 3MM<br>LOCK WASHER | 4MM<br>LOCK WASHER | 5MM<br>LOCK WASHER | 6MM<br>LOCK WASHER | 8MM<br>LOCK WASHER | 10MM<br>LOCK WASHER |
|                    |                    |                    |                    |                    |                     |
| 50PC               | 40PC               | 30PC               | 25PC               | 15PC               | 15PC                |

## ALUMINUM RIVETS - SAE

- Rustproof aluminum heads & steel shanks
- Four popular sizes of 1/8" diameter rivets

67.100.500 / HWG400628

**B22**500  
PCS

|             |              |             |                       |
|-------------|--------------|-------------|-----------------------|
| 1/8" X 1/4" | 1/8" X 4/16" | 1/8" X 3/8" | 1/8" X 5/8"           |
|             |              |             |                       |
| 125PC       | 125PC        | 125PC       | .91/5 X .8/L<br>125PC |

## INTERNAL &amp; EXTERNAL SNAP RINGS - SAE

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.100.285 / HWG400324

**C23**285  
PCS

|       |        |        |       |       |        |
|-------|--------|--------|-------|-------|--------|
| 7/16" | 5/8"   | 5/8"   | 9/16" | 5/8"  | 3/4"   |
|       |        |        |       |       |        |
| 15PC  | 15PC   | 20PC   | 20PC  | 20PC  | 20PC   |
| 1/2"  | 3/4"   | 1-1/4" | 1"    | 7/8"  | 13/16" |
|       |        |        |       |       |        |
| 15PC  | 15PC   | 5PC    | 10PC  | 10PC  | 10PC   |
| 9/16" | 13/16" | 7/16"  | 3/8"  | 5/16" | 1/4"   |
|       |        |        |       |       |        |
| 15PC  | 15PC   | 15PC   | 20PC  | 20PC  | 20PC   |

## INTERNAL SNAP RINGS - METRIC

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.200.300 / HWG400328

**C24**300  
PCS

|      |      |      |      |      |      |
|------|------|------|------|------|------|
| 3MM  | 4MM  | 5MM  | 6MM  | 8MM  | 9MM  |
|      |      |      |      |      |      |
| 20PC | 10PC | 15PC | 25PC | 15PC | 20PC |
| 20MM | 22MM | 25MM | 26MM | 28MM | 32MM |
|      |      |      |      |      |      |
| 15PC | 20PC | 15PC | 15PC | 10PC | 5PC  |
| 11MM | 12MM | 13MM | 14MM | 15MM |      |
|      |      |      |      |      |      |
| 15PC | 15PC | 25PC | 15PC | 20PC | 25PC |

## EXTERNAL SNAP RINGS - METRIC

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.100.300 / HWG400332

**C25**300  
PCS

|      |      |      |      |      |      |
|------|------|------|------|------|------|
| 3MM  | 6MM  | 11MM | 13MM | 16MM | 22MM |
|      |      |      |      |      |      |
| 20PC | 25PC | 15PC | 25PC | 20PC | 20PC |
| 4MM  | 8MM  | 32MM | 28MM | 19MM | 25MM |
|      |      |      |      |      |      |
| 10PC | 15PC | 5PC  | 10PC | 25PC | 15PC |
| 5MM  | 10MM | 12MM | 14MM | 20MM | 26MM |
|      |      |      |      |      |      |
| 15PC | 20PC | 15PC | 15PC | 15PC | 15PC |

## EXTERNAL E-CLIPS - METRIC

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.300.300 / HWG400344

**C26**300  
PCS

|       |      |      |      |      |      |
|-------|------|------|------|------|------|
| 1.5MM | 3MM  | 5MM  | 15MM | 19MM | 22MM |
|       |      |      |      |      |      |
| 30PC  | 30PC | 40PC |      |      |      |
| 6MM   | 10MM | 12MM |      |      |      |
|       |      |      |      |      |      |
| 50PC  | 50PC | 40PC | 20PC | 20PC | 20PC |

**ROLL PINS - SAE**

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.100.120 / HWG400220

**C27****120**  
PCS

|                                                      |                                                        |                                                      |                                                   |                                                          |                                                      |
|------------------------------------------------------|--------------------------------------------------------|------------------------------------------------------|---------------------------------------------------|----------------------------------------------------------|------------------------------------------------------|
| 5/32" X 5/8"<br>5/32" X 1"<br>5/32" X 1 1/2"<br>4 PC | 1/4" X 5/8"<br>1/4" X 1 1/4"<br>1/4" X 1 3/4"<br>4 PC  |                                                      |                                                   | 3/32" X 5/8"<br>3/32" X 1"<br>3/32" X 1 1/4"<br>4 PC     | 1/8" X 5/8"<br>1/8" X 1"<br>1/8" X 1 1/4"<br>5 PC    |
| 5/64" X 1/4"<br>5/64" X 1/2"<br>5/64" X 1"<br>4 PC   | 1/16" X 3/16"<br>1/16" X 3/4"<br>1/16" X 5/16"<br>4 PC | 5/16" X 3/4"<br>5/16" X 1 1/2"<br>5/16" X 2"<br>4 PC | 3/8" X 3/4"<br>3/8" X 1 1/2"<br>3/8" X 2"<br>2 PC | 7/32" X 1 1/4"<br>7/32" X 1 3/4"<br>7/32" X 5/8"<br>4 PC | 3/16" X 5/8"<br>3/16" X 1"<br>3/16" X 1 1/4"<br>5 PC |

**ROLL PINS - METRIC**

- Constructed of heat treated durable spring steel
- Black oxide finish steel for corrosion resistance

67.444.120 / HWG400224

**C28****120**  
PCS

|                                    |                                        |                                    |                                       |                                          |                                    |
|------------------------------------|----------------------------------------|------------------------------------|---------------------------------------|------------------------------------------|------------------------------------|
| 4 X 16<br>4 X 25<br>4 X 40<br>4 PC | 6 X 16<br>6 X 30<br>6 X 45<br>4 PC     |                                    |                                       | 2.5 X 16<br>2.5 X 25<br>2.5 X 30<br>4 PC | 3 X 16<br>3 X 25<br>3 X 30<br>5 PC |
| 2 X 16<br>2 X 12<br>2 X 25<br>4 PC | 1.5 X 5<br>1.5 X 20<br>1.5 X 8<br>4 PC | 8 X 20<br>8 X 40<br>8 X 50<br>4 PC | 10 X 20<br>10 X 40<br>10 X 50<br>2 PC | 5.5 X 30<br>5.5 X 45<br>5.5 X 16<br>4 PC | 5 X 16<br>5 X 25<br>5 X 30<br>5 PC |

**STAINLESS STEEL HOSE CLAMPS**

- Heavy duty 304 stainless steel band & zinc plated gear
- Popular sizes from 5/8" to 1-1/2"

67.999.026 / HWG400600

**C29****26**  
PCS

|                       |                     |                                                     |                         |                      |
|-----------------------|---------------------|-----------------------------------------------------|-------------------------|----------------------|
| 5/8" (10-16MM)<br>8PC | 1" (16-25MM)<br>4PC | 1-1/16" (14-27MM)<br>2PC<br>1-1/2" (21-38MM)<br>4PC | 1-1/4" (18-32MM)<br>2PC | 7/8" (1-22MM)<br>6PC |
|-----------------------|---------------------|-----------------------------------------------------|-------------------------|----------------------|

**STAINLESS STEEL HOSE CLAMPS - KEY TYPE**

- Heavy duty 304 stainless steel band & zinc plated gear
- Popular sizes from 5/8" to 1-1/2"

67.991.026 / HWG400604

**C30****26**  
PCS

|                    |                  |                     |                    |                    |
|--------------------|------------------|---------------------|--------------------|--------------------|
| 7/8" (22MM)<br>2PC | 1" (25MM)<br>2PC | 1/2" (13MM)<br>10PC | 5/8" (16MM)<br>6PC | 3/4" (19MM)<br>6PC |
|--------------------|------------------|---------------------|--------------------|--------------------|

**COPPER WASHERS - SAE**

- Corrosion resistant and high conductivity
- Ideal for sump plugs, fuel, water or electrical connections

67.000.110 / HWG400620

**C31****110**  
PCS

|              |               |              |               |              |              |
|--------------|---------------|--------------|---------------|--------------|--------------|
| 1/4"<br>30PC | 5/16"<br>25PC | 3/8"<br>20PC | 7/16"<br>15PC | 1/2"<br>10PC | 5/8"<br>10PC |
|--------------|---------------|--------------|---------------|--------------|--------------|



## WIRE ROPE CLIPS & SHACKLES

- Zinc plated steel / corrosion resistant
- Popular sizes of wire rope & carabiner clips and shackles

67.999.030 / HWG400636

**C32****30  
PCS**

|                 |                 |                   |            |            |
|-----------------|-----------------|-------------------|------------|------------|
| 5 X 50MM<br>4PC | 8 X 80MM<br>2PC | 10 X 100MM<br>1PC | 3MM<br>5PC | 8MM<br>3PC |
| 6 X 60MM<br>3PC |                 | 6MM<br>4PC        | 5MM<br>5PC |            |
|                 |                 | 8MM<br>3PC        |            |            |

## COMPRESSION & EXTENSION SPRINGS

- Constructed of #75 zinc plated steel for durability
- Great for DIY projects, home repairs or hand tool repairs

67.000.200 / HWG400608

**C33****200  
PCS**

|                                             |                                                |                                                                                                   |                                             |                                               |
|---------------------------------------------|------------------------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------|-----------------------------------------------|
| COMP. 7 x 1.25MM<br>EXT. 5 x 20.5MM<br>10PC | COMP. 9.5 x 10MM<br>EXT. 8 x 28.5MM<br>6PC 8PC | FIRST FRACTION - OUTSIDE DIAMETER<br>SECOND FRACTION - LENGTH<br>EXT. 8.5 x 47MM<br>EXT. 7 x 51MM | COMP. 9 x 30MM<br>EXT. 4.5 x 44.5MM<br>8PC  | COMP. 5.5 x 38MM<br>EXT. 7 x 19MM<br>10PC     |
| COMP. 6.5 x 10MM<br>EXT. 5 x 25.5MM<br>10PC | COMP. 9.5 x 19MM<br>EXT. 8 x 31.5MM<br>12PC    | EXT. 8 x 44.5MM<br>EXT. 4 x 78.5MM                                                                | COMP. 7 x 38MM<br>EXT. 8.5 x 36.5MM<br>10PC | COMP. 5.5 x 38MM<br>EXT. 8.5 x 36.5MM<br>10PC |

## EXTENSION SPRING ASSORTMENT

- Black oxide plated steel for durability & corrosion resistance
- Great for DIY projects, home repairs or hand tool repairs

67.100.054 / HWG400616

**C34****54  
PCS**

|                                                                                                                                            |                                                   |                                                                                                                     |                                                                             |                                                      |                                                     |
|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------|
| 0.015"X0.125"X1.5"<br>0.025"X0.218"X1.5"<br>0.035"X0.25"X1.5"<br>0.02"X0.312"X1.5"<br>0.028"X0.343"X1.5"<br>0.028"X0.437"X1.5"<br>2PC EACH | 0.08"X0.5"X1.625"<br>0.062"X0.437"X2"<br>4PC EACH | 0.02"X0.156"X2.5"<br>0.016"X0.25"X2.5"<br>0.035"X0.25"X2.5"<br>0.028"X0.437"X2.5"<br>0.047"X0.437"X2.5"<br>2PC EACH | 0.035"X0.437"X2.75"<br>0.047"X0.437"X3.5"<br>0.054"X0.437"X3.5"<br>4PC EACH | 0.047"X0.437"X3.5"<br>0.054"X0.437"X3.5"<br>2PC EACH | 0.035"X0.375"X4"<br>0.041"X0.375"X3.75"<br>2PC EACH |
|--------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|---------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|------------------------------------------------------|-----------------------------------------------------|

## COMPRESSION SPRING

- Black oxide plated steel for durability & corrosion resistance
- Great for DIY projects, home repairs / hand tool repairs

67.100.114 / HWG400612

**C35****114  
PCS**

|                                                                              |                                                                                                                                                                                 |                                                                                                                           |                                                                          |                                                      |                                                      |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|
| 0.035"X0.25"X0.5"<br>0.026"X0.312"X0.625"<br>0.032"X0.375"X0.75"<br>6PC EACH | 0.028"X0.167"X1.375"<br>0.016"X0.167"X1.375"<br>0.016"X0.167"X1.375"<br>0.041"X0.312"X1.25"<br>0.041"X0.375"X1.125"<br>0.041"X0.437"X1.062"<br>0.028"X0.218"X1.375"<br>6PC EACH | 0.013"X0.218"X1.75"<br>0.016"X0.312"X1.75"<br>0.047"X0.343"X1.5"<br>0.026"X0.375"X1.5"<br>0.035"X0.375"X1.75"<br>4PC EACH | 0.047"X0.312"X2"<br>0.047"X0.406"X2.75"<br>0.072"X0.5"X2.75"<br>4PC EACH | 0.047"X0.406"X2.75"<br>0.072"X0.5"X2.75"<br>2PC EACH | 0.032"X0.437"X2.125"<br>0.054"X0.562"X3"<br>2PC EACH |
|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|------------------------------------------------------|------------------------------------------------------|

## WOODRUFF KEYS - METRIC

- Constructed of heat treated carbon steel
- Black oxide finish steel for corrosion resistance

67.200.080 / HWG400312

**C36****80  
PCS**

|                      |                      |                    |                      |                    |                    |
|----------------------|----------------------|--------------------|----------------------|--------------------|--------------------|
| 4 x 7.5 x 19<br>10PC | 5 x 7.5 x 19<br>10PC | 3 x 5 x 13<br>10PC | 3 x 6.5 x 16<br>10PC | 5 x 9 x 22<br>10PC | 6 x 9 x 22<br>10PC |
|                      |                      | 4 x 5 x 13<br>10PC | 4 x 6.5 x 16<br>10PC |                    |                    |



**HNBR O-RINGS - SAE / METRIC**

- HNBR - hydrogenated nitrile butadiene rubber
- For use with air conditioning applications

67.700.270 / HWG400416

**C37****270  
PCS**

|                       |                       |                       |                       |                        |                        |
|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|------------------------|
| 7/32" X 1/16"<br>20PC | 1/4" X 1/16"<br>20PC  | 9/32" X 5/64"<br>20PC | 5/16" X 1/16"<br>20PC | 5/16" X 5/64"<br>20PC  | 11/32" X 5/64"<br>20PC |
| 7/16" X 1/16"<br>15PC | 7/16" X 3/32"<br>15PC | 9/16" X 1/16"<br>10PC | 9/16" X 3/32"<br>10PC | 11/16" X 1/16"<br>10PC | 11/16" X 1/8"<br>10PC  |
| 8MM X 2MM<br>20PC     | 10MM X 2MM<br>10PC    | 10MM X 2MM<br>15PC    | 12MM X 2MM<br>15PC    | 15MM X 2MM<br>10PC     | 17MM X 2MM<br>10PC     |

**NITRILE O-RINGS - SAE**

- NBR - nitrile butadiene rubber (BUNA-N 70)
- Rubber resists oil, gas, water and alcohol solvents

67.100.225 / HWG400408

**C38****225  
PCS**

|                        |                       |                       |                       |                        |                          |
|------------------------|-----------------------|-----------------------|-----------------------|------------------------|--------------------------|
| 3/32" x 15/64"<br>10PC | 1/8" x 1/4"<br>20PC   | 5/32" x 9/32"<br>20PC | 3/16" x 5/16"<br>20PC | 7/32" x 11/32"<br>15PC | 1/4" x 3/8"<br>15PC      |
| 9/16" x 3/4"<br>10PC   | 5/8" x 13/16"<br>10PC | 11/16" x 7/8"<br>10PC | 3/4" x 15/16"<br>10PC | 3/4" x 1"<br>10PC      | 13/16" x 1-1/16"<br>10PC |
| 5/16" x 7/16"<br>10PC  | 3/8" x 1/2"<br>10PC   | 5/8" x 3/4"<br>10PC   | 3/8" x 9/16"<br>10PC  | 7/16" x 5/8"<br>10PC   | 1/2" x 11/16"<br>10PC    |

**NITRILE O-RINGS - METRIC**

- NBR - nitrile butadiene rubber (BUNA-N 70)
- Rubber resists oil, gas, water and alcohol solvents

67.444.225 / HWG400412

**C39****225  
PCS**

|               |                 |                 |               |               |                 |
|---------------|-----------------|-----------------|---------------|---------------|-----------------|
| 3 x 1<br>20PC | 4 x 1<br>20PC   | 4.5 x 2<br>20PC | 5 x 2<br>20PC | 6 x 2<br>20PC | 6 x 2.5<br>20PC |
| 13 x 3<br>5PC | 14 x 2.5<br>5PC | 17 x 2.5<br>5PC | 18 x 4<br>5PC | 20 x 2<br>5PC | 22 x 2<br>5PC   |
| 6 x 3<br>20PC | 7 x 2<br>20PC   | 8 x 2<br>20PC   | 9 x 2<br>5PC  | 10 x 2<br>5PC | 12 x 3<br>5PC   |

**GREASE FITTINGS - METRIC**

- Clear zinc plated steel / corrosion resistant
- Includes straight, 45° and 90° angled zerks

67.444.110 / HWG400424

**C40****110  
PCS**

|                |                       |                       |                           |                           |                    |
|----------------|-----------------------|-----------------------|---------------------------|---------------------------|--------------------|
| M6 x 1<br>30PC | M6 x 1<br>45°<br>15PC | M6 x 1<br>90°<br>15PC | M10 x 1.25<br>90°<br>15PC | M10 x 1.25<br>45°<br>15PC | M10 x 1.25<br>20PC |
|----------------|-----------------------|-----------------------|---------------------------|---------------------------|--------------------|

**GREASE FITTINGS - SAE**

- Clear zinc plated steel / corrosion resistant
- Includes straight, 45° and 90° angled zerks

67.100.110 / HWG400420

**C41****30  
PCS**

|                   |                          |                          |                          |                          |                   |
|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------|
| 1/4" - 28<br>30PC | 1/4" - 28<br>45°<br>15PC | 1/4" - 28<br>90°<br>15PC | 1/8" - 27<br>90°<br>15PC | 1/8" - 27<br>45°<br>15PC | 1/8" - 27<br>20PC |
|-------------------|--------------------------|--------------------------|--------------------------|--------------------------|-------------------|

## GREASE FITTINGS - METRIC

- Clear zinc plated steel / corrosion resistant
- Includes straight, 45° and 90° angled zerks

67.444.060 / HWG400440

**C42**

60  
PCS



|                    |               |                    |                |                |                     |
|--------------------|---------------|--------------------|----------------|----------------|---------------------|
| M6 x 1<br>STRAIGHT | M6 x 1<br>45° | M8 x 1<br>STRAIGHT | M8 x 1<br>90°  | M10 x 1<br>90° | M10 x 1<br>STRAIGHT |
|                    |               |                    |                |                |                     |
| 10PC               | 5PC           | 10PC               | 5PC            | 5PC            | 10PC                |
|                    | M6 x 1<br>90° | M8 x 1<br>45°      | M10 x 1<br>45° |                |                     |
|                    |               |                    |                |                |                     |
|                    | 5PC           | 5PC                | 5PC            |                |                     |


## GREASE FITTINGS - SAE

- Clear zinc plated steel / corrosion resistant
- Includes straight, 45° and 90° angled zerks

67.100.100 / HWG400428

**C43**

100  
PCS



|                               |                                      |                          |                          |                          |                               |
|-------------------------------|--------------------------------------|--------------------------|--------------------------|--------------------------|-------------------------------|
|                               | 1/4" - 28<br>STRAIGHT<br>LONG<br>5PC |                          |                          |                          |                               |
| 1/4" - 28<br>STRAIGHT<br>25PC |                                      | 1/4" - 28<br>90°<br>10PC | 1/8" - 27<br>90°<br>10PC | 1/8" - 27<br>45°<br>10PC | 1/8" - 28<br>STRAIGHT<br>30PC |
|                               | 10PC                                 |                          |                          |                          |                               |

## EXTERNAL E-CLIPS - METRIC

- 7 sizes

67.700.309

HWG400348

**C62**

70  
PCS



## INTERNAL SNAP RINGS - METRIC

- 6 sizes

67.700.310

HWG400336

**C63**

55  
PCS



## EXTERNAL SNAP RINGS - METRIC

- 13 sizes

67.700.311

HWG400340

**C64**

70  
PCS



## HEX HEAD SET SCREWS - SAE

- 8 sizes

67.700.306

HWG400308

**C65**

65  
PCS



## WOODRUFF KEYS - METRIC

- 8 sizes

67.700.308

HWG400316

**C66**

40  
PCS



## MACHINES BUSHINGS - SAE

- 4 sizes

67.983.906

HWG400624

**C68**

20  
PCS



## KEYSTOCK - SAE

- 5 sizes

67.700.313 / HWG400320

**C67**

30  
PCS



|                  |                    |                  |                    |                  |
|------------------|--------------------|------------------|--------------------|------------------|
| 1/8"x1/8"x1 1/2" | 3/16"x3/16"x1 1/2" | 1/4"x1/4"x1 1/2" | 5/16"x5/16"x1 1/2" | 3/8"x3/8"x1 1/2" |
|                  |                    |                  |                    |                  |
| 6 PCS            | 6 PCS              | 6 PCS            | 6 PCS              | 6 PCS            |

## GREASE FITTINGS - SAE

- 6 sizes
- 67.700.304  
HWG400436

**C69**40  
PCS

## GREASE FITTINGS - METRIC

- 7 sizes
- 67.700.314  
HWG400444

**C70**50  
PCS

## GREASE FITTINGS - DRIVE IN

- 4 sizes
- 67.700.315  
HWG400432

**C71**50  
PCS

## NITRILE O-RINGS - METRIC

- NBR - nitrile butadiene rubber (BUNA-N 70)
  - Rubber resists oil, gas, water and alcohol solvents
- 67.444.407 / HWG400404

**C77**407  
PCS

| NUMBERS | I/D   | SECTION | QTY | NUMBERS | I/D   | SECTION | QTY | NUMBERS | I/D   | SECTION | QTY |
|---------|-------|---------|-----|---------|-------|---------|-----|---------|-------|---------|-----|
| 568-006 | 2.90  | 1.78    | 20  | 568-115 | 17.13 | 2.62    | 13  | 568-217 | 29.75 | 3.53    | 10  |
| 568-008 | 4.48  | 1.78    | 20  | 568-116 | 18.72 | 2.62    | 13  | 568-218 | 31.34 | 3.53    | 10  |
| 568-010 | 6.07  | 1.78    | 20  | 568-117 | 20.29 | 2.62    | 13  | 568-219 | 32.92 | 3.53    | 10  |
| 568-011 | 7.66  | 1.78    | 20  | 568-118 | 21.89 | 2.62    | 13  | 568-220 | 34.52 | 3.53    | 10  |
| 568-012 | 9.25  | 1.78    | 20  | 568-210 | 18.64 | 2.62    | 13  | 568-221 | 36.10 | 3.53    | 10  |
| 568-014 | 12.42 | 1.78    | 20  | 568-211 | 20.22 | 3.53    | 10  | 568-222 | 37.69 | 3.53    | 10  |
| 568-110 | 9.19  | 2.62    | 13  | 568-212 | 21.82 | 3.53    | 10  | 568-223 | 40.87 | 3.53    | 10  |
| 568-111 | 10.77 | 2.62    | 13  | 568-213 | 23.40 | 3.53    | 10  | 568-224 | 44.04 | 3.53    | 10  |
| 568-112 | 12.37 | 2.62    | 13  | 568-214 | 24.99 | 3.53    | 10  | 568-225 | 47.22 | 3.53    | 10  |
| 568-113 | 13.95 | 2.62    | 13  | 568-215 | 26.58 | 3.53    | 10  | 568-226 | 50.40 | 3.53    | 10  |
| 568-114 | 15.54 | 2.62    | 13  | 568-216 | 28.17 | 3.53    | 10  |         |       |         |     |

## NITRILE RINGS - SAE

- NBR - nitrile butadiene rubber (BUNA-N 70)
  - Rubber resists oil, gas, water and alcohol solvents
- 67.100.407 / HWG400400

**C78**407  
PCS

| NUMBERS |       | I/D  | O/D   | SECTION | QTY | NUMBERS |       | I/D    | O/D    | SECTION | QTY | NUMBERS |       | I/D    | O/D     | SECTION | QTY |
|---------|-------|------|-------|---------|-----|---------|-------|--------|--------|---------|-----|---------|-------|--------|---------|---------|-----|
| KIT     | AS568 |      |       |         |     | KIT     | AS568 |        |        |         |     | KIT     | AS568 |        |         |         |     |
| R-01    | 006   | 1/8  | 1/4   | 1/16    | 20  | R-12    | 115   | 11/16  | 7/8    | 3/32    | 13  | R-23    | 217   | 13/16  | 17/16   | 1/8     | 10  |
| R-02    | 008   | 3/16 | 5/16  | 1/16    | 20  | R-13    | 116   | 3/4    | 15/16  | 3/32    | 13  | R-24    | 218   | 1 1/4  | 1 1/2   | 1/8     | 10  |
| R-03    | 010   | 1/4  | 3/8   | 1/16    | 20  | R-14    | 117   | 13/16  | 1      | 3/32    | 13  | R-25    | 219   | 15/16  | 19/16   | 1/8     | 10  |
| R-04    | 011   | 5/16 | 7/16  | 1/16    | 20  | R-15    | 118   | 7/8    | 1 1/16 | 3/32    | 13  | R-26    | 220   | 1 3/8  | 1 5/8   | 1/8     | 10  |
| R-05    | 012   | 3/8  | 1/2   | 1/16    | 20  | R-16    | 210   | 3/4    | 1      | 1/8     | 10  | R-27    | 221   | 1 7/16 | 1 11/16 | 1/8     | 10  |
| R-06    | 014   | 1/2  | 5/8   | 1/16    | 20  | R-17    | 211   | 13/16  | 1 1/16 | 1/8     | 10  | R-28    | 222   | 1 1/2  | 1 3/4   | 1/8     | 10  |
| R-07    | 110   | 3/8  | 9/16  | 3/32    | 13  | R-18    | 212   | 7/8    | 1 1/8  | 1/8     | 10  | R-29    | 223   | 1 5/8  | 1 7/8   | 1/8     | 10  |
| R-08    | 111   | 7/16 | 5/8   | 3/32    | 13  | R-19    | 213   | 15/16  | 1 3/16 | 1/8     | 10  | R-30    | 224   | 1 3/4  | 2       | 1/8     | 10  |
| R-09    | 112   | 1/2  | 11/16 | 3/32    | 13  | R-20    | 214   | 1      | 1 1/4  | 1/8     | 10  | R-31    | 225   | 1 7/8  | 2 1/8   | 1/8     | 10  |
| R-10    | 113   | 9/16 | 3/4   | 3/32    | 13  | R-21    | 215   | 1 1/16 | 5/16   | 1/8     | 10  | R-32    | 226   | 2      | 2 1/4   | 1/8     | 10  |
| R-11    | 114   | 5/8  | 13/16 | 3/32    | 13  | R-22    | 216   | 1 1/8  | 1 3/8  | 1/8     | 10  |         |       |        |         |         |     |

## O-RING, COTTER, AND ROLL PIN ASSORTMENT

- Metal storage rack is mountable
  - Includes 3 parts trays filled with 1000 popular components
  - Extra storage case with handle included for on-the-go jobs
  - Large popular variety of springs, cotter pins and roll pins
- 67.111.000 / HWG400632

**C79**1000  
PCS

|                    |                        |                        |                   |                       |
|--------------------|------------------------|------------------------|-------------------|-----------------------|
| 1/16" X 1"<br>60PC | 3/32" X 1 1/2"<br>35PC | 1/8" X 2"<br>16PC      | 3/16" X 3"<br>5PC | 1/4" X 3"<br>5PC      |
|                    |                        |                        |                   |                       |
| 3/32" X 1"<br>40PC | 1/8" X 1 1/4"<br>35PC  | 5/32" X 2 1/2"<br>14PC | 1/4" X 2"<br>5PC  | 5/16" X 2 1/2"<br>5PC |
|                    |                        |                        |                   |                       |

|                        |                        |                         |                          |                        |                         |                        |
|------------------------|------------------------|-------------------------|--------------------------|------------------------|-------------------------|------------------------|
| 7/32" X 1 1/2"<br>20PC | 5/16" X 1 1/8"<br>20PC | 23/64" X 1 3/8"<br>20PC | 7/32" X 1"<br>30PC       | 9/32" X 1 1/2"<br>30PC | 9/32" X 2"<br>20PC      | 5/32" X 3 1/8"<br>20PC |
|                        |                        |                         |                          |                        |                         |                        |
| 3/8" X 3/4"<br>20PC    |                        | 3/16" X 1 3/4"<br>20PC  | 11/32" X 1 7/16"<br>20PC | 1/4" X 7/8"<br>30PC    | 7/32" X 1 1/16"<br>30PC | 9/16" X 1 3/4"<br>20PC |
|                        |                        |                         |                          |                        |                         |                        |

|                        |                        |                       |                       |                          |                     |                      |                      |                      |                       |
|------------------------|------------------------|-----------------------|-----------------------|--------------------------|---------------------|----------------------|----------------------|----------------------|-----------------------|
| 3/32" X 15/64"<br>10PC | 7/32" X 11/32"<br>15PC | 5/8" X 3/4"<br>10PC   | 9/16" X 3/4"<br>10PC  | 3/4" X 1"<br>10PC        | 3MM X 1.5MM<br>15PC | 10MM X 1.5MM<br>15PC | 13MM X 2.5MM<br>10PC | 18MM X 2.5MM<br>10PC | 20MM X 3.5MM<br>10PC  |
| 1/8" X 1/4"<br>20PC    | 1/4" X 3/8"<br>15PC    | 3/8" X 9/16"<br>10PC  | 5/8" X 13/16"<br>10PC | 13/16" X 1 1/16"<br>10PC | 4.4MM X 2MM<br>20PC | 13MM X 1.5MM<br>15PC | 14MM X 2.5MM<br>10PC | 23MM X 2.5MM<br>10PC | 23MM X 3.5MM<br>10PC  |
| 5/32" X 9/32"<br>20PC  | 5/16" X 7/16"<br>15PC  | 7/16" X 5/8"<br>10PC  | 11/16" X 7/8"<br>10PC | 7/8" X 1 1/8"<br>10PC    | 5MM X 2MM<br>20PC   | 10MM X 2.5MM<br>15PC | 16MM X 2.5MM<br>10PC | 23MM X 2.5MM<br>10PC | 25.5MM X 3.5MM<br>5PC |
| 3/16" X 5/16"<br>20PC  | 3/8" X 1/2"<br>10PC    | 1/2" X 11/16"<br>10PC | 3/4" X 15/16"<br>10PC | 15/16" X 1 3/16"<br>10PC | 7MM X 1.5MM<br>20PC | 11MM X 2.5MM<br>10PC | 18MM X 2.5MM<br>10PC | 18MM X 3.5MM<br>10PC | 25MM X 3.5MM<br>5PC   |



## INSULATED RUBBER CLAMPS

- Perfect to organize wire, cable, conduit, pipe & tubing
- Rubber insulation absorbs vibrations & jolts

67.999.042 / HWG400516

**D44**

**42  
PCS**



|       |      |      |      |      |
|-------|------|------|------|------|
| 5/16" | 3/8" | 1/4" | 1/2" | 5/8" |
|       |      |      |      |      |
| 8PC   | 6PC  | 20PC | 4PC  | 4PC  |

## RUBBER GROMMETS

- Popular variety of EWG & RBG style grommets
- Popular for automotive, electrical and home use

67.999.125 / HWG400520

**C45**

**125  
PCS**



|               |               |               |               |      |      |
|---------------|---------------|---------------|---------------|------|------|
| 1/8" X 1/4"   | 1/2" X 19/32" | 5/16" X 9/16" | 5/8" X 31/32" | 3/8" | 3/4" |
|               |               |               |               |      |      |
| 15PC          | 3PC           | 3PC           | 3PC           | 20PC | 4PC  |
| 7/32" X 5/16" | 3/8" X 15/32" | 3/8" X 13/16" | 3/4" X 15/16" | 1/2" | 7/8" |
|               |               |               |               |      |      |
| 10PC          | 6PC           | 3PC           | 2PC           | 10PC | 3PC  |
| 9/32" X 1/2"  | 3/8" X 1 1/2" | 7/16" X 3/4"  | 9/32"         | 5/8" | 1"   |
|               |               |               |               |      |      |
| 7PC           | 5PC           | 4PC           | 20PC          | 5PC  | 2PC  |

## ELECTRICAL WIRE CONNECTORS - TWIST ON

- Color coded terminals to distinguish gauge size
- Provides secure connection between wires, no tools needed

67.999.158 / HWG400508

**D46**

**158  
PCS**



|                                    |                                    |                                                          |                                                |                                             |
|------------------------------------|------------------------------------|----------------------------------------------------------|------------------------------------------------|---------------------------------------------|
| GREY<br>MIN 2 X #22<br>MAX 2 X #16 | BLUE<br>MIN 2 X #22<br>MAX 2 X #16 | ORANGE<br>MIN 1 X #18 / 1 X #20<br>MAX 4 X #16 / 1 X #20 | YELLOW<br>MIN 2 X #18<br>MAX 4 X #14 / 1 X #18 | RED<br>MIN 2 X #14<br>MAX 2 X #10 / 1 X #12 |
|                                    |                                    |                                                          |                                                |                                             |
| 40PC                               | 40PC                               | 50PC                                                     | 18PC                                           | 10PC                                        |

## WIRE TERMINALS & CONNECTORS

- Large variety of terminal ends & connectors
- Crimp and connect wires from 22 to 10 gauge

67.000.360 / HWG400500

**D47**

**360  
PCS**



|                                                   |                                      |                                        |                                    |                                               |                                                   |
|---------------------------------------------------|--------------------------------------|----------------------------------------|------------------------------------|-----------------------------------------------|---------------------------------------------------|
| 16-14GA<br>BULLET MALE<br>CONNECTOR<br>MPD2-156   | 16-14GA<br>RING TERMINAL<br>RVB2-5   | 12-10GA<br>RING TERMINAL<br>RVB2-5     | 22-18GA<br>BUTT CONNECTOR<br>PVT25 | 16-14GA<br>SPADE TERMINAL<br>SVB2-5           | 12-10GA<br>SPADE TERMINAL<br>SVB2-5               |
|                                                   |                                      |                                        |                                    |                                               |                                                   |
| 25PC                                              | 30PC                                 | 20PC                                   | 30PC                               | 30PC                                          | 20PC                                              |
| 22-18GA<br>BUTT CONNECTOR<br>BVT25                | 16-14GA<br>RING TERMINAL<br>1ARV2-6  | 12-10GA<br>RING TERMINAL<br>1ARV2-5-6  | 16-14GA<br>BUTT CONNECTOR<br>PVT2  | 16-14GA<br>MALE DISCONNECTOR<br>MD2-250       | 22-18GA<br>MALE DISCONNECTOR<br>MDFN1.25-250      |
|                                                   |                                      |                                        |                                    |                                               |                                                   |
| 10PC                                              | 20PC                                 | 15PC                                   | 30PC                               | 25PC                                          | 10PC                                              |
| 16-14GA<br>BULLET FEMALE<br>CONNECTOR<br>FDD2-156 | 16-14GA<br>RING TERMINAL<br>3/RV2-10 | 12-10GA<br>RING TERMINAL<br>3/RV2-5-10 | 12-10GA<br>BUTT CONNECTOR<br>PVT5  | 16-14GA<br>FEMALE<br>DISCONNECTOR<br>FDD2-250 | 22-18GA<br>FEMALE<br>DISCONNECTOR<br>FDFN1.25-250 |
|                                                   |                                      |                                        |                                    |                                               |                                                   |
| 10PC                                              | 20PC                                 | 15PC                                   | 15PC                               | 25PC                                          | 10PC                                              |

## WIRE TERMINAL & CRIMPER

- Large variety of connectors from 22 to 10 gauge
- 3-in-1 crimper tool crimps, cuts and strips wires

67.999.175 / HWG400504

**D48**

**175  
PCS**



|                                             |                                        |                                     |                                     |                                         |                                    |
|---------------------------------------------|----------------------------------------|-------------------------------------|-------------------------------------|-----------------------------------------|------------------------------------|
| 22-16GA<br>FEMALE CONNECTOR<br>FDD1-L25-250 | 22-16GA<br>RING TERMINAL<br>RVSL25-3,5 | 16-14GA<br>RING TERMINAL<br>RVN2-4  | 16-14GA<br>SPADE TERMINAL<br>SV2-4  | 16-14GA<br>SPADE TERMINAL<br>SVS2-3,5   | 22-16GA<br>BUTT CONNECTOR<br>BVT25 |
|                                             |                                        |                                     |                                     |                                         |                                    |
| 12PC                                        | 12PC                                   | 12PC                                | 12PC                                | 12PC                                    | 12PC                               |
| 16-14GA<br>FEMALE CONNECTOR<br>FDD2-250     | 22-16GA<br>RING TERMINAL<br>RVL25-5    | 16-14GA<br>RING TERMINAL<br>RV2-5   | 16-14GA<br>SPADE TERMINAL<br>SV25-5 | 22-16GA<br>SPADE TERMINAL<br>SVSL25-3,5 | 16-14GA<br>BUTT CONNECTOR<br>BVT2  |
|                                             |                                        |                                     |                                     |                                         |                                    |
| 12PC                                        | 12PC                                   | 12PC                                | 12PC                                | 12PC                                    | 12PC                               |
| 12-10GA<br>FEMALE CONNECTOR<br>FDD5,5-250   | 12-10GA<br>RING TERMINAL<br>RV5,5-5    | 12-10GA<br>RING TERMINAL<br>RV5,5-6 | 12-10GA<br>RING TERMINAL<br>RV5,5-8 | 12-10GA<br>SPADE TERMINAL<br>SV5,5-5    | 12-10GA<br>BUTT CONNECTOR<br>BV5,5 |
|                                             |                                        |                                     |                                     |                                         |                                    |
| 5PC                                         | 5PC                                    | 5PC                                 | 5PC                                 | 5PC                                     | 5PC                                |
|                                             |                                        |                                     |                                     |                                         |                                    |
| CRIMPING TOOL                               |                                        |                                     |                                     |                                         |                                    |



**BLACK HEAT SHRINK TUBES**

- Tubes shrink to up to half their original size when heated
- Repairs, seals, insulates and adds strength to wire

67.999.127 / HWG400512

**D49****127  
PCS**


| 2.0 x 40MM                                                                        | 3.5 x 40MM                                                                          | 5.0 x 40MM                                                                          | 7.0 x 80MM                                                                          | 10.0 x 80MM                                                                         | 13.0 x 85MM                                                                         |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>30PC</b>                                                                       |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| 2.5 x 40MM                                                                        |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
| <b>25PC</b>                                                                       | <b>20PC</b>                                                                         | <b>20PC</b>                                                                         | <b>16PC</b>                                                                         | <b>8PC</b>                                                                          | <b>8PC</b>                                                                          |

**ALLIGATOR & CHARGING CLIPS**

- Red or black PVC grips for insulation & easy identification
- Clear zinc plated finish for corrosion resistance

67.999.060 / HWG400524

**D50****60  
PCS**

| MINI<br>ALLIGATOR<br>CLIPS<br>PINCES<br>CROCODILES                                | 1-3/4"<br>ALLIGATOR<br>CLIPS<br>PINCES<br>CROCODILES                                | 30AMP<br>CHARGING<br>CLIPS<br>PINCES DE<br>CHARGEMENT                               | 15AMP<br>CHARGING<br>CLIPS<br>PINCES DE<br>CHARGEMENT                               | 2"<br>ALLIGATOR<br>CLIPS<br>PINCES<br>CROCODILES                                    | 5AMP<br>CHARGING<br>CLIPS<br>PINCES DE<br>CHARGEMENT                                |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>20PC</b>                                                                       | <b>16PC</b>                                                                         | <b>2PC</b>                                                                          | <b>2PC</b>                                                                          | <b>12PC</b>                                                                         | <b>8PC</b>                                                                          |

**AUTOMOTIVE FUSES - ATM**

- Large variety of most popular ATM "mini" auto fuses
- Color coded to industry standard for easy identification

67.998.120 / HWG400540

**D51****120  
PCS**

| 5 AMP                                                                              | 10 AMP                                                                               | 15 AMP                                                                               | 20 AMP                                                                               | 25 AMP                                                                               | 30 AMP                                                                               |
|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>ORANGE</b>                                                                      | <b>RED</b>                                                                           | <b>BLUE</b>                                                                          | <b>YELLOW</b>                                                                        | <b>CLEAR</b>                                                                         | <b>GREEN</b>                                                                         |
| <b>20PC</b>                                                                        | <b>20PC</b>                                                                          | <b>20PC</b>                                                                          | <b>20PC</b>                                                                          | <b>20PC</b>                                                                          | <b>20PC</b>                                                                          |

**AUTOMOTIVE FUSES - ATO**

- Large variety of most popular ATO standard auto fuses
- Color coded to industry standard for easy identification

67.999.120 / HWG400544

**D52****120  
PCS**

| 5 AMP                                                                               | 10 AMP                                                                                | 15 AMP                                                                                | 20 AMP                                                                                | 25 AMP                                                                                | 30 AMP                                                                                |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>ORANGE</b>                                                                       | <b>RED</b>                                                                            | <b>BLUE</b>                                                                           | <b>YELLOW</b>                                                                         | <b>CLEAR</b>                                                                          | <b>GREEN</b>                                                                          |
| <b>20PC</b>                                                                         | <b>20PC</b>                                                                           | <b>20PC</b>                                                                           | <b>20PC</b>                                                                           | <b>20PC</b>                                                                           | <b>20PC</b>                                                                           |

**AUTOMOTIVE FUSES - ATX**

- Large variety of most popular ATX "maxi" auto fuses
- Color coded to industry standard for easy identification

67.999.024 / HWG400560

**D53****24  
PCS**

| 20 AMP                                                                              | 30 AMP                                                                                | 40 AMP                                                                                | 50 AMP                                                                                | 60 AMP                                                                                | 70 AMP                                                                                |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|  |  |  |  |  |  |
| <b>YELLOW</b>                                                                       | <b>GREEN</b>                                                                          | <b>ORANGE</b>                                                                         | <b>RED</b>                                                                            | <b>BLUE</b>                                                                           | <b>BROWN</b>                                                                          |
| <b>4PC</b>                                                                          | <b>4PC</b>                                                                            | <b>4PC</b>                                                                            | <b>4PC</b>                                                                            | <b>4PC</b>                                                                            | <b>4PC</b>                                                                            |

## AUTOMOTIVE FUSES - ATO/MINI

- Large variety of ATO and ATM fuses
- Color coded to industry standard for easy identification

67.999.080 / HWG400548

**D54**

**80**  
PCS



|                            |                           |                           |                              |                            |                             |
|----------------------------|---------------------------|---------------------------|------------------------------|----------------------------|-----------------------------|
| 5 AMP ATO<br>ORANGE<br>5PC | 10 AMP ATO<br>RED<br>10PC | 15 AMP ATO<br>BLUE<br>5PC | 20 AMP ATO<br>YELLOW<br>10PC | 25 AMP ATO<br>WHITE<br>5PC | 30 AMP ATO<br>GREEN<br>10PC |
| 5 AMP ATM<br>ORANGE<br>5PC | 10 AMP ATM<br>RED<br>5PC  | 15 AMP ATM<br>BLUE<br>5PC | 20 AMP ATM<br>YELLOW<br>10PC | 25 AMP ATM<br>WHITE<br>5PC | 30 AMP ATM<br>GREEN<br>5PC  |

## AUTOMOTIVE FUSES - ATO/MINI/ MAXI/BOSCH

- Perfect to organize wire, cable, conduit, pipe & tubing
- Rubber insulation absorbs vibrations & jolts

67.999.147 / HWG400532

**D55**

**147**  
PCS



|                              |                              |                              |                                                    |                              |                             |
|------------------------------|------------------------------|------------------------------|----------------------------------------------------|------------------------------|-----------------------------|
| 5 AMP ATM<br>ORANGE<br>10PC  | 15 AMP ATM<br>BLUE<br>10PC   | 5 AMP ATO<br>ORANGE<br>5PC   | 15 AMP ATO<br>BLUE<br>10PC                         | 2 AMP<br>5PC<br>5 AMP<br>2PC |                             |
| 7.5 AMP ATM<br>BROWN<br>10PC | 20 AMP ATM<br>YELLOW<br>10PC | 7.5 AMP ATO<br>BROWN<br>10PC | 20 AMP ATO<br>YELLOW<br>10PC                       | 8 AMP<br>BLACK<br>2PC        | 30 AMP ATX<br>GREEN<br>2PC  |
| 10 AMP ATM<br>RED<br>10PC    | 30 AMP ATM<br>GREEN<br>10PC  | 10 AMP ATO<br>RED<br>10PC    | 25 AMP ATO<br>CLEAR<br>30 AMP ATO GREEN<br>2 X 5PC | 16 AMP<br>RED<br>5PC         | 40 AMP ATX<br>ORANGE<br>2PC |
|                              |                              |                              |                                                    | 25 AMP<br>BLUE<br>5PC        | 60 AMP ATX<br>BLUE<br>2PC   |
|                              |                              |                              |                                                    | 40 AMP<br>WHITE<br>5PC       | 70 AMP ATX<br>BROWN<br>2PC  |

## ALLIGATOR & CHARGING CLIPS

- Red or black PVC grips for insulation & easy identification
- Clear zinc plated finish for corrosion resistance

67.999.121 / HWG400536

**D56**

**121**  
PCS



|                   |             |             |             |             |             |
|-------------------|-------------|-------------|-------------|-------------|-------------|
| 5A<br>20PC        | 10A<br>20PC | 15A<br>20PC | 20A<br>20PC | 25A<br>20PC | 30A<br>20PC |
| 1PC - FUSE PULLER |             |             |             |             |             |

## AUTOMOTIVE BULBS - 12V

- Variety of stop, tail, turn, cluster and interior bulbs
- Easy identification by industry standard codes

67.999.017 / HWG400528

**D57**

**17**  
PCS



|             |            |              |              |              |              |
|-------------|------------|--------------|--------------|--------------|--------------|
| #53<br>3PC  | #67<br>1PC | #1003<br>1PC | #1141<br>1PC | #1157<br>1PC | #2057<br>1PC |
| #57<br>2PC  |            |              |              |              |              |
| #194<br>2PC | #67<br>1PC | #1073<br>1PC | #1034<br>1PC | #1157<br>1PC | #2057<br>1PC |

## AUTOMOTIVE FUSES - ATO

- 5 sizes

67.700.300 / HWG400556

**D72**

**50**  
PCS



## AUTOMOTIVE FUSES - ATM

- 5 sizes

67.700.301 / HWG400552

**D73**

**50**  
PCS



**Have Questions?**  
Contact your local Flaman

**Southey, SK**  
306.726.4403

**Prince Albert, SK**  
306.764.6004

**Moosomin, SK**  
306.435.4143

**Yorkton, SK**  
306.783.1689

**Swift Current, SK**  
306.778.3338

**Saskatoon, SK**  
306.934.2121

***FLAMAN***

[www.flaman.com](http://www.flaman.com)