FLAMAN

WHERE FARMING STARTS

Product Guide 2023

FLAMAN

GRAIN STORAGE & HANDLING SOLUTIONS

GRAIN BIN STORAGE 04
MERIDIAN GALVANIZED BINS 06
MERIDIAN SMOOTHWALL 08
WESTEEL MAGNUM SERIES 09
GRAIN MONITORING 10
NECO GRAIN DRYER 12
OAKLAND GRAIN DRYER 13
GRAIN HANDLING SYSTEMS 14
WALINGA ULTRA-VEYOR 16
AGI HUTCHINSON 17
AGI WRX & UTILITY AUGERS 17
AGI X² SERIES AUGERS 18
AGI STORM SEED TREATERS 19
AGI XTA AUGERS 20
AGI UTX AUGERS 21
MERIDIAN AUGERS 22
TRANSFER AUGERS & CONVEYORS 23
MERIDIAN CONVEYORS 24
CONVEY-ALL CONVEYORS 25
AGI BATCO CONVEYORS 26
AERATION SOLUTIONS 28
GRAIN GUARD SYSTEMS 29
GATCO PRODUCTS 30
AUGER & BIN ACCESSORIES 31

GRAIN CLEANING & ANALYSIS

GRAIN ANALYSIS 32
CUSTOM SCREENS 33
KWIK KLEEN GRAIN CLEANERS 34
GCS GRAIN CLEANERS 34
BENCH GRAIN CLEANERS 35

FARM IMPLEMENTS

GRAIN VACS 36
GRAIN BAGGERS 37
GRAIN EXTRACTORS 38
GRAIN BAGS & BAG ROLLER 39
J&M GRAIN CARTS 40
CONVEY-ALL SEED TENDERS 42
HAUL ALL SEED TENDERS 44
GRAIN WAGONS 45
KELLO-BILT DISCS 46
WISHEK HEAVY DISCS 47
KINZE MACH TILL 48

Frank Flaman FOUNDATION

Flaman Group of Companies gives back through the Frank Flaman Foundation, which supports charities and projects locally and internationally. Flaman team members take part in development projects worldwide and are also active participants in their communities.

flaman.com/foundation

People **together,** doing what's right, **making a difference.**

It's not just a company you work for, it's a family you are a part of. Making things better is one of Flaman's three core values. Our family has a diverse group of people with the drive to improve their communities and we are happy to be a part of it.

Here are a few highlights:

Ukraine Humanitarian Crisis

The Frank Flaman Foundation was able to donate $50,000 to relief efforts for the crisis in Ukraine. This was possible through the help of the Mennonite Central Committee (MCC) who works with internally displaced people on the ground, as well as distributing food, relief buckets, hygiene kits and other humanitarian supplies to all the families that have been impacted.

www.flaman.com

BRILLION DISC RIPPER 49
RITEWAY LAND ROLLERS 50
RITEWAY HARROWS 51
SCHULTE DISC HARROW 52
DUTCH BIOSPREADER 53
S.HOULE BOX SCRAPER 54
LEON LAND SCRAPER 54
BRILLION SEEDERS 54
BRABER WOOD CHIPPER 54
SOVEMA HAY RAKES 55
SOVEMA TILLERS 55
FERTILIZER SPREADERS 55
SWATH ROLLERS 55
AGI POST POUNDERS 56
BALE CARTS 56
WIRE SPOOLER 56
SNOW BLOWERS 57
SCHULTE ROTARY CUTTERS 58
SCHULTE ROCK REMOVAL 59
FUEL LOCK 60
DIESEL & DEF TANKS 60
FUEL TANKS 61

TOPKROP FERTILIZERS

FOLIAR FERTILIZERS 62
ELEVEN SUPERSTART 64
HUMALITE 66
ACF-SR BACTERIA 67

TRAILERS

SPRAYER & SEMI TRAILERS 68
FLAT DECK TRAILERS 70
DUMP TRAILERS 72
ENCLOSED TRAILERS 74
HYDRAULIC TRAILERS 76
SPECIALTY TRAILERS 77
SLED TRAILERS 78
UTILITY TRAILERS 79

RENTALS

AG EQUIPMENT RENTALS 80
HAY & LIVESTOCK RENTALS 82
LANDSCAPING RENTALS 83
CONSTRUCTION RENTALS 83
TRAILER RENTALS 84

ABOUT US

LOCATIONS & MAPS 86

JOIN OUR EXTENDED FAMILY

YMCA Month of Giving

Flaman was excited to help the YMCA reach their goal of $150,000 during their Month of Giving by matching donations up to $20,000. These donations will fund those who need help with housing, employment, a new life in Canada, recreational activities, childcare, and much more.

Ronald McDonald House Charities Foundation

We are extremely fortunate and proud to say that we were able to donate to the Ronald McDonald House Charities Foundation, which is an organization that provides support and programs for families with sick children that positively impact the health and wellbeing of the entire family.

Flaman is a group of individuals working together as a team to reach our #1 goal of Customer Responsibility. We call ourselves an “extended family” and we all value the support, team atmosphere, autonomy, and social interaction that are key to our culture and success.

www.flaman.com/careers

STRESS FREE BIN BUYING

From the concrete pad to the monitoring systems, we can help.

UNSTIFFENED BINS
From 15' to 48' diameter

SIZE	BU RANGE	HEIGHT
15'	2,300 – 5,100	19' – 37'
18'	3,400 – 9,800	20' – 49'
21'	4,800 – 13,400	21' – 50'
24'	6,300 – 17,600	21' – 51'
27'	8,000 – 22,500	22' – 52'
30'	10,000 – 28,000	23' – 53'
33'	14,900 – 39,800	24' – 54'
36'	15,000 – 40,000	25' – 55'
42'	21,000 – 56,000	26' – 56'
48'	28,000 – 73,000	28' – 58'

FLAT BOTTOM BINS

Commercial Series capacity up to 684,240 BU
Farm Series capacity up to 73,790 BU

FEATURES

- 4" corrugated sheets
- Roof manhole
- 30˚ roof corrugated with 3" ribs
- Roof ladder
- Spiral staircase
- 40" filler cap remote opener
- Large walk through door, 64" x 30"

OPTIONS

- Temperature and moisture cables
- U-Trough unload
- Full floor aeration systems
- Round or gooseneck vents
- Exterior stiffeners
- 9" bin sweep

STIFFENED BINS

FULL FLOOR AERATION

SPIRAL STAIRCASE

We can help you with Hopper Cones, Bucket Elevators, Cat Walks, Ladders, Custom Fabrication, Grain Cleaning, Grain Processing, and Seed Treating.

HOPPER BOTTOM BINS

Available in 15’ to 27’ diameter and sizes up to 17,020 BU

FEATURES

- 24” ground clearance varies by manufacturer
- 40” lid with remote
- Manholes in roof and hopper cone
- Set up crews available

OPTIONS

- Temperature cables, moisture cables, and remote monitoring
- Aeration (straight duct, Grain Guard rocket, or Gatco crossflow)
- Saf-T-Fill or LevALERT bin level indicator
- Spiral staircase or ladder with safety cage
- Steel skid foundation
- Rack and pinion gates
- Roof vents
- Leg extensions

HOPPER PACKAGES

SIZE	BU	HEIGHT	AUGER
1805	4,900	33’ 10”	61’
1806	5,679	37’ 6”	66’
2105	6,893	35’ 11”	61’
2106	7,953	39’ 7"	70’
2406	10,437	42’ 4”	71’
2407	11,710	43' 11"	84'
2707	15,250	46'	84'
2708	17,020	49' 8"	94'

BU capacity may vary depending on cone manufacturer

OTHER SIZES AVAILABLE

CUSTOM CONCRETE FOUNDATIONS

ROOF VENTS

SAFETY CAGE

AERATION SOLUTIONS

MERIDIAN GALVANIZED BINS AND HOPPER COMBOS

Available in sizes up to 56,000 bushels!

FLAT BOTTOM BINS

Available in sizes up to 56,000 bushels

FEATURES

- Heavy galvanized sheets for superior strength
- Double bolted vertical seams
- 30˚ roof slope and large bin lid
- Exterior side wall and roof ladder
- 3 panel walk-in door

OPTIONS

- Full floor aeration (.050 perf.)
- Welded truss supports
- 11” U-Trough unload and 7.25” bin sweep
- Roof vents (18” rd.) and fans
- Interior sidewall ladder
- Spiral staircase (single or dual platform)

TURN-KEY PACKAGES INCLUDE:

- Concrete pads
- Fully assembled including options
- Electrical hookup and site prep not included

FLAT BOTTOM BINS

SIZE	BU RANGE
15’	2,876 – 4,006
18’	4,195 – 9,893
21’	5,781 – 13,527
24’	7,643 – 17,772
27’	9,798 – 22,613
30’	12,242 – 28,069
33’	14,988 – 34,154
36’	18,044 – 40,822
42’	25,133 – 56,143

HOPPER COMBOS

SIZE	BU
18’ 5 Ring	4,870
18’ 6 Ring	5,684
21’ 5 Ring	6,759
21’ 6 Ring	7,869
24’ 5 Ring	9,049
24’ 6 Ring	10,498
27’ 6 Ring	13,600

FULLY ASSEMBLED COMBOS

Set up on farm (18', 21' & 24')

24' cone – split bolt together or fully welded

SAFETY FIRST

Protect your family from one of the most common accident locations on the farm.

Economical Fall Arrest Safety Cables

Compatible with both smoothwall and galvanized bins. Includes 4' lanyard, fall protection harness, and rope grab.

Meridian Ladder Cage and Handrails

HOPPER COMBOS

Available in sizes up to 13,600 bushels

FEATURES

- 35˚ hopper cone
- HSS Tubing – legs and supports
- Heavy galvanized sheets for superior strength
- Double bolted vertical seams
- 30˚ roof slope
- Rack and pinion unload gate
- 27" bin lid with remote opener
- Exterior side wall and roof ladder
- Manhole and manway

OPTIONS

- Double, triple, or quad skids
- Vertical or horizontal aeration
- LevAlert bin level indicator
- Spiral staircase
- Temperature and moisture monitoring
- Aeration fan

AIRMAX AERATION

Natural air drying system

- Designed to easily retrofit your existing hopper bins
- Retro system is designed and approved for installation in steeper cones and use in high moisture grain
- Larger screen surface area maximizes the effectiveness of your drying, cooling, and aeration efforts
- Optional extra support leg increases stability in high-flow applications
- Full support legs ensure a durable, problem-free system

Decrease the chance of spoilage in the bin.



Special Order in Saskatchewan & Manitoba

MERIDIAN SMOOTHWALL BINS

Book with Flaman and **simplify your bin buying**. Leasing available.

GRAIN MAX BINS

Meridian Grain Max hopper bins offer top quality grain and seed storage at prices comparable to corrugated hopper combos.

Without bolts and ribs, the seamless interior allows for safe and easy unloading, while ensuring no seed or contaminants are trapped on walls or joints.

MODEL	BU	HEIGHT	AUGER
GM2300	2,301	26’ 3”	46'
GM3000	3,264	28’ 11”	51’
GM4000	4,119	33’ 11”	61’
GM5000	4,973	38’ 11”	71’
GM5300	5,324	35’ 6”	61’
GM6400	6,405	40’ 6”	71’
GM7500	7,488	45’ 6”	76’

OTHER SIZES AVAILABLE

MULTI-PURPOSE BINS

These durable bins are completely pre-welded, inspected, and treated with Meridian’s premium powder coating inside and out.

The premium powder coat finish allows for many years of corrosion and abrasion resistance even with fertilizer storage.

MODEL	CAPACITY	HEIGHT	AUGER
1412	69 MT	25’ 3”	46’
1612	91 MT	25’ 11”	46’
1615	108 MT	28’ 11”	51’
1620	136 MT	33’ 11”	61’
1625	165 MT	38’ 11”	71’
1630	193 MT	43’ 11”	71’
1820	176 MT	35’ 6”	61’
1825	212 MT	40’ 6”	71’

OTHER SIZES AVAILABLE

AVAILABLE OPTIONS

SKID FOUNDATION



AUGER BOOT

LADDER CAGE & HANDRAILS

WESTEEL MAGNUM SERIES

Strength, stability, and weathertight protection.

Special Order in Alberta

GRAIN BINS

Westeel Magnum-G smoothwall bins store grain, seed, and feed safely with easy clean-out and corrosion protection.

Constructed with heavy-duty steel, a superior paint finish, and exceptional clean-out, Westeel bins are designed for optimal strength and longevity.

MODEL	BU	HEIGHT	AUGER
1208G	1,140	19.1'	36’
1412G	2,050	23.7'	41’
1612G	2,850	25.9'	46’
1616G	3,500	29.9'	51’
1620G	4,200	33.9'	61’
1624G	4,900	37.9'	61’
1628G	5,400	40.9'	71’
1630G	5,730	42.9'	71’
1632G	6,070	44.9'	71’

FERTILIZER BINS

Westeel Magnum-F smoothwall hopper bottom bins are ideal for safe, long-term storage of fertilizer, grain, and seed.

Westeel Magnum smoothwall bins are designed to provide years of trouble-free clean-out and superior protection from corrosion.

MODEL	CAPACITY	HEIGHT	AUGER
1208F	42 MT	19.1'	36’
1408F	54 MT	19.7'	36’
1412F	73 MT	23.7'	41’
1416F	92 MT	27.7'	51’
1612F	100 MT	25.9'	46’
1616F	125 MT	29.9'	51’
1620F	147 MT	33.9'	61’
1624F	170 MT	37.9'	61’
1628F	198 MT	40.9'	71’

AVAILABLE OPTIONS

LADDER CAGE & HANDRAILS

HD SKID FOUNDATION

REMOTE VENTED TOP LID

WIRELESS GRAIN MONITORING
Install, Support, and Service

BIN-SENSE®

Proactive reporting of your grain bin conditions on your smartphone.

BIN-SENSE LIVE

- No power requirement – solar and battery powered
- Control fans remotely from phone or computer
- Temperature and/or moisture sensing
- Hourly grain temperature and moisture readings
- Compatible with most existing installed cables
- Monitor grain inventory levels by yard, bin, and grain type
- Custom text or email alerts

NEW **BIN-SENSE SOLO**

A low-cost solution for small to medium-sized grain bins, delivering daily grain storage information right to your mobile or desktop device.

MONITOR YOUR GRAIN BINS AT ANYTIME FROM ANYWHERE.

MONITORING CABLES

Sense temperature and moisture of stored grain

Bin-Sense monitoring cables are designed for a variety of storage containers including flat bottom bins, hopper bottom bins, and grain elevators. Featuring an innovative swivel head, a centering flange for easy, accurate alignment, and roof bracket options for additional support.

FAN CONTROLLER

Control your fans remotely

The **Bin-Sense fan controller** lets you turn bin fans on or off, or create a timer from your desktop or mobile device. Compatible with all single and three-phase aeration fans.

We have over 20 years experience installing temperature cables and grain monitoring systems.

INSTALL

SUPPORT

SERVICE

AGI SURETRACK

Manage your entire farm

AGI SURETRACK

Monitor the automation and performance of:

- Bins and storage – moisture, temperature, and aeration fan control, plus new CO_2 detection
- Grain dryers, grain testers, and fuel tanks

OPI BLUE™

Protect your hard-earned investment

OPI BLUE

- Remotely monitor, manage, and optimize your stored grain
- Automatic fan control optimizes grain quality
- Hourly grain temperature and moisture readings
- Weather station integration for ambient temperature and relative humidity conditions
- Track grain inventory levels

NECO MIXED FLOW GRAIN DRYER

Available dryer sizes: 16', 24', and 32'

BENEFITS

- No screens to clean, unplug, or change
- Mixed flow drying process reduces the risk of crop damage
- Even heating and cooling provides better kernel to kernel consistency
- Commander Control with DRYERMASTER moisture control system
- AGI Suretrack offers remote management from your smartphone or computer

FLEXIBLE OPERATION CAPABILITY

- Multiple options for drying include full heat, heat and cool, steeping mode, or sweating mode
- Dual moisture control
- Moisture sensors work together to speed up or slow down your dryer based on the grain

QUIET AND EFFICIENT FANS

- Consistent, high volume air flow at lower speeds with forward curved blades
- Fans produce just 80–90 dB compared to competitors at 120 dB

HOW IT WORKS

Heated air travels through the column of moving grain via the internal heat ducts, making the drying process more efficient as well as conserving the quality of grain. The heated air then exits through the outer exhaust ducts.



Exhaust Air Airflow Grain Flow

SIZE	BU RANGE
16’	674 – 1,539
24'	1,155 – 3,750
32'	2,693 – 5,001

CONTACT FOR ALL AVAILABLE MODELS

OAKLAND DOUBLE FLOW GRAIN AND SEED DRYER

BENEFITS

- Low maintenance and clean up
- Very gentle on different grains
- Virtually no maintenance on bearings and no belts to wear out
- No screens to clean
- Switch grains without emptying the dryer
- Superior structure and workmanship
- Low profile and low noise with chaff control

ELECTRONIC AND GAS TRAIN SYSTEM

- High quality electric and electronic parts
- Easily switch between propane and natural gas
- Mechanically conveyed – meaning less possible fire risk with no bridging or hot spots created

MONITOR THE DRYER FROM A SMARTPHONE OR ANY COMPUTER WHERE YOU HAVE AN INTERNET CONNECTION.

Ship Unit Anywhere

The top end of the dryer unbolts from the bottom helping you save money when shipping the unit.

Auto Shutoff

Equipped with multiple safety features to ensure safe startup and operation.

Controlling the Grain Depth

You have the option of controlling the grain depth on the bed.

Variable Frequency Drive

All of our motors are VFD (Variable Frequency Drive).

MODEL	HOT FANS	CFM	COLD FANS	SIZE
0L4100	(1) 60 HP	45,000	(1) 25 HP	41' L x 11'8" W
0L5300	(2) 60 HP	90,000	(2) 25 HP	54' L x 12' W

DESIGN & LAYOUT



SETUP & INSTALLATION

MAINTENANCE & SERVICE

GRAIN HANDLING

From start to finish.

We specialize in full solution grain handling setups, grain dryer systems, grain cleaning and processing plants, and automated bin sites.

Our team of consultants and industry experts, purchasers, service specialists, and support staff can help with any aspect of business related to your grain handling equipment including:

- Design and layout
- Equipment and parts
- Setup and installation
- Maintenance and service

We can provide, install, and service:

- Horizontal, incline, and overhead conveyors
- Flow systems and accessories
- Support towers, safety structures, and catwalks

INLINE DRAG CONVEYORS

We offer all the necessary components required for grain handling systems including bucket elevators, screw conveyors, belt conveyors, incline chain conveyors, horizontal chain conveyors, and more.



SPOUTING, ELBOWS, CLAMPS, FLANGES, VALVES, AND DISTRIBUTORS

BELTING
Available in 4" to 20"

SPACERS

WALINGA PNEUMATIC CONVEYANCE SYSTEMS

Largest Supplier of Bucket Elevator Cups & Accessories in Western Canada



GRIPWELL SPLICERS

DURASPLICE FASTENER

NORWAY & FANGED BOLTS
All bolts come with nuts



WALING ULTRA-VEYOR

Move your grain safer and easier, without elevator legs or portable augers.

All the working components on the ground!

WALINGA ULTRA-VEYOR

Pneumatic Blower System

- Economic and affordable solution for long distance conveyance
- Gentle on product (including chickpeas)
- Flexible system for future expansion and growth
- Simple and easy installation

1

SMART-FLO

Variable Frequency Drive Systems monitor and automatically adjust motor speeds, optimizing performance while reducing energy costs and bulk damage.



2

SUPER HARDENED SRT BLOWER

Walinga blowers are fabricated from special alloy castings that facilitate hardening. This process eliminates premature wear from abrasive dust, ensuring a much longer life.

3

AIRLOCK PACKAGE

Designed for maximum efficiency and minimal grain damage, the housing is precision machined from a cast iron shell for unequaled performance.

MODEL	TUBING	MOTOR	CAPACITY
5510	5"	15 – 40 HP	up to 1,600 bu/hr
5614	5"	30 – 50 HP	up to 1,725 bu/hr
6614	6"	40 – 75 HP	up to 2,300 bu/hr

CONTACT FOR ALL AVAILABLE OPTIONS

AGI HUTCHINSON

CHAIN & PADDLE CONVEYORS

Available in 6", 8", 10", and 12"

AGI Hutchinson Chain and Paddle conveyors are more durable, gentle on product, and require less horsepower than an auger system.

PORTABLE GRAIN PUMP

GRAIN PUMP DOUBLE RUN

GRAIN PUMP LOOP

AGI WRX

ELECTRIC MOTOR DRIVE

AGI WRX

Electric Drive Auger

- Lengths from 31' to 76'
- 8” or 10” tube diameter
- Five drive options

DRIVE OPTIONS

- MD Motor Drive
- EMD Electric Motor Drive
- PTO-SD Shaft Drive
- PTO-BD Belt Drive
- Hydraulic Drive

AGI UTILITY

UTILITY AUGERS

For semi-permanent or permanent grain handling installations

Available sizes: 4", 6", 8", 10", 13"

IDEAL USES

- At your grain bins or bulk tanks
- In drying set-ups
- Around the dairy barn
- In feedlots
- At feedmills or elevators

AGI X² SERIES AUGERS

Move up to 23,000 BPH!

X² 10 – 10" AUGER
Capacity up to 6,000 BPH
Lengths from 63' to 83'
Available with Power Swing

X² 13 – 13" AUGER
Capacity up to 11,000 BPH
Lengths from 74' to 114'
Available with Power Swing, X-Over, or X-Tend

X² 16 – 16" AUGER
Capacity up to 23,000 BPH
Lengths from 85’ to 125’
Available with Power Swing or X-Tend

NEW

AGI X² SERIES SWING AUGER

Unmatched serviceabilty and extreme durability

The brand-new AGI X² Series auger features a precision-engineered, commercial strength scissor-lift frame and an updated durable boot.

NEW & UPDATED FEATURES

- Open discharge spout
- Durable boot
- Responsive steerable axles
- 30' tubes and flighting
- Lean prevention (13")
- Transition neck flight support (13" & 16")
- Improved right-angle drive compatible with speed reducer (13")

DISCHARGE SPOUT

The new open discharge spout provides a more efficient flow, with lower HP requirements.

DURABLE BOOT

Separate abrasion resistant (AR) boot flighting with removable shafts provides a longer lifespan and makes servicing easier.

STEERABLE AXLE

The responsive steerable axle offers easy maneuvering around tight bin yards and corners. Optional on 13" model and standard on 16" model.

AGI X² HOPPER OPTIONS

X-TEND
Available on the 13" & 16" models

The X-Tend option offers the convenience of being able to extend, move side-to-side, and retract, without having to move or reposition the truck. Featuring a low profile hopper with dual flighting and hydraulic controls.

X-OVER
Available on the 13" model

The X-Over is a drive over belt-driven hopper with a reinforced drive over deck and ramps and a mechanical drive hopper. The Power Swing raises, lowers, and positions the hopper with minimal time and energy.

POWER SWING
Available on all models

The Power Swing option is available in 12V remote electric or hydraulic drive and features a low profile hopper with dual flighting.

AGI STORM SEED TREATERS

The AGI Storm makes it safe and easy to apply multiple products.

CONTROLLER STATION

BOOT CLEANOUT

CYLINDER WIPER



MOVER KIT

The AGI STORM FX reduces user exposure, making in-the-yard seed treating safe, simple, and convenient, while giving you total control over the seed treating process.

AGI XTA AUGERS

Built for durability, longevity, and capacity.

DOUBLE BANDED BELTS

Molded together for maximum strength and dependability, these double banded belts maintain speed by providing better tension with less slippage.

To ensure optimal performance, the 10" models in 46' and 51' lengths use triple banded belts.

REVERSING GEARBOX

LED WORKING LIGHTS

AGI XTA TRUCK AUGER

Capacities up to 3,600 BPH (8" models) and 5,500 BPH (10" models)

The 10" XTA models feature long-lasting 12-gauge tubing and a large, easily accessible fuel tank. An optional self-propelled heavy-duty mover kit is also available.

STANDARD FEATURES

- AGI mover kit
- Electric clutch
- Large fuel tank
- Downspout
- Reversing gearbox
- Light kit

OPTIONS

- Heavy duty mover kit
- EFI engines available

OPTIONAL HEAVY-DUTY MOVER KIT

The optional **Self-Propelled Heavy-Duty Mover Kit** features **all-wheel drive**, **hydraulic steering**, and **rugged all-terrain tires**. The narrow, compact design gives better access to larger diameter hopper bins and offers a sharper turning radius. The drive controls are situated closer to the motor to further increase reach under large hoppers.

AGI UTX AUGERS

Built to withstand harsh physical demands.

FITS UNDER
27' HOPPER BINS

AGI UTX U-TROUGH AUGER

Capacity up to 9,000 BPH

The AGI UTX features a unique U-Trough design that reduces the chance of grain damage or plugging.

STANDARD FEATURES

- All-wheel heavy duty mover kit with joystick
- Triple groove electric clutch
- Large fuel tank
- Reversing gearbox
- Light kit

HEAVY-DUTY MOVER KIT

Complete with **all-wheel drive**, **hydraulic steering**, and **rugged all-terrain tires**, this compact mover kit gives better access to larger diameter hopper bins and a sharper turning radius.

REVERSING GEARBOX

Comes with shifting linkage and lockout, allowing the operator to safely reverse the auger at all angles.

VANGUARD 40 HP EFI

ELECTRIC CLUTCH

LED WORKING LIGHTS

MERIDIAN AUGERS

Heavy Duty Conventional Augers and Swing Away Augers

MERIDIAN SWING AWAY AUGER

Perfect for low profile trailers and offers ample clearance in all unload applications.

The longer and wider design maximizes reach, increases handling capacities, and reduces overflow and spillage.

STANDARD FEATURES

- 12", 13", or 14" tubes
- Lengths from 72' to 115'
- Remote controlled electric swing
- Hydraulic winch
- Poly flex downspout
- 3 light kit

MERIDIAN HEAVY DUTY AUGER

A fast loading auger that puts safety first with it's innovative design.

The undercarriage/axle design results in better weight distribution and the self-leveling motor mount ensures consistent belt tension regardless of the height of the auger.

STANDARD FEATURES

- 8", 10", or 12" tubes
- Lengths from 39' to 59'
- Shovel and shovel holder
- Mover kit
- Reversible gearbox
- Winter kit
- Light kit

SHOVEL & HOLDER

REVERSIBLE GEARBOX

4 LIGHT KIT

TRANSFER AUGERS & CONVEYORS

PRO GRAIN T-180
Transfer Auger

An economical solution for transferring grain.

- 8” diameter, 10' long
- 6.5 HP Honda motor

PRO GRAIN T-1425
Telescoping Transfer Auger

Works hand in hand with your grain bagger.

- 14" diameter, 25' long
- Capacity of 11,500 BPH
- 22 GPM @ 2200 PSI
- Hydraulic mover kit

AGI
Low-Profile Transfer Augers

Fits easily under hopper bins and trailers.

- 8" or 10" diameters
- 10 ¾" high
- Hydraulic, gas, or electric drive options

CONVEY-ALL
High-Capacity Transfer Conveyors

- Move up to 14,000 BPH
- 10" to 14" diameters and 12" to 22" belts
- Hydraulic, gas, or electric drive options

AGI BATCO PITSTOP
Portable Drive-Over Pit

Ideal for unloading semi trailers, gravity carts, and belly dump trailers.

- 1800 & 2400 Series
- Move up to 18,000 BPH
- Hydraulic, gas, or electric drive options

AGI BATCO BCX² 1515
Low-Profile Transfer Conveyor

- 10” diameter
- Move up to 6,000 BPH
- Hydraulic, gas, or electric drive options

MERIDIAN CONVEYORS

Move up to 12,000 BPH!

20" CHEVRON STYLE BELT

5' COLLAPSIBLE INTAKE HOPPER

ELECTRIC SWING MOVER

MERIDIAN RELIABELT SWING CONVEYOR

Redefining efficiency with fast but gentle handling of your grains.

Available in lengths of 90' to 120', these Meridian Reliabelt conveyors come with a 20" wide chevron belt in an enclosed 10" tube.

STANDARD FEATURES

- Collapsible intake hopper
- Heavy duty undercarriage
- Round steel fixed spout
- 4-way hydraulic swinging hitch
- Hydraulic lift with quick couplers
- End PTO drive
- Electric swing mover
- Electric winch kit
- HD light kit

OPTION

- 13" flexible downspout

CONVEY-ALL CONVEYORS

Truck Load and Swing Away Conveyors

NEW CONVEY-ALL TRUCK LOAD OILSEED SERIES CONVEYOR

16" skived belt moves up to 7,900 BPH

The 1650-TL & 1658-TL Oilseed Series have been upgraded to handle canola and hemp, without sacrificing capacity.

STANDARD FEATURES

- Collapsible hopper
- Skived chevron belt
- Oilseed Series scrapers
- Full length windguards
- Heavy duty undercarriage
- Hydraulic lift
- Self-contained drive system
- Heavy duty mover kit
- Optional stainless steel ends for heavy fertilizer use applications

The addition of extra flashing and scrapers along the belt keeps the fine material on the belt and prevents build up.

CONVEY-ALL VOLT

Introducing the first battery powered ag conveyor! The brand-new **Convey-All 1650-TL VOLT** offers up to 2.5 hours of continuous run time and can handle all the same commodities as the standard 1650-TL.

CONVEY-ALL BIN FILL CONVEYOR

Remote controlled, 360° swing with an electric swing mover

Convey-All bin fill conveyors are available in lengths of 90' to 120' and can move up to 12,000 BPH.

STANDARD FEATURES

- Collapsible hopper
- Full length windguards
- Heavy duty scissor lift undercarriage
- Hydraulic winch
- Positive pinch drive box

AGI BATCO CONVEYORS

BCX³ Field Loader

AGI BATCO
BELT CONVEYOR

Comes with hydraulic winch kit and electric swing away kit

1500 SERIES
Capacity up to 6,000 BPH
10” tube and 15” belt
Lengths up to 100’

2000 SERIES
Capacity up to 9,000 BPH
14” tube and 20” belt
Lengths up to 120’

2400 SERIES
Capacity up to 14,000 BPH
14” tube and 23.5” belt
Lengths up to 120’

AGI BATCO
BCX³ CONVEYOR

Move cereals, pulses, canola, and other oilseeds and fertilizers.

The redesigned Batco BCX³ field loader is equipped to handle tough jobs and confidently moves all commodities, reducing the need to have multiple portable handling solutions on your farm.

STANDARD FEATURES
- 10" tube and 15" belt
- 33 HP Vanguard EFI engine
- Hydraulic steering
- Heavy duty mover kit
- Soft start electric clutch
- 32” wide hopper
- Light kit

OPTIONS
- Under mount or top mount

32" WIDE HOPPER



HYDRAULIC SYSTEM

HEAVY DUTY
IBEX MOVER KIT

NEW AGI BATCO
UCX³ U-TROUGH CONVEYOR
Capacity up to 12,500 BPH

The unique U-Trough shape delivers high capacities without compromising the gentle handling of your commodity.

STANDARD FEATURES
- 10" U-Trough tube and 15" belt
- 40 HP Vanguard EFI engine
- Hydraulic steering
- Triple belt electric clutch
- Redesigned hopper
- Light kit

IBEX MOVER KIT
- Built-in braking system
- Better traction
- 160° turning radius
- Drop-and-go wheel move
- Ergonomic controls

ALL FARM COMMODITY SYSTEM
Confidently use these conveyors on all commodities including oilseeds. Both the BCX³ and UCX³ feature a belt brush, two belt scrapers, and the turbo clean wash system, designed to keep debris off your belt and make clean-out easier than ever.

TURBO CLEAN WASH SYSTEM

BELT SCRAPER

IBEX MOVER KIT

ERGONOMIC CONTROLS


MOTOR & UPGRADED DRIVE COMPONENTS

AERATION SOLUTIONS

We offer a wide range of fans, heaters, and aeration systems.

FULL CENTRIFUGAL FAN

TURBO FAN

INLINE FAN

TRANSITIONS

Sizes available: 18", 24", and 28"

GRAIN GUARD TRANSITIONS AND ADAPTERS

Easily adapt aeration fans and heaters to multiple aeration systems.

AERATION FANS

3 Year Warranty and CSA Approved

FULL CENTRIFUGAL FAN

3 HP – 10HP

- Suited for Grain Guard Rocket
- Maximum airflow at higher static pressures
- 20% more air flow than an in-line fan
- Call about 3 phase options

INLINE FAN

3 HP – 15 HP

- Suited for round duct, 1/2 round systems
- Call about 3 phase options

TURBO FAN

3 HP – 7.5 HP

- Suited for round duct, 1/2 round systems
- Excellent airflow at higher static pressures
- 20% more air flow than an in-line fan
- 3 phase not available



CROSS DUCT

Easily retrofits into existing flat floor bins on wood or cement floor. Fully expandable and great for quonsets.

Available in Alberta only

FAN COVERS

Protect your fans from the elements

SHOWER CAP

CANVAS AIR SOCKS

FAN CLAMPS

Easily move your fans from bin to bin

GRAIN GUARD
Aeration Systems

NEXT GENERATION ROCKET
Designed for hopper bins

Provides more air delivery to the centre of the bin where air is most difficult to move.

Internal support rings provide greater structural strength to withstand increased side loads.



Easy, two person "do-it-yourself" installation

RETRO ROCKET
Retrofit existing bins

Increase fan efficiency while delivering air to the core of your bin.

This rocket system lets you quickly and easily retrofit existing hopper bottom and smoothwall bins with Grain Guard aeration.

MAX. 5 HP FAN FOR 4' RETRO ROCKET UP TO 5,000 BU

MAX. 7 HP FAN FOR 6' RETRO ROCKET UP TO 7,000 BU

SIZES FOR BINS UP TO 25,000 BU

HELFER SYSTEM
An economical alternative to full floor aeration

Increases air flow and can be installed in any diameter bin.

Available in Alberta only

STRAIGHT DUCT
Replace older corrugated pipe

18" & 24" models available that can be made to any length.

AGI HIGH TEMPERATURE DOWNSTREAM HEATER
200,000 – 700,000 BTU

Increases temperature while decreasing humidity.

BIN ANCHORS
4" x 43"
6 x 43" HD
6 x 60" HD

Secure flat bottom bins or hopper bins that are mounted on a steel floor or steel skid foundation.

INLINE HEATERS
Maintain the quality of your grain

Low temperature propane or natural gas.

Special order in Saskatchewan & Manitoba



GATCO MANUFACTURING

Available at all ***FLAMAN*** *locations*

CROSSFLOW AERATION

High performance aeration

Gatco CrossFlow Aeration moves air horizontally from the louvered wall columns on the bin wall to the centre of the bin where it is exhausted with a perforated grain air tube.



Retrofittable to any size and type of bin

3 IN 1 AERATION: DRYING, COOLING & NATURAL CONVECTION ONCE FAN IS SHUT OFF

AUGER HOG

Increase your auger capacity by 20–30%

The only adjustable, detachable grain auger hopper for your load out grain auger that supercharges auger capacity and totally eliminates grain spitting, spraying, and overflowing.

AVAILABLE FOR 8/10" AND 12/13" AUGERS

Optional fertilizer screen available

TRY THE AUGER HOG RISK-FREE.

We offer a full refund within 30 days

STOP YOUR GRAIN FROM HEATING

GRAINAIR TUBE

Maximize existing aeration systems by increasing airflow with an aeration booster.

- GrainAir Tube systems remove heat from your grain using natural convection
- Allows heat and moisture to escape the bin quickly
- Can be used to cool flat and hopper bottom bins, sheds, quonsets, and grain piles

VENT-A-LID

A specially designed ventilation tool

Creates ventilation at the highest point of your bin, where heat naturally wants to flow.

Vent-a-lid allows your bin lid to be fully closed without worry

Innovative & Effective Solutions for Your Farm

www.gatcomfg.com

AUGER & BIN ACCESSORIES

BIN LEVEL INDICATORS



Lev ALERT Bin Level Indicator
Sidewall mount

Saf-T-Fill Bin Level Indicator

Grain Gauge Bin Level Indicator

POLY AUGER HOPPERS

Standard Auger Hopper

Big Daddy Hopper

8" and 10" Agri-Hopper



The Big Boot

DOWNSPOUTS

Poly Auger Downspouts
8" Round
10" Round
10" Oval
13" Round

No Snag Auger Downspout
Directs grain right into the bin without snagging.
10" No Snag
13" No Snag
16" No Snag

Never Spill Auger Downspout
No checking, no overfilling, no plugging augers!
10" w/ alarm
13" w/ alarm
16" w/ alarm

ALARM SYSTEM INDICATES A FULL BIN

AUGER LIGHT OPTIONS

3 light kits or LED light kits

43-LITRE FUEL TANK

MAGNETIC BIN LABELS

Organize your bin yard with magnetic bin labels. Bin labels are available for over 30 commodities. Numbers are also available.

SHOVEL HOLDER

REPLACEMENT BIN LIDS

Retrofit your older bins with a remote lid opener. One size fits all 36" bin lid.

HOPPER DROPPER

Spill-Proof Canvas Hopper Bag

GRAIN ANALYSIS

Gain the advantage of knowing what your grain has to offer before sending it to market.

5200-FARM
On-farm use

5200-A
Commercial use

PERTEN AM 5200 GRAIN MOISTURE METER

Test high temperature grain straight off the dryer

Utilizing UGMA technology, the Perten AM 5200 provides an accurate and repeatable analysis regardless of temperature or crop type.This unit displays moisture, test weight, and temperature in 10 seconds (5200-A) and 25 seconds (5200-Farm).

PERTEN IM 8800 GRAIN PROTEIN TESTER

Light and compact for fast, portable grain testing

The Perten IM 8800 is a portable, near-infrared (NIR) grain analyzer designed specifically for on-farm conditions and displays moisture, protein, and oil content in just 90 seconds.

Equipped with GPS capability for protein field mapping.

PERTEN IM 9500 GRAIN PROTEIN TESTER

Commercial grain protein and moisture analyzer

Reliable, robust, and built to meet the requirements of commercial grain handling operations, the Perten IM 9500 displays moisture, protein, and oil content in less than 30 seconds.

Optional test weight module is available.

For more information about Perten products, please call our Grain Systems division located in Saskatchewan.
587.206.8356

ACCESSORIES

BUSHEL WEIGHT SET
STRIKER, COX FUNNEL, 0.5L CUP

CANOLA ROLLER KIT
100 OR 500 COUNT

Use this handy canola roller kit to check your canola green counts.

A+D COMPACT DIGITAL SCALE
500G X 0.1 G

STEEL & PLASTIC ROLLERS

A+D EJ1500 DIGITAL SCALE
1500G X 0.1 G

DIGITAL CELCIUS THERMOMETER

BRASS GRAIN PROBE
6', 8' & 10'

SAMPLE SCOOP

OPI STICK PROBE

Use with your bin or grain bag to quickly check temperature.

LABTRONICS 919 GRAIN MOISTURE TESTER

Portable unit designed for on-farm use

Comes as a complete kit with a digital scale, Celsius thermometer, and set of charts.

SAMPLE MASTER

Automatically collect grain samples from swing augers, grain baggers, and dryers. Easily install in minutes with the supplied adapter plate.

Optional remote control.

CUSTOM SCREENS

Shipping available to anywhere in North America

SLOTTED SCREEN

SCREEN TYPES

- Round Hole, Slotted, Double Cut Triangle
- Special Order: Wire Mesh, Stainless Steel Material, Stop Perforated, Bulk Perforated



ROUND HOLE SCREEN

WOOD & ALUMINUM FRAMES

- Bench, Clipper, Crippen, Garratt, Northland, Superior, Westrup, Cimbria, BM & M, Forever, Gjesdal, and custom built to your specifications

36" WIDE SHEETS

- 4/64 – 32/64 Round Hole Screen sq. ft.
- 4/64 – 14/64 Slotted Screen sq. ft.

DOUBLE CUT TRIANGLE
BUCKWHEAT

48" WIDE SHEETS

- 4/64 – 32/64 Round Hole Screen sq. ft.
- 3/64 – 16/64 Slotted Screen sq. ft.
- Buckwheat Screen sq. ft.

HAND SIEVES

- Durable hand sieves designed for excessive use in tough environments
- Many sizes available

WOOD HAND TESTERS

- Economical hand tester kits
- Changeable screen inserts available
- Assorted kits available

Grader shells, scalper reels, and indent shells available.

SCREENS ARE AVAILABLE FOR ALMOST ANY MAKE OR MODEL CLEANER

SUGGESTED SCREEN SIZES FOR VARIOUS COMMODITIES

SPRING WHEAT	Scalping: 12-14/64 round hole Sifting: 5.5-6/64 slot
DURUM WHEAT	Scalping: 15-16/64 round hole Sifting: 5.5-6/64 slot
RYE	Scalping: 12-13 round hole Sifting: 5-5.5 slot
BARLEY	Scalping: 16-18/64 round hole Scalping: 10-12/64 slot Sifting: 5.5-6/64 slot
OAT	Scalping: 18-20/64 round hole Scalping: 9-10/64 slot Sifting: 5-6/64 slot
ESTON LENTILS	Scalping: 15-16/64 round hole Sifting: 8-10/64 round hole (fines) Sifting: 5/64 slot (splits)
LAIRD LENTILS	Scalping: 18-22/64 round hole Sifting: 12-13/64 round hole Sifting: 5/64 slot (splits)
FLAX	Scalping: 3.5-4.5/64 slot or 4x14 wire mesh Sifting: 5.5/64 round hole
CANARY SEED	Scalping: 5/64 slot Sifting: 4.5-5/64 round hole Sifting: 3/64 slot
PEAS	Scalping: 20-24/64 round hole Sifting: 10-14/64 slot
CHICKPEAS	Scalping: 26-32/64 round hole Sifting: 12-16/64 slot
SOY BEANS	Scalping: 20/64 round hole Sifting: 10/64 slot
KIDNEY BEANS	Scalping: 28/64 round hole Sifting: 14/64 slot
CORN	Scalping: 26-28 round hole Sifting: 16-18 round hole
ALFALFA	Scalping: 4.5/64 round hole Sifting: 6x22 or 24 wire
CANOLA	Scalping: 6.5-8/64 round hole Sifting: 3-3.5/64 slot
MUSTARD	Scalping: 6-8/64 round hole Sifting: 3.5-4/64 slot
HEMP	Scalping: 12-14 round hole Sifting: 5.5-6 slot

GRAIN CLEANERS

KWIK KLEEN GRAIN CLEANERS

Remove dockage and reduce the chance of overheating by pre-cleaning your grain before shipping or storing it.

FEATURES

- Used for sizing barley and removing small seeds and other dockage
- Easily removable screens
- More than 20 screen sizes available
- Quick and easy clean out
- Available with electric or hydraulic drive mechanisms

HYDRAULIC 772 MODEL

HYDRAULIC 572 MODEL

MODEL	DIMENSIONS	NUMBER OF AUGERS	CAPACITY	DRIVE	TUBES	SCREENING AUGER
572	108” x 58"	5 x 72”	7”– 8” Auger	12–13 GPM or 5 HP	5	4”
772	108” x 72"	7 x 72”	10” Auger	14–15 GPM or 7.5 HP	7	4”

GCS GRAIN CLEANERS

Gentle, Fan Powered Grain Cleaning

FEATURES

- No screens required
- Simple to run
- Low energy consumption
- Low initial cost
- Easy transition between crops

GCS 450

GCS SCALPER

A high-capacity and cost-effective solution for removing large dockage from your grain at approximately 1,000 bushels an hour.

The GCS Scalper comes with 3 screens.

MODEL	200	450	750	1000	1400	2200	SCALPER
Capacity	200 bu/hr	450 bu/hr	750 bu/hr	1,000 bu/hr	1,400 bu/hr	2,200 bu/hr	1,000 bu/hr
Motor	3/4 HP	1.5 HP	6 HP (2 x 3 HP)	3 HP (2 x 1.5 HP)	10 HP (2 x 5 HP)	4.5 HP (3 x 1.5 HP)	1/3 HP
Dimensions (L x W x H)	81” X 19” x 90”	94” x 30” x 94”	71” x 47” x 95”	94” x 51” x 94”	91” x 55” x 95”	95” x 74” x 108”	65” x 58” x 65”
Weight	400 lbs	800 lbs	1,600 lbs	1,800 lbs	1,900 lbs	2,500 lbs	500 lbs

BENCH AIR & SCREEN GRAIN CLEANERS

Gentle feeder will not damage your crops

FEATURES

- An affordable way to clean your grain
- Large cleaning deck with a gentle vibratory feeder for accurate air separation
- Low horsepower requirements
- Easy to change screens
- Designed for durability and accuracy

For more information about grain cleaning solutions, please call our Grain Systems division in Saskatchewan.

587.206.8356

MOBILE UNIT WITH FULL SIZE CLEANER

BENCH MARKET

BENCH 54108

BENCH MID SIZE

BENCH MINI

MODEL	MARKET	54108	DOUBLE SHOE	FULL SIZE	MID SIZE	MINI
Capacity	1,500 bu/hr *dockage removal*	450 bu/hr *for wheat*	500 bu/hr *for cereals*	300 bu/hr *for cereals*	100 bu/hr *for cereals*	30 bu/hr *for cereals*
Screen Size	54" x 36" (6)	54" x 36" (9)	54" x 36" (12)	54" x 36" (6)	36" x 54" (2)	27" x 36" (2)
Deck Size	54" x 108"	54" x 108"	54" x 72"	54" X 72"	36" x 54"	27" x 36"
Horsepower	5 HP on Fan 2 HP on Shoe	7.5 HP on Fan 3 HP on Shoe	10 HP on Fan 3 HP on Shoe	5 HP on Fan 2 HP on Shoe	3 HP on Fan 1 HP on Shoe	2 HP on Fan 1/2 HP on Shoe
Width	Please call	Please call	8' 1"	6' 8"	4'	3'
Height	Please call	Please call	8'	5' 6"	4' 10"	4'
Weight	Please call	Please call	4,500 lbs	2,400 lbs	1,780 lbs	580 lbs

AGI GRAIN VACS

Quiet, fast, and easy to use.

MODEL	VRX
Capacity	6,000 BPH
HP	85
Weight	2,950 lbs

MODEL	VR12
Capacity	10,000 BPH
HP	130
Weight	3,300 lbs

OPTIONAL VRX DUST COLLECTOR

Don't let a little dust get in your way of moving grain. The optional VRX dust collector is easy to attach and gives you flexibility to collect or direct the debris.

AGI VRX & VR12 GRAIN VACS

Sets the standard in efficiency, speed, and durability.

By utilizing VR technology, these machines are able to get more capacity, while reducing noise, debris, and maintenance time.

STANDARD FEATURES

- Drive shaft mounted on the outside for easy access
- Leakproof cleanout doors can be opened without tools
- Fan lasts 25% longer than previous models
- Air throttle can manually adjust the suction to suit grain type
- Spring-loaded two flap air lock

NEW! Auger System Design

- Chrome augers for increased smoothness and durability
- ¼" thick spring-loaded chrome flighting
- Core pipe thickness has been increased by 120%
- New self-contained gearbox design

6614 DLX

WALINGA AGRI-VACS

Designed for maximum performance

6614 DLX & 7614 DLX

Featuring self-contained hydraulics, a super hardened positive displacement blower, hydraulic boom rotation, stainless steel hoses, and a suction nozzle.

DLX models also offer additional wear protection with pre-cleaner and a rhino lined receiver tank and boom cyclone.

PRO GRAIN EQUIPMENT BAGGERS

Store as much grain as you want for just pennies a bushel.

PRO GRAIN B-1610

Bag up to 24,000 BPH

Featuring a 16" auger, the Pro Grain B-1610 has the capability of bagging up to 24,000 bushels per hour. This 10' bagger offers two loading options: a hopper or an auger/conveyor inlet.

PRO GRAIN B-2010H

Bag bushels in a blink

The B-2010H is a 10' bagger with a hopper only option. The 20' auger allows for quick unloading of grain bags up to 32,000 bushels per hour.

Pro Grain baggers are an efficient and affordable alternative to hopper bin storage.

STANDARD FEATURES

- Electric bag winch
- Brake pressure gauge
- Electric actuators
- Safety stairs and platform
- Control panel and hand wheel
- All-terrain tires

LOADING OPTIONS

8' x 8' big mouth loading hopper

Telescoping swing drive 14” transfer auger

Telescoping swing drive, 24” conveyor

MODEL	B-1610	B-2010H	B-2012
Bag Size	10’	10’	12’
Capacity	24,000 BPH	32,000 BPH	32,000 BPH
Main Auger Size	16"	20"	20"
Weight	2,820 lbs	2,050 lbs	4,620 lbs
Travel Width	14' 3"	7' 8"	14' 6"
Power Requirements	540 PTO / 80 HP	540 PTO / 100 HP	540 PTO / 120 HP
Auger/Conveyor Option	Yes	No	Yes

GRAIN EXTRACTORS

TRIDEKON
GRAIN BOSS EXTRACTOR

Move up to 300 bushels per minute in all terrain, including mud and snow.

The Tridekon Grain Boss increases productivity, maximizes efficiency, and minimizes downtime.

FEATURES

- 360˚ rotating unload auger
- Pull through roller design
- Steerable drive wheels
- Quick set up and clean up
- 120 HP required
- 6 GPM @ 2000 PSI

STEERABLE REAR WHEELS

360˚ ROTATING AUGER

DIRECT DRIVE

12' BAG EXTENSION

PRO GRAIN
E-1610 EXTRACTOR

Move up to 10,500 BPH

The Pro Grain extractor delivers fast, dependable, and efficient grain transfer from your grain bags to your transport truck.

FEATURES

- 16" auger
- Hydraulic flow controls
- 9" cross auger with continuous flighting
- 80 HP required
- 15 GPM @ 2,200 PSI
- 2 year limited warranty

HYDRAULIC FLOW CONTROLS

ADJUSTABLE SPOUT

9" CROSS AUGER

TRANSPORT LOCK

GRAIN BAGS

IN STOCK SIZES	
BAG SIZE	**BU**
9 x 250	10,000
10 x 250	12,500
10 x 300	15,000
10 x 400	20,000
12 x 500	38,000

Other sizes available by special order

AGFLEX BAGS

7 layers of prime polymer

- 50% greater tear and puncture strength
- All-weather design: field tested and proven for use in North America's harsh winter climate as well as high heat situations
- 40% more resistant to "slumping"
- Guaranteed to withstand 24 months of ultraviolet exposure under normal circumstances
- Improved oxygen-limiting properties to protect silage and grains from spoilage

UP NORTH BAGS

Ideal for colder temperatures

- Store high-moisture grain long term, or short term before drying
- Made with superior resins and resin formulations
- 2x more resistant to punctures (hail damage)
- 3x more resistant to tears (pliable in cold weather)

PRO GRAIN R-5 BAG ROLLER

PRO GRAIN BAG ROLLER

Clean up used grain bags with ease

Featuring a hydraulic spear, high torque hydraulic drive motor, and hydraulic bale kick, the **Pro Grain R-5** rolls used grain bags into recycle-ready bales.

J&M GRAIN CARTS

Harvest Heavyweights

COLOUR OPTIONS:

- Green
- Blue
- Red
- Black

BULLET AUGER
875 to 1,500 bushels
with 18” or 20” diameter bullet auger

Reduce compaction with a J&M tracked cart. Track options are now also available for mid-sized grain carts.

J&M IFARM™ BY AGRIMATICS™
A single device plugs in to load cell junction box and via Bluetooth communicates scale info to either your cell phone or tablet.

32 SERIES

X-Tended Reach Dual Auger Grain Carts

This high-capacity cart combines all the advantages of a front-folding, single auger design with the low profile of a dual auger grain cart.

MODEL	BU	UNLOAD TIME	AUGER SIZE
1432-22S	1,450	2.0 min	22”
2032-22	2,050	2.0 min	22”
2332-22	2,260	2.2 min	22”

** Bushel capacity measured with #2 corn at 15% moisture content*
*** Time varies with RPM and moisture content of grain*

STORAGE POSITION

FIELD POSITION

UNLOAD POSITION

12 & 22 SERIES

X-Tended Reach J&M Grain Carts

The rigid upper auger has been extended for even greater outward, upward, and forward reach, all while folding diagonally along the front of the cart for compact storage.

MODEL	BU	UNLOAD TIME	AUGER SIZE
750-18	750	2.1 min	18”
812-18S	875	1.8 min	18”
1012-20S	1,025	1.8 min	20”
1112-20S	1,150	1.9 min	20”
1222-20S	1,225	2.0 min	20”
1412-20S	1,375	2.3 min	20”
1522-20S	1,500	2.5 min	20”
1522-20T	1,500	2.5 min	20”

** Bushel capacity measured with #2 corn at 15% moisture content*
*** Time varies with RPM and moisture content of grain*

NEW

RIGHT-SIDE AUGER

X-Tended Reach Grain Cart

With the same features as the 12 Series X-tended reach models, the right-side auger design further increases operator visibility and unloading efficiency.

- Monitors, controls, and auger are all located on the right side of your tractor
- Reduce waste and increase safety in the field
- Available with either 32" tires or a 36" V4 track

TELESCOPING CONTROL SPOUT

Extends in the outward postition to maximize side reach and retracts when unloading in the downward position to maximize unloading height.

The Leaner Tank Series extends towards the combine auger for an additional two feet, giving the operators more room to safely navigate.

CONVEY-ALL SEED TENDERS

High-Volume Seeding Solution

WIRELESS REMOTE

ONE OF THE LARGEST SEED TENDERS ON THE MARKET

SIDE MOUNTED CONVEYOR

CONVEY-ALL CST-1550

Commercial Seed Tender

The high-capacity Convey-All CST-1550 is designed to transport seed and fertilizer simultaneously without damage or cross-contamination and unloads at a rate of 2 tons per minute.

STANDARD FEATURES

- Capacity of 1,550 cubic feet
- 6 compartments with roll tarp
- Stainless steel conveyor, slopes, and gate
- Self-contained hydraulics
- External ladders
- Tri-axle air ride trailer
- Wireless remote

TIER 4
DIESEL ENGINE

OPTIONAL
SCALE KIT AVAILABLE

CONVEY-ALL SEED CARTS

Increase Efficiency at Seeding Time

NEW

CONVEY-ALL CSC-1545

Commercial Seed Cart

Built with the same quality and finish as Convey-All's commercial seed tenders, the CSC-1545 is a simple solution for producers with an existing conveyor.

STANDARD FEATURES

- Capacity of 1,525 cubic feet
- 6 compartments with roll tarp
- Stainless steel slopes and gates
- Side drop chutes
- External ladder
- 2 sight glasses per compartment
- Tri-axle air ride trailer

OPTIONAL ELECTRIC GATE CONTROLS

OPTIONAL REMOTE CONTROL

SIDE DROP CHUTES

SIX COMPARTMENTS WITH ROLL TARP

SIGHT GLASSES

HAUL ALL SEED TENDERS

Dual purpose tender trailer for use during seeding or harvest.



40' TRIDEM CHASSIS TRAILER

LARGE CAPACITY

LARGE SIDE DRAW CHUTES

NEW

HAUL ALL INDUSTRIES

Side Draw Seed Tender

A versatile and economical solution for bringing seed and fertilizer to the field in the spring and hauling your harvest back to the bins in the fall.

STANDARD FEATURES

- 3 or 4 hoppers
- Side draw chutes
- View glasses
- Manual roll tarp
- Ladders
- Crank handles

OPTIONS

- Electric gate kit
- Remote control
- Electric tarp
- Stainless steel gates and chute
- Epoxy paint coating
- LED lights package
- Mud flap/fenders package
- Aluminum rims
- Rock guard protection
- Catwalk

MODEL	HOPPERS	CU/FT	BU
1185NT	3	1,185	945
1580NT	4	1,580	1,260

GRAIN WAGONS

An economical solution for moving grain.

OPTIONAL TWO COMPARTMENT DIVIDER AVAILABLE ON BOTH BRUNS MODELS

BRUNS WAGON

Available with scales

400 BU WAGON
12 Ton Running Gear

325 used truck tires

600 BU WAGON
20 Ton Running Gear

425 used truck tires

MICHEL'S INDUSTRIES
Roll-Up Tarp

Superior Quality Michel's Tarps are installed on all our farm wagons.

J&M GRAIN WAGON

Built to last year after year

555 BU
16 Ton Running Gear

Roll-up tarp
425 used truck tires
Safety chains

655 BU
24 Ton Running Gear

Roll-up tarp
445 used truck tires
Safety chains

755 BU
24 Ton Running Gear

Roll-up tarp
445 used truck tires
Safety chains

Optional fender kit, hydraulic drum brakes, and divided box available.

KELLO-BILT DISCS

Hard News for Hard Soil

MODEL 225 OFFSET DISC

MODEL 275 & 325 HEAVY OFFSET DISCS AVAILABLE

MODEL 225 TANDEM DISC

KELLO-BILT DISCS

Kello-Bilt. Flaman-Priced. Field Ready.

BENEFITS

- Heavy duty construction withstands acres of rough use
- Oil bath bearings feature back-to-back tapered roller bearings
- Durable, welded steel spacer spools that won't shatter or compress
- Gang shafts and end washers made of high carbon steel to eliminate stretch or premature failure
- Bearing standards and wear plates are built from 3/8" rectangular tubing for greater support and longevity
- Gang bar is fabricated as a single piece for maximum stability
- Heavy duty construction withstands acres of rough use
- Made in Canada

Kello-Bilt discs come standard with notched disc blades

Optional wavy disc blades

Ideal for plowing down heavy residues and breaking up the compaction layers in your field

WISHEK HEAVY DISCS

The heaviest weight-per-blade in the agricultural industry!

Wishek discs come standard with smooth blades

Optional notched disc blades

WISHEK BREAKING DISCS

10' to 38' widths available

Cutting widths range from 10' to 38. You can also choose from various scraper options that are best suited for your field conditions.

STANDARD FEATURES

- 30” smooth blades
- Spool and bearing scrapers
- Hydraulic leveler
- Single-point depth control
- Offset from 10’ to 18’
- Tandem from 22’ to 38’

842N OFFSET & 842NT TANDEM MODELS

- Spring cushioned gangs
- 11” blade spacing
- Truck tires
- Approximately 1,000 lbs/ft

Special Order

MODEL Y2000

From its massive frame to its 36” blades, the Y2000 disc is designed to withstand the tough conditions of the construction industry.

These heavy-duty machines work in almost all soil conditions and crop residue.

KINZE MACH TILL

Heavyweight Power. High Field Speed. Low Maintenance.

Maintenance-free double-sealed bearings, carbide roller scrapers, composite bushings, and oversized pins provide many acres of low maintenance operation.

DOUBLE-SEALED BEARINGS

COMPOSITE BUSHINGS

OVERSIZED PINS

KINZE MACH TILL

20' to 41' widths available

The Kinze Mach Till is a heavy-duty, low maintenance high-speed disc that prepares seed beds in the spring and incorporates residue in the fall.

STANDARD FEATURES

- Available sizes from 20' to 41'
- 22' Double-V disc blades
- Rubber packers with Maxlite scrapers
- Right and left hand gauge wheels

BENEFITS

- Operates at high speeds without creating compaction
- Covers up to 60 acres per hour for improved productivity
- Nutrient cycling, improved water infiltration, and reduced erosion
- Narrow machine width for safe and easy transport from field to field
- One tool for spring and fall

Disc depth is hydraulically controlled by rear rollers or transport tires.

LARGE FLOTATION TIRES

RUBBER ROLLERS WITH HD SCRAPERS

TRANSPORT LIGHT KIT & HYDRAULIC HITCH JACK

BRILLION DISC RIPPERS

Break up hardpan and compaction layers.

NEW

BRILLION DISC RIPPER

Available with 5 or 9 shanks

Built to handle the stresses of deep ripping in hard, compacted soil, Brillion disc rippers effectively shatter hardpan and improve root development.

STANDARD FEATURES

- Hydraulic auto-reset shanks
- Deep ripping up to 20"
- 22" smooth coulter blades
- Tow caddy for easy transport
- Heavy-duty steel frame
- LED warning lights

Improve moisture retention, break up hardpan, and reclaim land with a Brillion disc ripper.

DEEP RIPPING SHANKS

SMOOTH COULTER BLADES

RITEWAY LAND ROLLERS

The heaviest rollers on the market.

The forward unfolding system allows you to pull equipment in tandem for increased efficiency.

F-3 SERIES
3 Section Roller

32' to 52' widths
17,640 to 24,400 lbs
F3-NT narrow transport model available (12')
Heavy roller option

F-5 SERIES
5 Section Roller

46' to 84' widths
23,000 to 40,320 lbs
Wing tire bar
Heavy roller option

F-7 SERIES
7 Section Roller

65' to 89' widths
32,500 to 41,190 lbs
Wing tire bar

RITEWAY
LAND ROLLERS
Large 42” diameter drum

Riteway land rollers apply uniform weight and consistent surface contact across your field, providing even germination, faster spraying, robust crops, and a trouble-free harvest.

STANDARD FEATURES

- 32' to 89' widths available
- Forward unfolding system
- Taper lock replaceable drum shaft
- Auto-fold hydraulic wing lock
- Heavy-duty frame
- Safety chains and light package
- 14' transport width

HEAVY ROLLER OPTION

- 17.5 tire upgrade
- 5/8" drum thickness

LARGE DIAMETER DRUMS

The forward unfolding system goes from transport mode to field mode in minutes.

The shorter drum sections float independently, ensuring you roll every inch of your land evenly.

RITEWAY HARROWS

Made to work. Built to last.

RITEWAY HARROWS

Clear the way for worry-free seeding

Spread and break up trash and residue, while raking and leveling the ground to provide optimal seeding conditions.

STANDARD FEATURES

- Hydraulically controlled tine angle
- Auto-fold hydraulic pivot wheel
- Parallel linkage system (5 & 7-bar)
- Solid pull draft arm
- Adjustable hitch height
- Heavy-duty frame
- Safety chains and light package

OPTIONS

- Valmar applicators

7-BAR HARROW

5-BAR HEAVY HARROW

ROTARY HARROW

7200 SERIES
7-Bar Mid Harrow

58' to 82' wide

14’ 9” transport width

1/2" x 24" tines with high wear tips

8200 SERIES
5-Bar Heavy Harrow

55' to 90' widths

14’ 7” transport width

9/16" or 5/8" x 28" tines with high wear tips

8200-NT SERIES
Narrow Transport

40' to 73' widths

9’ 2” transport width

RH 9200 SERIES
Rotary Harrow

22' to 75' wide

13’ 8” transport width

3/4" x 18" interlocking, quick adjustment tines

SCHULTE DISC HARROW

Optional Valmar Fertilizer Kit Available

MODEL	DHX-360	DHX-600
Working Width	36'	60'
Weight	25,000 lbs	32,000 lbs
Number of Sections	3	5
Size of Discs	18"	18"
Disc Spacing	7.2"	7.2"
Disc Angle	4° fixed	4° fixed
Harrow Tines	5/8" x 26"	5/8" x 26"

The steerable wing wheels allow the DHX to easily go in or out of transport mode.

SCHULTE
SOILSTAR DISC HARROW

Heavy-duty, all-inclusive field prep

Help manage increased straw residue, quicken soil warming, and increase water penetration. The Schulte DHX is the evolution of the heavy harrow, providing the next level of performance for post harvest and pre-seeding.

STANDARD FEATURES

- Double row of way coulter discs
- Five bar heavy harrow
- Hydraulic lock for wing tension links
- Single point depth control
- Steerable wing wheels

Featuring a **double row of wavy coulters** followed by a **five bar heavy harrow** to efficiently chop straw and mix residue with the ground while spreading and leveling.

DUTCH BIOSPREADER

Bringing heavy duty to the next level.

Special Order in Saskatchewan & Manitoba

Longer, well balanced hitch provides tighter turning radius in corrals and restricted spaces.

Dutch Industries Ltd. designed a manure spreader addressing producer's biggest challenges: affordability, load capacity, ease of use, maintenance, maneuverability, spread consistency, and uniformity.

SMOOTHER RIDE

Rugged tandem walking beam axle delivers smoother ride, less compaction, and better flotation over tough terrain.

DUTCH INDUSTRIES
BIOSPREADER PTX

Engineered for any size operation

The Biospreader PTX is built with hardened steel to prevent sagging and deformity over extended use. The three adjustable paddles at the bottom of each beater allow large objects to pass through without permanent damage to the beater flighting.

STANDARD FEATURES

- 1000 PTO
- Tandem axles
- Side extensions
- Light kit

MODEL	7020 PTX	8020 PTX
Capacity (Bushels)	434 BU	540 BU
Capacity (Cubic ft.)	540 ft^3	672 ft^3
Axles	Tandem	Tandem
Length	325"	355"
Width	127"	128"
Loading Height	76"	79"
HP Requirements	150 HP	200 HP

EASIER LOADING

Lower profile creates a reduced loading height and allows for skid steer loading.

MAX CAPACITY

12-21 ton achievable with the addition or removal of side extensions.

HEAVY DUTY

Heavier gauge steel and robust construction for more durability.

S.HOULE BOX SCRAPER

Level any surface from gravel roads to fields.

HLL Series Box Scraper

FEATURES

- 8', 10', and 12' widths available
- 30" blade height
- 40 to 110 HP

OPTIONS

- Left or right hand tilt
- Scarifying teeth
- Light kit
- GPS mast

LEON LAND SCRAPERS

Ideal for landscaping, road building, and burying stones.

FEATURES

- 6.5, 10, 17, and 20 yards
- Hydraulic ejection system
- Ball steering
- Three piece cutting edge

8-WAY BLADE SCRAPERS

- 12' and 16' widths available
- Hydraulic tilt angle and lift

Special Order in Saskatchewan & Manitoba

BRILLION SEEDERS

Pull type, skid steer, & 3-point hitch

- Ag Seeders, Landscape Seeders, and Till 'N Seed models available
- 6' to 12' cutting widths
- High capacity seed meters
- Large notched front roller
- Ensure precise metering and consistent depth of seed placement for proper germination

WOOD CHIPPERS

Braber Equipment Wood Chippers

- 4" or 6" models available
- Cat I, three-point hitch
- 540 PTO / 18-45 HP
- Multi-positional discharge angle
- Special hardened blades (1 fixed, 4 rotating)
- 360° chute rotation
- Gravity feed

Special Order in Alberta

SOVEMA HAY RAKES

Sovema Cropmaster Hay Rakes

FEATURES

- Available with 10, 12, and 14 raking wheels
- Speed up drying time
- Ideal for uneven hay land
- Optional tandem rear walking wheels

SOVEMA TILLERS

Designed for all types of terrain.

Sovema Rotary Tillers

FEATURES

- 40" to 180" widths available
- For landscaping and industrial applications

Special Order in Saskatchewan & Manitoba

FERTILIZER SPREADERS

Sovema Fertilizer Spreader



Sovema 3-point hitch fertilizer spreaders feature a steel hopper and quickly spread fertilizer, sand, and salt.

Capacity: 1,250 lbs

Available in Alberta only

Braber Fertilizer Spreader

Braber 3-point hitch fertilizer and grass spreaders feature a heavy duty poly hopper and stainless steel insert.

Capacity: 1,160 lbs

Available in Saskatchewan & Manitoba only

SWATH ROLLERS

Berg's Pull Behind Swath Roller

Built to last and made of 14 gauge steel, Berg's swath rollers reduce crop loss by minimizing the effects of wind damage.

Koenders Pull Behind or Direct Mount Swath Roller

Koenders swath rollers are made from heavy-duty poly to avoid rust and dents. The ribbed drum design packs and tucks swath to prevent bunching.

AGI POST POUNDERS

RENEGADE & RENEGADE+ TRAILER MODEL

660 lbs hammer weight

Pounds posts up to 11'11" tall

Renegade+ model pounds posts up to 13'8" tall with 720 lbs of hammer pressure

OUTLAW & OUTLAW+ 3PT SIDE MAST

660 lbs hammer weight

Pounds posts up to 11'11" tall

Outlaw+ model pounds posts up to 13'8" tall with 720 lbs of hammer pressure

SHERIFF SKID STEER OR 3PT CENTRE MAST

660 lbs hammer weight

Pounds posts up to 11'3" tall

Centre mast configuration improves centre of gravity and stability of the unit

Shown with optional pilot auger

POST HUGGER

Standard on all models. Helps align posts for added convenience and safety.

OPTIONAL PILOT AUGER

Drills all soil conditions and most rock obstructions up to 40".

BALE CARRIERS

RITEWAY BALE CART

Move up to 1,000 bales a day

- Pick bales from 48" to 72" in diameter
- Gently gather bales without damaging the wrapping
- Comes with steel twine guards to protect wheel bearings from bale twine

TRAILTECH BALE CARRIER

Move bales faster with the convenience of using a truck rather than a tractor

- Move up to six 5 x 6 bales at a time
- Can be pulled in your field without tractor
- 15” radial tires

SNOW BLOWERS

SCHULTE SDX-102
102" 3-Point Hitch Snow Blower

Suited for 85 to 140 HP tractors

Replaceable cutting blade and adjustable skid shoes

SCHULTE SBX
87" Skid Steer Snow Blower

Includes mounting plate, harness, and hydraulic value block

SCHULTE FM-350
Mount your snowblower on the front!

Moves PTO and 3PT from the back to the front for improved visibility and ergonomics

LEVEL WIND WIRE SPOOLER
Uses existing tractor hydraulics

Receiver mounts to tractor drawbar or front end loader

Optional 3PT hitch mount available

SCHULTE SDX-117 & RDX-117
117" 3-Point Hitch Snow Blower

- 1000 PTO gear-driven drive is standard
- Heavily reinforced 23" bottom auger ensures snow and ice are fed into the fan ease
- 300° rotating chute mitigates chute freeze up
- Double deflector design reduces snow blowback
- Rotating drum allows snow to be ejected out to the left or right and through the centre chute (RDX model)

BRABER INDUSTRIES
3-Point Hitch Snow Blowers

- Sizes range from 60" to 88"
- Cat I , three-point hitch
- Heavy duty adjustable skid shoes
- Manual adjustable chute deflector
- Removeable side extensions
- Removeable telescoping hitch
- 24" impeller with 5" paddles
- Manual 340° chute

OPTIONAL HYDRAULIC CHUTE ROTATION ON SOME MODELS

Special Order in Alberta

XH-1500 SERIES 5

SCHULTE ROTARY CUTTERS

NEW

COMMERCIAL SERIES

XH-1500 SERIES 5

More heavy-duty and up to 30-40% faster than the Series 4 model.

FEATURES

- 15' cutting width
- Heavy-duty drive system
- Tandem walking axles
- Deck protection rings
- Safety light kit

UPDATED

- Reinforced gearbox
- Increased blade tip speeds
- Increased ground clearance

OPTIONAL FLX-1510 FLEX ARM

The Schulte FLX-1510 flex arm allows the operator to travel on the road while the rotary mower cuts the ditch slope, improving visibility and safety.

FARM SERIES

FX-318 ROTARY MOWER

Designed for farm and ranch cutting

- 18' cutting width
- Narrow transport width of only 93”
- Flex wing design contours to any terrain
- Three cutting rotors with super suction blades

FARM SERIES

GX-150 ROTARY MOWER

Economical cutting solution

- 15' cutting width
- Narrow transport width of only 93"
- Flex wing design contours to any terrain
- Three cutting rotors with super suction blades

SCHULTE ROCK REMOVAL

RS-320 JUMBO ROCK PICKER

2x capacity of an average picker

- Large 3.2 cubic yard hopper
- Removes 2" to 28" surface rocks
- Durable grate eliminates jamming and lets soil sift through

TITAN ROCK PICKER

- Huge 5 cubic yard bucket
- 6.5 foot tall dump height for larger piles and truck loading
- Super wide 7' grate with wide or narrow spacing options

HIGH RISE 8000 ROCK PICKER

- Durable grate eliminates jamming and lets soil sift through
- Build larger stone piles or dump directly into tandem truck

GIANT 2500 ROCK PICKER

Features a 60" picking width

- Picks 2" to 27" rocks
- Large 2.5 cubic yard hopper
- Durable T-iron grate with 1½" spacing

SMR-800 SKID STEER MULTI RAKE WINDROWER

- 6' and 8' sizes
- The perfect tool for your skid steer

SRW-1400 ROCK WINDROWER

- Windrows 2" to 25" rocks into uniform rows
- 14' drum width
- Narrow transport width of only 93"

FUEL LOCK

Monitor your fuel, from anywhere

- Automatic tank locking system
- Multiple employee pins
  - Track employee usage and frequency
  - Tracked in real time
  - Small to large farms with bulk fuel tanks
  - Weather proof enclosure
  - Retrofit to new or existing tanks

ENDURAPLAS DIESEL & DEF TANKS

SOME SIZES ARE PRE-ORDER ONLY

DIESEL TANKS

25 US GAL DIESEL TANK 10GPM
55 US GAL DIESEL TANK 10GPM ***COMPACT***
55 US GAL DIESEL TANK 10GPM ***LOW PROFILE***
75 US GAL DIESEL TANK ***NARROW***
100 US GAL DIESEL TANK 10GPM
100 US GAL DIESEL TANK ***NARROW***

DEF TANK

25 US GAL DEF TANK
55 US GAL DEF TANK ***COMPACT***
75 US GAL DEF TANK 9GPM PUMP ***NARROW***
100 US GAL DEF TANK 9GPM PUMP

MERIDIAN FUEL TANKS

Made for temperature extremes -40° to +80°

Our ULC certified double wall secondary containment tanks prevent costly leaks and provide environmentally safe storage.

- Size range from 2,300 L - 75,000 L
- Skidded and non skidded options
- Agriculture and Commercial Designs
- Heavy gauge steel construction
- Fully equipped pump packages (20-40 GPM)
- Optional hose retractors
- Ground level bottom fill systems (larger tanks)®

Ag Duty Tank 2300L

505 imp gal / Double Wall Cradle

Includes: Skid, Hose Retractor, Level Site Gauge, Fill Rite 701 Pump (17 gpm), Drip Tube, Leak Detector Gauge

Ag Duty Tank 4595L

1000 imp gal / 70/30 Split with Skid

Includes: Fill Rite 311 Pump L with Meter, (2) Drip Tube, Tank Level Site Gauges, Leak Detection Gauge, (2) Standard Hose Retractors with 8' Posts, Skid Base

Ag Duty Tank 4600L

1000 imp gal

Includes: Skid & Fill Rite 311VL Pump (115V-30GPM/113LPM), Drip Pot, Tank Level Site Gauge, Leak Detection Gauge, Standard Hose Retractor with 8' Post

Heavy Duty Tank 10,000L

2200 imp gal

Includes: Skid & Fill Rite 311 Pump/Meter Package (115V-35GPM/132LPM), Drip Pot, Tank Level Site Gauge, Leak Detection Gauge, Standard Hose Retractor with 8' Post

WESTEEL FUEL TANKS

Flat Top Road Vault

63 IMP GAL
64 IMP GAL
99 IMP GAL
121 IMP GAL
150 IMP GAL
183 IMP GAL
227 IMP GAL
500 IMP GAL
990 IMP GAL

99 IMP GAL ***FARM DIESEL FLAT TOP TANKS***
150 IMP GAL ***FARM DIESEL FLAT TOP TANKS***

The Westeel Cross-Vault is a combination Transport Canada/UN and ULC S601-14 certified tank.

Double Wall ULC Cross Vault

950L, 2000L, 3000L, AND 4500L

Single WallCradle ULC Tank

300, 500, AND 1000 IMP GAL

FOLIAR
Liquid Fertilizers

LS 624 Low Salt Liquid Starter

6% Nitrogen | 24% Phosphate | 6% Potassium

- 100% water soluble, low salt index, and seed safe
- Added potassium and sulphur give young plants a jump start in cold soils leading to an earlier harvest and higher profits
- Compatible with phosphorus, potassium, and micronutrient sources
- Applied in-furrow at seeding, but can also be used with XRN products as a foliar to bump up phos levels





KQ-XRN

Application of Kugler KQ-XRN on soybeans. The shiny, sticky solution keeps nitrogen available to the plant for the long term.

KQ-XRN Kugler Quality Extended Release Nitrogen

28% Nitrogen (72% slow release)

- KQ-XRN is the base of all Kugler foliar products
- Low salt, non-corrosive polymer solution that contains no water
- Sticks on the leaf and stays on the leaf for up to 30 days
- Applied in-furrow or as a foliar, providing high-quality nitrogen to your plants for an extended period of time
- Can be tank mixed with herbicide, fungicide, and humic foliars

Foliar feeding increases **chlorophyll concentration, photosynthesis rate,** water and soil **nutrient uptake,** and **biomass.**

TOP KROP

www.topkrop.ca 306.518.7691

KS 2075 with XRN Technology

20% Nitrogen (72% slow release) | 7.5% Potassium | 5% Sulphur

- XRN product with a superor potassium and sulphur solution to provide key nutrients to your crop throughout the growing season
- Provides a balance of quick release nitrogen for initial green up and 72% slow release nitrogen for continuous steady feeding
- Applied as a foliar spray or soil applied, or injected through an irrigation system
- Mixes readily with liquid fertilizers and most herbicides

KS 1348C Plant Health Product

10% Nitrogen (51% slow release) | 3% Phosphate | 4% Potassium | 8% Chloride

- Formulated with XRN as its nitrogen source and ammonium chloride as its chloride (plant health) source
- Combines the advantage of slow release nitrogen with the disease suppression of chloride to address crop threats
- Not registered as a fungicide but has all the same qualities as a fungicide with 8x more chloride
- Applied as a foliar feed (aerial or ground equipment)
- Can be tank mixed with liquid fertilizers and most herbicides and fungicides

KQ-XRN 2530 Protein Bump

25% Nitrogen (30% slow release)

- XRN product that adds quality and protein to wheat and other cereal crops
- Applied as a foliar, sprayed at soft dough stage

KS MicroMax Micronutrient Package

Copper | Iron | Manganese | Zinc | Boron

- Effective, readily-available source of vital micronutrients
- Powerful package of key micronutrients designed to help your plants optimize performance, handle stress, and be as healthy as possible
- Can be added to any Kugler XRN product

Canola Trial – NW Sask

Planting & Treatment Details

- 5 litres KS 178C plant health product applied as a foliar
- 12 bushel/acre increase when compared to Lance fungicide
- 13 bushel/acre increase when compared to the control field





Estimated Volume (Dry)

Bushels per Acre	Acres
<= 53.1	(20.5)
53.1 - 57.4	(20.5)
57.4 - 60.8	(20.5)
60.8 - 64.5	(20.4)
> 64.5	(19.5)

Spring Wheat – Regina area

Planting & Treatment Details

- 2 gallons KQ-XRN 2530 applied at soft dough
- 4.8% protein bump
- Difference from feed wheat to #2 grade $2.10/bu @ 55 bu/acre
- Gain of $115/acre



ELEVEN SUPERSTART

The successor of our TK-10 starter fertilizer.

ELEVEN Superstart

- High performance granular starter fertilizer designed to be applied in-furrow
- 100% water soluble and low salt index
- Improves root development with faster seedling pop-up
- Available in bulk or in 1.25 MT totes
- Recommended application rates: 40–50 lbs/acre for pulses, 50–60 lbs/acre for cereals, and 60–70 lbs/acre for canola



Nutrient Breakdown

NPK: 4-31-5-8S
Nitrogen **4%**
Phosphorus **31%**
Potassium **5%**
Sulphur **8%**

+ Micronutrients
Calcium **10%**
Magnesium **1.5%**
Zinc **0.4%**
Iron **0.3%**
Manganese **0.15%**
Boron **0.04%**
Copper **0.025%**

Lentil Trial – Flaxcombe, SK

Planting & Treatment Details

- Treatment #1: Eleven Superstart applied in-furrow at 60 lbs/acre
- Treatment #2: 12-40-0-10S-1Zn applied in-furrow at 90 lbs/acre
- Early observations (Treatment #1): The lentil plants treated with Eleven Superstart demonstrated quicker seedling emergence, improved root development, increased root mass, and bigger, stronger plants
- Final results (Treatment #1): **46% more lentils were observed with 33% less product used**

TOP KROP

www.topkrop.ca 306.518.7691

Benefits of ELEVEN

- Provides 11 plant-available nutrients in every granule
- Low salt index for increased seed safety
- Maximum root interception with no nutrient segregation
- Low pH in solution
- High granular hardness and optimal bulk density



Canola Trial – ELEVEN Superstart

Planting & Treatment Details

- Eleven Superstart applied in-furrow at 80 lbs/acre
- Premium competitor product applied at 120 lbs/acre
- **4 ½ bushel/acre increase** on the Eleven Superstart treated crop (pictured below: foreground and left-hand side)



Canola Trial – NE Sask

Planting & Treatment Details

- TK-10 in-furrow at 100 lbs/acre, NH3 mid-row banded at 90 lbs/acre, 2 applications Kugler at 1.5 gal/acre, and KS153C liquid fertilizer (15-3-3-0-4cl)
- ROI: 9 bushel advantage
- Check: Bulk blend 130N-40P-10K-30S and 1 pass fungicide



HUMALITE

High-Grade Humic Product Sourced from Hanna, AB

Granular **Humalite**

64% humic acid | Mesh size: 1mm to 0.25"

- Made with pure, raw humalite directly from the source to ensure the highest quality product for the best possible results
- Large, course granules allow for easy handling and provide a slow release of nutrients into the soil
- Canadian-sourced and certified organic
- Ideal for broadcast or in-furrow applications and is spreader, floater, and air compatible
- Easily blended with ammonium sulfate and KCL-based fertilizers

Hard Red Spring Wheat – Chamberlain, SK

Planting & Treatment Details

- Granular humalite applied in-furrow at 40 lbs per acre
- 100 lbs 46-0-0
- 30 lbs 11-52-0
- 6 bu/acre increase when compared to control field



Benefits of Humalite

- High water retention for effective drought mitigation
- Increased nutrient uptake
- Accelerated crop residue breakdown
- Enhanced microbial activity
- Improved soil structure and high carbon levels
- Reduced fertilizer requirements
- Flexible application any time of year

WestMET AG

TOP KROP

www.topkrop.ca 306.518.7691

ACF-SR Bacteria

Function-focused bacteria to enhance soil and plant health

- Each individual bacteria species has built-in plant growth functions
- Enhances roots growth
- 100% organic, non-toxic, chemical and pathogen free
- Can be applied in-furrow or used as a foliar
- ACF-SR is also used in small scale applications (lawn health and restoration, greenhouse applications, and golf course and turf operations)

ACF-SR
Plant Growth Promoting Bacteria





Dry Pasture Application

Customer Testimonial

"I am thrilled that I now have an **established, aggressive root system that thrives with very little moisture.** For the first time in 25 years I will be able to bale hay from the pasture to feed my cattle. **I cannot recommend this product enough. It truly did make a difference!**"
– Delar Cattle

AdvancedAG

TOP KROP

Behnke 53’ semi sprayer trailers are available in spring or air ride suspensions. These sprayer trailers are engineered to handle the load of today’s largest sprayers plus haul tanks on the upper deck.

BEHNKE

Behnke 53' Tri-Axle Sprayer Trailer

Load up Your Tanks and Your Sprayer

- 13’ 5th Wheel - equipped with winch track and sliding winches
- 3-25,000 lb air brake axles
- 255/70R22.5 Tires
- Air ride suspension with dump valve
- Multi use beavertail and ramps
- Flip up side running boards
- Removable front wheel chocks with under-slung storage hangers
- 13’ upper deck
- Treated wood deck
- LED & strobe lights
- Water tank available

BEHNKE

9.5 x 53’ Air Ramp Equipment Trailer

3-25,000lb Air Brake/Air Ride Axles

- T1 - 100 KSI main frame
- 3 - 25,000 lb axles
- 255 / 70R22.5 tires
- Air ride with dump valve & pressure gauge
- 12" center 4" I-beam cross members
- Air operated front lift for lower to upper deck
- Rear ramps air actuated for easy loading
- Double break beavertail
- Apitong decking
- Flip out over width clearance lights

Brand selection may vary by province.

Flaman ST series of Agriculture Sprayer Trailers have been custom designed in-house with safety, speed, and ease of use in mind. Built on a 53' Behnke transport trailer, these multi-purpose units are loaded with features to increase efficiency and reduce downtime.

BEHNKE

Flaman ST Series 53' Sprayer Trailer

Safety, Speed, Storage, and Convenience to Go

- Triple axle
- 80,000 lb GVWR
- 22.5 tires
- Air ride suspension
- Lightweight Apitong hardwood decking
- Crossmembers on 12" centres
- Dual 2 speed jacks
- Deck space for extra storage
- Tote cage
- Stowable stairs & grating tread
- Fertilizer grade water tanks
- Chembine Hot-Tank (available on ST-9200)

TRAILTECH

Combine Trailer

The Professional Choice for Combine Trailers

- Heavy duty flip up sides extend to 13'
- 12" x I-Beam
- Tandem or triple axle option
- 20,000 lb axles with air brakes
- Torque tube 5th wheel

SPECIAL ORDER

Trailtech Header Transports

Easily transport & store your header

BEHNKE

Pintle Equipment Trailer

Big trailers for big jobs!

- 9.5' wide by 31' long deck
- 6' Rear air ramps
- (3) 25,000 lb air brake axles
- 235/75R17.5 tires
- Low arc spring suspension
- Air bag tilt with air lock on the tilt deck
- T-1 main frame
- Oak decking
- 2 speed landing gear

Brand selection may vary by province.

FLAT DECK TRAILERS

CELR270

H370GN

Construction / Commercial Series

CELR270 18’ or 20’

6" channel main frame
(2) 7,000 lb spring axles
Protected LED lights and wiring
Teardrop fenders / slide in ramps
8,000 lb drop foot jack

H370GN

24’ deck w/ beavertail on flip up centre
5' beavertail with full width tech ramps
(3) 7,000 lb rubber ride axles
Electric braking
Curb weight: 6,575 lb

L270T DT

Trailtech
Flat Deck Trailers

L270T

Premier Series

L270 DT - 20’

18’ deck + 2’ dovetail
(2) 7,000 lb torsion axles
Adjustable ball coupler/pintle
Curb weight: 3,026 lb

L270T-20’

16’ tilt + 4’ stationary
(2) 7,000 lb Torsion axles
Electric braking
Curb weight: 3,173 lb

Industrial Series – Market's Strongest Frame

MODEL SHOWN WITH
OPTIONAL ALUMINUM RIMS

TD210 – 26’

26’ deck + 5’ beavertail
(2) 10,000 lb axles
5990 lb curb weight

Brand selection may vary by province.

Tandem Dual Gooseneck Flatdecks

Available in Axle Capacities from (2) 7000lb to (3) 12,000lb Axles and lengths from 20' to 53'

5' Dove with spring-assisted, full width max ramps, floating ramp hinges make for a smooth transition from ramp to dove

Diamond C
Flat Deck Trailers

307HDT

Tilt Trailer 307HDT

Manufactured I-Beam Frame

Low profile design
16' cushion tilt with lockout
A-frame tool box
12K jack
(3) 7,000lb torsion axles

A-Frame Tool Box

LPX307

Extreme Duty Flatdeck

I-Beam frame for low profile design
(2) 7,000 lb or (3) 7,000 lb axle configurations
A-frame tool box
12K jack

Southland
Flat Deck Trailers

HB20

Southland
20' Highboy Equipment Trailer

2) 7,000 lb E-Z lube axles
6' aluminum ramps
7k drop leg jack
Rub rail and stake pockets / LED lights

LBAT

Slide in Ramps

Southland
16' Steel Car Hauler

(2) 35,00 lb axles
16' deck & 82" deck width
NEW heavy duty fenders
5" HSS tube main frame

Brand selection may vary by province.

DUMP TRAILERS

Diamond C
Dump Trailers

LPT 16

LPT 14

MDT 12

Manufactured I-Beam main frame – lighter and stronger than traditional mild beam

MDT 12
12' Diamond C Dump

- I-Beam main frame
- Front mount 3 stage telescopic hoist
- 3-way tailgate
- E-Z lube axles
- (2) 6,000 lb axles
- 24" high sides
- 12 gauge wall and slides
- HD fenders
- Roll tarp
- Full bead blast, zinc rich primer, and powder coat paint

LPT 14
14' Diamond C Dump

- I-Beam main frame
- Front mount 3 stage telescopic hoist
- 3-way tailgate
- E-Z lube axles
- (2) 7,000 lb axles
- 24" high sides
- 10 gauge wall and slides with 4" stiffener
- HD fenders
- Roll tarp
- Full bead blast, zinc rich primer, and powder coat paint

LPT 16
16' Diamond C Dump

- Front mount 3 stage telescopic hoist
- 3-way tailgate
- E-Z lube axles
- (3) 7,000 lb axles
- 24" high sides
- 10 gauge wall and slides with 4" stiffeners
- HD fenders
- Roll tarp
- Full bead blast, zinc rich primer, and powder coat paint

Trailtech
Dump Trailers

TRAILTECH
16' GOOSENECK DUMP

Dump Trailers

- 10 Ton Champion hoist
- Tarp
- All tubing frame
- HD fenders
- Complete wiring harness
- Available in 12-14 tags
- 16' goosenecks

TRAILTECH
14' DUMP

Trailtech Tuffguard comes in several options for the dump trailers. Save your money and protect only what is needed with strategic coverage on the chassis, fenders and the front of the box.

Brand selection may vary by province.

SL714 – 16K

SL714 – 16K
14' Southland Dump

- (2) 8,000 lb axles
- 6" rectangular tube main frame
- 10 ton Champion scissor hoist
- Lockable aluminum toolbox with 10 amp 110V built in charger
- HD aluminum slide out ramps
- 3 way tailgate with locks on each door with spring loaded door tie backs
- 12,000 lb drop leg jack
- Adjustable ball coupler

SL714 – 16K HD

SL714 – 16K HD
14' Southland Dump

- (2) 8,000 lb axles
- 6" rectangular tube main frame
- 10 ton Champion scissor hoist
- Lockable aluminum toolbox with 10 amp 110V built in charger
- Load range F rated tires
- 12K hydraulic front jack
- 7 gauge floor with 10 gauge sides
- 3 way tailgate with locks on each door with spring loaded door tie backs
- HD aluminum slide out ramps

Southland
Dump Trailers

SL610 - 10K

SL610 – 10K
10' Southland Dump

- 6" rectangular tube construction
- Scissor hoist lift
- (2) 5,200 lb spring axles
- 12 gauge bed c/w 14 gauge sides
- Barn door style
- Galvanized formed slide in loading ramps

SL714 - 14K

SL714 – 14K
14' Southland Dump

- (2) 7,000 lb spring axles
- 6" rectangular tube main frame
- 9 ton Champion scissor hoist
- Lockable alum tool box with 4 amp 110V built in charger
- Galvanized formed loading ramps – slide in

Brand selection may vary by province.

ENCLOSED TRAILERS

Cross Trailers

24' Auto Hauler

Heavy Duty Rear Ramp Door

Rectangular tube construction main frame, wall posts, and roof bows
(2) 5,200 lb Dexter axles
Available in various lengths and heights

Cross

7x14 Cargo Trailer

7' Interior Height for UTVS

Rectangular tube construction main frame, wall posts, and roof bows
3/4" floor and 3/8" side walls
RV sideman door
Drop ramp with flip over extension
Available in various lengths

Work or play! We can help you find the perfect trailer.

Alcom

Xpress Series Cargo

All Aluminum Frame and Rims

Features:

6' x 12' + V-Nose
Rear Double Door or Ramp
16" Wall Studs
24" Roof & Floor Studs
Spring Suspension
LED Lights
Chrome Trim Package
Interior Lighting w/ Switch
Water Resistant Walls & Flooring
24" Checkerplate Front Guard

Options:

Additional Height Available
Upper and Lower Cabinets
Extra Tie Downs
Recessed E-Track
Motorcycle Packages
Ladder Racks
Custom Flooring Available
Finished Interior Packages

Xpress Aluminum Trailers are ideal for homeowners, as well as landscapers or those needing a light-weight option without losing out on quality.

Brand selection may vary by province.

XR Series Cargo

A Trailer That Gets The Job Done

HSS structural tubing - main frames
HSS structural tubing uprights
Rivet-less aluminum exterior
Exterior bonded with “VHB” two sided tape
Aluminum rims
LED tail lights
24” checker plate front
Torsion axles
Various colours available

CARGO BOX	AXLE
6’ x 14’ XR Cargo	(2) 3500 lb
7’ x 14’ XR Cargo	(2) 3500 lb
7’ x 14’ XR Cargo SPORT	(2) 3500 lb
7’ x 16’ XR Cargo	(2) 3500 lb
8’ x 16’ XR Cargo	(2) 6000 lb
8’ x 26’ XR Cargo*	(2) 6000 lb
Length includes 2’ of V-nose for XR Series 4' v-nose with ramp door	

MODEL SHOWN:
6’ X 14’ WITH V-NOSE

All 7’x16’ XR Series Cargo models come standard with black hard top flooring

MODEL SHOWN:
7’X16’ SPORT, 86” TALL

LT Series Cargo

Great Economy-Priced Trailer

HSS structural tubing - main frames
030 Rivet-less aluminum exterior
3/8” Plywood - interior walls
5/8” Plywood - floor
Enclosed wiring
Galvanized hardware
Alum. molding top / bottom
Rubber mounted lighting
12” checker-plate front
Rivet-less smooth sides
Aluminum fenders
Drop spring axles
Bias ply tires

CARGO BOX	AXLE
5’ x 10’ LT	(1) 2900 lb
5’ x 12’ LT	(1) 2900 lb
6’ x 12’ LT	(1) 2900 lb
6’ x 12’ LT	(2) 3500 lb
6’ x 14’ LT	(2) 3500 lb
6’ x 14’ LT	(2) 3500 lb
7’ x 14’ LT	(2) 3500 lb
7’ x 16’ LT	(2) 3500 lb
7’ x 18’ LT	(2) 3500 lb
7.5’ x 16’ LT	(2) 3500 lb
7.5’ x 18’ LT	(2) 3500 lb
7.5’ x 20’ LT	(2) 3500 lb
8’ x 16’ LT	(2) 3500 lb
8’ x 18’ LT	(2) 3500 lb
8’ x 22’ LT	(2) 5200 lb
8’ x 26’ LT	(2) 5200 lb

Brand selection may vary by province.

TCJTX714TAR

CJay
V-Nose Premium Cargo Trailer

7' x 14' + 2' V-Nose
Tandem 3,500 lb torsion axles
Integrated frame
83" interior height
One piece aluminum roof
Protected wiring
24" high aluminum checkerplate rock guard

TRCRDLX714TA

RC Trailers
Flat Top V-Nose Cargo Trailer

7' x 14' Flat top v-nose cargo trailer
Tandem 3,500 lb spring axles
Finished interior
Inverted stone guard
Wedge front construction

TCJFX716TAR

CJay
V-Nose Cargo Trailer

7' x 16' V-nose trailer
Tandem 3,500 lb torsion axles
Rubberized automotive style undercoating
One piece aluminum roof
Heavy duty ramp door
Protected wiring
Integrated frame

TRCRSCT821TA

RC Trailers
Car & Toy Hauler

8.5' x 21' Round top car and toy hauler
Front & rear ramp door
78" interior height
Finished interior
2 side doors for fueling
Beavertail for easy loading

Hydraulic Trailers

Diamond C
Hydraulic Tail

Never manually lower ramps again!

- 12' Powertail with Auto Lock
- Axle configurations: (2) 10,000 lb, (3) 10,000 lb, (2) 12,000 lb or (2) 15,000 lb
- Available lengths: 30', 32', 35', 38', 40'
- Remote control

Diamond C
22' Tilt DET207

Versatile Deck-Over Tilt

- Gooseneck or Pintle
- (2) 7,000 lb Axles
- 20' Deck / 2' Dovetail
- Torflex suspension
- Hydraulic & Power Tilt

Trailtech
Multi-Deck MD270

Multi-Deck get 4 Trailers in 1!

- Gooseneck or Pintle
- (2) 7,000 lb Axles
- 20' Deck / 2' Dovetail
- Torflex suspension
- Hydraulic & Power Tilt

Brand selection may vary by province.

SPECIALTY TRAILERS

8.5 x 24 Cross Office Trailer

Do you need on site space for your crew?

- (2) 5, 200 lb Torsion Axles
- 36"x76" RV Entry Side Door
- Plywood Walls & Drymax Floor
- Seamless White Vinyl Roof
- Insulated Floor Package
- Insulated Walls
- Interior Dome Lights
- 35,000 BTU Furnace Package
- Thermostat, CO2 Detector, Fire Extinguisher
- 2' Aluminum Cabinet
- Stand-up Closet with Shelf and Rod

ATC Aluminum Car Hauler

Lots of customizable options including:

- Cabinets
- Aluminum rims
- 12 Volt lighting
- Premium escape door

ATC Aluminum Stackers

Available in 20' to 53' lengths

- Tag and gooseneck style hitches
- Tandem and tri-axle configurations
- With low profile tilting lift
- Premium escape door
- Full interior package

Call us for pricing and available options!

Brand selection may vary by province.

SLED TRAILERS

Royal XR Series Sled Trailers

MODEL SHOWN:
XRARSMT35-820-78 3 PLACE

MODEL SHOWN:
XRARSMT35-826-78 4 PLACE

XR Series
3 Place Highboy Sled Trailer

- 8' Wide standard highboy
- (2) 3,500 lb axles
- Aluminum interior and mez deck flooring
- 16' + 4' v-nose

XR Series
4 Place Highboy Sled Trailer

- 8' Wide standard highboy
- (2) 6,000 lb axles
- Aluminum interior and mez deck flooring
- 22' + 4' v-nose

Royal LT Series Sled Trailers

MODEL SHOWN:
LARSMT35-820V-86 LB

MODEL SHOWN:
LARSMT52-826-86 HB

LT Series
3 Place Lowboy Sled Trailer

- (2) 3,500 lb axles
- 16' Straight wall + 4' v-nose
- Mez deck flooring
- 86" Interior height
- Front and rear ramps

LT Series
4 Place Highboy Sled Trailer

- (2) 5,200 lb axles
- 22' straight wall +4' v-nose
- Mez deck flooring
- 86" interior height
- Front and rear ramps

Brand selection may vary by province.

UTILITY TRAILERS

Aluma
A8810 ATV
Alum. frame & floor
Bed size: 88" x 126.75"
2,200 lb Torsion Axle
Curb weight: 525 lb
13" Tires

Aluma
8114 – 14' Utility
Alum. frame & floor
Bed size: 81"w x 145"L
Alum. fenders w/guard
3,000 lb rubber torsion axle

Aluma
548 Utility
54" W x 96" L
2,200 lb Torsion axle
All Alum. frame & floor
Alum. fenders

Aluma
UTV – 12'
3,000 lb torsion axle
Curb weight: 760 lb
Bed size: 71"w x 150"L & 57" Ramp
24" Alum. shield w/ storage box

We carry a wide variety and models of utility trailers to help you get the job done!



Legend
7x12 Utility trailer
3,500 lb Torsion Axle
Integrated F-Channel Frame
48" Fold in, Removable Bi-fold Gate
Stake Pockets
LED Lighting
Also available: 7' x 14'

Trailtech
BD2-12 Utility Trailer
3,500 lb Spring Axle
Salt shield
One piece steel slide-in ramps
Stake pickets
LED Lighting
Ski tie-down bars
Also available: 16' and 22'

6' X 10' MODEL SHOWN

Oasis
Utility Trailer
2,990 lb Spring axle
Swing-up jack
3" channel frame
Slide-in ramps
Fir plank decking
Also available: 6' x 12' & 6' x 14'

Brand selection may vary by province.

FLAMAN RENTALS

Tillage Equipment Rentals

Kinze Mach Till High Speed Discs

Ideal for trash management & seed bed preparation

Wishek Discs - 8' to 36'

The heaviest disc on the market!

- 13 HP per foot of disc required
- Most effective way to break up land or improve drainage

▶▶▶ **Rental equipment may vary depending on dealer location.**

Grain Moving Equipment Rentals

VRX Grain Vac

Move up to 5000 BU/HR

Grain Extractor

Batco 1515

14' Transfer Auger

Batco 35' Conveyor

Grain Bagger

Tillage Equipment Rentals

Brillion Disc Ripper

Rugged tillage implement that can handle the stresses of deep ripping in hard, compacted soil.

RiteWay Land Rollers

Convenient narrow transport

- Great for many applications like pulse crops or hay land.
- Increase germination - every seed has good contact with soil.
- Smooths fields for straight cutting

Schulte 36' DHX Disc Harrow

Handle all the tillage and residue management on your farm.

RiteWay Heavy Harrows

Riteway Harrows are durable, reliable, and efficient.

Earth Moving Equipment Rentals

12' Pull Blade

Landscraper

Ideal for landscaping, road building and burying stones.

Box Scraper

Rental Equipment May Vary Depending On Dealer Location. Prices subject to change without notice.

Hay & Livestock Equipment Rentals

Haukaas Bale Carts

Move up to 1000 bales/day!

- Gentle on bales and the hayfield
- Quickly gather bales and place in semitrailer-sized groups

Post Pounders

Fencing made easier

- No tractor needed / Easy operation
- Self-contained with a 13 HP Honda motor
- For building new fences or making repairs

▶▶▶ Rental equipment may vary depending on dealer location.

Sovema 12 or 14 Wheel Hay Rake

Decrease drying time, increase productivity

Jiffy Hay Float

Level your pasture and hay land

LEVEL-WIND

Wire Roller

Optional grain bag roller attachment now available

TPH BRILLION 10'

Grass Seeder

The most accurate way to seed grass

Landscape Equipment Rentals

Schulte Rough Cut Mowers

Tough and dependable

- Great for mowing crop residue, pastures, weeds or roadsides
- Ultra narrow transport width for added safety
- Designed to work in the toughest terrain

Schulte Rock Pickers

Build larger stone piles

- Pick rocks faster
- Good for spot picking in fields
- Tough & Dependable

Schulte SRW1400 Rock Rake

Construction Rentals

Available Only in the **Yorkton, Moosomin, & Swan River Region**

4 models available

SKID STEERS

MINI EXCAVATORS

SCISSOR LIFTS

TELEHANDLERS

COMPACTION

Compaction Headquarters. Whatever your project calls for, we have the machine to do the job!

HEATERS

CONCRETE TOOLS

We rent quality HILTI tools at Flaman for all your hammer drilling and jack hammering needs.

WE RENT:

- Skid Steers
- Mini Excavators
- Scissor Lifts
- Telehandlers
- Heaters
- Concrete tools
- Auger Bits 6”- 30”
- Hyd Auger Drives
- Auger Extensions
- Frost Bits
- Bale Spears
- Hyd Jack Hammers
- Snow Blades
- Snow Blowers
- Snow Buckets
- Sweepers
- Tree Scoops
- Trenchers
- Grapple Forks
- Pallet Forks
- Brooms
- Buckets *Tooth & Smooth*

Yorkton, SK **306.994.0654** | Moosomin, SK **306.802.4808** | Swan River, MB **204.400.5621**

Rental Equipment May Vary Depending On Dealer Location. Prices subject to change without notice.

TRAILER RENTALS

24' GOOSENECK FLATDECK SHOWN
20' - 30' SIZES AVAILABLE

14' DUMP SHOWN
10' - 14' SIZES AVAILABLE

Need to haul dirt, snow or debris?

The two-way tailgate features a rear double door and spreader gate, allowing for fast, controlled loading. Rent one of our 10', 14' & 16' tandem axle dump trailers today.

Dump Trailers
8' Hydraulic Dump Trailer
10' Tandem Dump Trailer
12' Tandem Dump Trailer
14' Hydraulic Dump Trailer
16' Gooseneck Hydraulic Dump Trailer

These trailers tilt for easy loading.

Tilt Deck Flatdeck Trailers
6'X12' Utility Trailer Tilt
16' TiltTrailer
18' TiltTrailer
20' Tilt Trailer
20' Lowboy Tilt Trailer with Winch
20' H270 Highboy Tilt Trailer with Winch

Great for general farm, hotshot or long haul trucking.

We have 20' to 30' trailers available with capacity up to 20,000 lb.

Highboy Flatdeck Trailers
18' H-260 Flatdeck Trailer
20' H-270 Flatdeck Trailer
20' H270 Tilt Trailer with Winch
20'+5' H-270 Flatdeck Trailer
25'+5' H-270 Flatdeck Trailer
26'+5' TD Pintle Flatdeck Trailer
30'+5' TD215 Pintle Flatdeck Trailer

Gooseneck Flatdeck Trailers
26'+5' TD 210 Gooseneck Highboy Trailer
30'+5' TD 210 Gooseneck Highboy Trailer
30'+5' TD 215 Gooseneck Highboy Trailer
36' Tri-Axle Gooseneck Highboy Trailer

18' LOWBOY SHOWN

Lowboy Flatdeck Trailers
16' Lowboy Flatdeck Trailer
18' Lowboy Flatdeck Trailer
20' Lowboy Flatdeck Trailer

Prices subject to change without notice. Sizes may vary upon location, call your local Flaman dealer for available sizes.

JOIN OUR TEAM! Looking to expand your business?

Join our growing team of rental dealers in Western Canada. **You can expect a supportive network of like-minded business people to help you grow your business and be successful.** Last year we rented equipment to over **40,000 customers** in farming, oilfield, construction and more. **Investment in equipment is required. Proudly serving Western Canada since 1959.**

Rental Equipment May Vary Depending On Dealer Location

Sizes vary upon location.

Call your local Flaman dealer for the available sizes.

4'X8' UTILITY SHOWN
4'X8' - 5'X8' SIZES AVAILABLE

Do you have leaves & branches to haul to the landfill?

Our utility trailers are perfect for the job.

Utility Trailers
2-Place Ski-doo Highboy
4'X8' Utility Trailer *(Has sides)*
6'x10' Utility with Sides
6'X12' Tilt Deck

Haul your cattle or horses in one of our easy pulling stock trailers.

We have 15' to 24' trailers available.

Horse & Stock Trailers
10' 2-Horse Trailer
14' 2-Horse Trailer
15' 2-Horse Trailer
16' Stock Trailer
20' Stock Gooseneck Trailer
24' Stock Gooseneck Trailer

7'X16' WITH V-NOSE
ENCLOSED SHOWN

Moving? Need some temporary, mobile storage?

Various sizes of cargo trailers available Ramp or barn door options

Utility Trailers
8' Enclosed Trailer
10' Enclosed Trailer
12' Enclosed Trailer
14' Enclosed Trailer
16' Enclosed Trailer
18' Enclosed Trailer
20' Enclosed Trailer
22'+4' Enclosed Trailer
24' Enclosed Carhauler Trailer

Ground level loading makes loading & unloading a breeze.

AirTow Trailer
AirTow 14' 10k Capacity

Prices subject to change without notice. Sizes may vary upon location, call your local Flaman dealer for available sizes.

BECOME A FLAMAN RENTAL DEALER

Alberta - Call Ken
587.206.8359

Saskatchewan & Manitoba - Call Carter
306.700.3823

Rental Equipment May Vary Depending On Dealer Location

FLAMAN

Store Locations

Alberta

Fairview	780.900.4710
Nisku	587.206.8359
Edmonton N.	587.206.8179
Medicine Hat	587.206.8163
Lethbridge	587.800.7921

Saskatchewan

Prince Albert	306.400.3361
Saskatoon	306.700.3823
Yorkton	306.994.0654
Southey	306.993.9688
Swift Current	844.966.0962
Moosomin	306.802.4808

Manitoba

Swan River	204.400.5621

FLAMAN RENTALS

Rental Dealer Locations

Peace Country

Dawson Creek	250.219.2034
Falher	780.837.6105
Grande Prairie	1.800.390.6924
High Level & La Crete	780.926.6468
High Prairie	780.523.1405

Southern Alberta

Acadia Valley	403.664.8296
Cardston	403.653.4495
Foremost	403.867.2436
Fort Macleod	403.795.2645
Milk River	403.647.3790
Nanton	403.646.2433
Taber	403.315.3694

Central Alberta

Atmore / Grassland	780.212.7931
Barrhead	780.674.2146
Bon Accord / Morinville	780.921.3002
Carstairs	403.337.0009
Daysland	780.374.3786
Evansburg	780.727.2149
Fort Saskatchewan	780.998.2058
Lloydminster	780.870.8900
Ponoka	403.783.6866
Red Deer County	403.302.4737
Rimbey	403.843.3030
Ryley	780.446.2684
Smoky Lake	780.656.3881
Stettler	403.742.5300
Stony Plain	780.963.2078
Sundre	403.638.4930
Thorhild	780.398.3944
Three Hills	403.443.5770
Vegreville	587.280.2474
Westlock	780.349.3223

Saskatchewan

Assiniboia	306.642.4621
Canora	306.563.6426
Cudworth	306.256.2300
Elrose	306.378.7804
Estevan	306.421.0280
Hoosier	306.460.9650
Humboldt	306.682.2574
Lloydminster	780.870.8900
Maple Creek	306.662.2262
Pangman	306.442.7400
Shaunavon	306.297.1400
Swift Current	306.773.8890
Unity	306.228.2172
Wilkie	306.843.8275
Wynyard	306.554.2511
Yorkton	306.783.1689

Manitoba

Austin	204.637.2515
Brandon	204.728.4554
Crystal City	204.825.0170
Dauphin	204.638.4401
Melita	204.522.3202
Neepawa	204.476.2348
Portage la Prairie	204.857.8764
Reston	204.877.3729
Russell	204.773.2268
Virden	204.748.2283

Montana

Conrad, MT	406.467.2901
Helena, MT	406.449.1269
Power, MT	406.467.2901

www.flamanrentals.com

ALBERTA

Edmonton N.
587.206.8179
8910 Yellowhead Trail

Edmonton S.
587.206.8359
2310 Sparrow Dr.
(Nisku)

Fairview
780.900.4710
10917 92nd Ave
(Peace Country)

Lethbridge
587.800.7921
16 Broxburn Boulevard

Medicine Hat
587.206.8163
3377 Gershaw Dr SW

SASKATCHEWAN

Prince Albert
306.400.3361
Hwy #2 South

Saskatoon
306.700.3823
Hwy #16 & 71st St

Swift Current
844.966.0962
2500 South Service Rd W

Moosomin
306.802.4808
Hwy #1 West

Southey
306.993.9688
Hwy #6

Yorkton
306.994.0654
Hwy #16 East

MANITOBA

Swan River
204.400.5621
Hwy #83A

Pre-Owned & Clearance
www.flamanagriculture.com/inventory
Shop online on your own time.

www.flaman.com