


# Parts & Service Catalogue

Saskatchewan & Manitoba 2026



## Did you know?

We specialize in servicing  
**Hatz Diesel engines.**

You can bring your auger  
to us for in-house repair,  
service, and warranty.



**SGI Authorized  
Commercial Trailer Safety  
Inspection Station**

(NOTE: NON-AIR BRAKE TRAILERS)

We repair, service, and  
warranty everything we sell.

### **SEE US FOR:**

- Welding
- Wiring
- Brakes
- Deck Installs
- Deck Repairs
- Suspension Repairs
- Tire Change / Repair
- Bearing Services
- Custom Fabrication
- Wheel Alignment
- Enclosed Trailer Body Repairs
- After-Market Accessory Installs
- Small Engine Repair
- Ag Maintenance & Repair
- Trailer Rentals

**Call your nearest Flaman**  
to book a service appointment.

# TRAILER PARTS



## Bearing Kits

Comes with: Bearings, Races, Washers & Seal.  
2,000 – 10,000 LB CAPACITY



## Couplers

Huge selection of couplers, various types.  
2,000 – 20,000 LB TONGUE



## Wheels

13" — 16" available.



## Brakes

Individual Brake Components, Pad Sets, & Complete Assemblies.  
2,000 – 12,000 LB CAPACITY



## Jacks

Replacement jacks available for any make and model.  
2,000 – 12,000 LB CAPACITY



## Hubs & Drums

For many makes and models of trailers. Idler & Braking.  
2,000 – 12,000 LB CAPACITY



## Suspension Parts

Leaf springs, hangars, shackles, bushings and more.



## Tires

175/80/R13  
205/75/14 & 15  
225/75/15  
235/80/16 (Single & Dual)



## Axles

Torsion & Spring available.  
SPECIAL ORDER



## LED Lighting

Various options available.



## Incandescent Lighting

Various options available.

# TRAILER ACCESSORIES

## LOCKS & SECURITY



### Coupler Lock

Keep your trailer safe from theft. Fits 1 7/8", 2", and 2 5/16" couplers.

TRI-UMAX50D



### Wheel Lock

Lock your wheel to prevent theft. It's security for: trailers, cars, trucks, and boats.

TRI-TCL75



### Puck Locks

1PK - 3PK from Axiom and Trimax available.

**Various 5th Wheel and Gooseneck Hitch options are available**



### Super Clamp & Track Clamp

A more versatile way to lock your skis down during transport.

1000 5C-FRONT



### Super Glides

Protect the trailer deck from ski carbides and guide your sled when loading.

3000 SUP-II-PRO



### Sled Tie Downs

Straight & Curved Ski Bars & Hardware.



### Fixed Mounts

2" to 10" available to fit any trailer.

6,000-12,000 LB CAPACITY



### Balls

1" - 1 1/4" Shanks.

1 7/8", 2", 2 - 5/16" Ball Sizes.

6,000-12,000 LB CAPACITY



### Adjustable

Adjustable hitches from Axiom and

Curt available.

14,000 - 20,000 LB CAPACITY



### E-Track

Makes a great adjustable hook up point. Gives you more options for tie downs.

9250049



### D-Rings

Various types of D-rings available, such as swivel, recessed, or weld-on.

RDR801



### Weld On Stake Pockets

STP-6



### Strap Winch

LLK SWSX

# TOWING & TIE DOWNS



**2" Ratchet Straps**

2" x 20' HWG100220  
2" x 27' HWG100227



**2" Ratchet Straps with J Hook**

2" x 20' HWG100221  
2" x 27' HWG100228



**2" Strap with Flat Hook**

2" x 20' 220FHR  
2" x 30' 230FHR



**4" Flat Hook Ratchet**

4" 4FHR



**4" Strap with Flat Hook**

4" x 20' 420FHS  
4" x 30' 430FHS  
4" x 40' 440FHS



**4" Strap with O Ring**

4" x 20' 420DRS  
4" x 30' 430DRS  
4" x 40' 440DRS



**4" Strap with O Ring & Chain**

4" x 20' 420DRSCH  
4" x 30' 430DRSCH  
4" x 40' 440DRSCH



**Rig-it Recovery System**

*Fits any 2" Receiver*  
19,000 lb load strength  
TS270 X 20'



**Ratchet Load Binder**

*Heavy Duty*

3/8" HWF220104



**3/8" Load Binder**

HWF220102



**Ratchet Load Binder**

5/16" – 3/8" HWF220100



**Load Binder Lock**

64.100.004



*Save your tractor frame from damage*

**John Deere Tow Bars**

20 Series HWF220620  
30 Series HWF220630

R Series HWF220640

R Series with Weight Bar JD-R-WEIGHT BAR



**NEW!**

*No more hassle with broken wiring!*



**Wireless Trailer Light Kit**

NSTK28

# TOWING & TIE DOWNS



## 2-PLY

### Tow Straps w/ Rings

6" x 30'	120,000 lbs	TT60030
6" x 50'	120,000 lbs	TT60050
8" x 30'	160,000 lbs	TT80030
8" x 50'	160,000 lbs	TT80050
10" x 30'	200,000 lbs	TT100030
10" x 50'	200,000 lbs	TT100050
12" x 30'	240,000 lbs	TT120030
12" x 50'	240,000 lbs	TT120050

## 4-PLY

### Tow Straps

8" x 30'	280,000 lbs	TS80030-4PLY
8" x 50'	280,000 lbs	TS80050-4PLY
10" x 30'	350,000 lbs	TS100030-4PLY
10" x 50'	350,000 lbs	TS100050-4PLY
12" x 30'	420,000 lbs	TS120030-4PLY
12" x 50'	420,000 lbs	TS120050-4PLY



## 2-PLY

### Tow Straps

2" x 20'	30,000 lb	HWF250220
2" x 30'	30,000 lb	HWF250230
3" x 30'	45,000 lb	HWF250330
3" x 50'	45,000 lb	HWF250350
4" x 30'	60,000 lb	HWF250430
4" x 50'	60,000 lb	HWF250450
5" x 30'	75,000 lb	HWF250530
5" x 50'	75,000 lb	HWF250550
6" x 30'	90,000 lb	HWF250630
6" x 50'	90,000 lb	HWF250650
8" x 30'	120,000 lb	HWF250830
8" x 50'	120,000 lb	HWF250850



### Chains Assemblies

**G70 CHAIN W/ GRAB HOOKS**  
HWF220200 5/16 x 16'  
HWF220202 3/8 x 16'



### Nylon Tow Rope

1" x 30'	40,000 lbs	TR130RE
1" X 50'	40,000 lbs	TR150RE
11/4" x 30'	80,000 lbs	TR11/430RE
11/2" x 30'	120,000 lbs	TR11/230RE
11/2" x 50'	120,000 lbs	TR11/250RE
13/4" x 30'	160,000 lbs	TR13/430RE
13/4" x 50'	160,000 lbs	TR13/450RE
2" x 30'	200,000 lbs	TR230RE
2" x 50'	200,000 lbs	TR250RE
21/2" x 50'	240,000 lbs	TR21/250RE



### Shackles

5/8"	35,750 lbs	3 1/4 T	SPAS5/8
3/4"	52,250 lbs	4 3/4 T	SPAS3/4
1"	90,750 lbs	8 1/2 T	SPAS1
1 1/4"	132,000 lbs	12 T	SPAS11/4
1 1/2"	187,000 lbs	17 T	SPAS11/2
1 3/4"	275,000 lbs	25 T	SPAS13/4
2"	385,000 lbs	35 T	SPAS2
2 1/2"	605,000 lbs	55T	SPAS21/2



### Slip Hook w/ Latch

64.110.006 1/4" G70  
64.110.007 5/16" G70  
64.110.008 3/8" G70  
64.110.009 1/2" G70



### Clevis Slip Hook

64.100.006 1/4" G70  
64.100.007 5/16" G70  
64.100.008 3/8" G70  
64.100.013 1/2" G70



### Grab Hook

64.100.009 1/4 G70  
64.100.010 5/16 G70  
64.100.011 3/8 G70  
64.100.014 1/2 G70



### Grab Hook w/ Latch

64.111.009 1/4 G70  
64.111.010 5/16 G70  
64.111.011 3/8 G70  
64.111.012 1/2 G70



***Fits in the back of your truck box with room to close the tailgate.***



## 250 GAL PRESSURE WASHER SKID

Get more features and more gallons per square foot in one complete but compact pressure wash unit. It all fits in the back of your truck box—with room to close the tailgate.

- 225 imp gal narrow tank – 39L" x 47W" x 41H"
- 4 GPM Triplex Italian AR pump with 4000 PSI
- 333,000 BTU burner
- 100' locking hose reel with 50' of hose
- 36" spray wand with a full set of nozzles and soap tank
- 48" heavy 3/16" powder-coated steel skid
- Fork pockets

## PRESSURE WASHERS

**2000 PSI 1.8 GPM ELECTRIC** P2018EN

**2000 PSI 3.5 GPM 182,000 BTU ELECTRIC** HW205EBA

**COLD WATER 3400 PSI** 2.5 GPM 223CC POWEREASE BE3475PX

**COLD WATER 4200 PSI** 4.2 GPM 420CC POWEREASE B4415PA

**COLD WATER 4200 PSI** 4.2 GPM GX390 HONDA B4213HGS

**HOT WATER 2700 PSI** 2.7 GPM 330,000 BTU GX200 HONDA HW2765H

**HOT WATER 4000 PSI** 4.0 GPM 330,000 BTU GX390 HONDA HW4013HE



ELECTRIC



BE3400



B4415PA



B4213HGS



GX390 HONDA

# BE HARDWARE & ACCESSORIES KITS



<b>A1</b>	Clevis Pins (SAE)	60 PC	67.000.060
<b>A2</b>	Universal Clevis Pins (SAE)	71 PC	67.999.071
<b>A3</b>	Cotter Pins	555 PC	67.100.555
<b>A4</b>	Large Cotter Pins (Metric)	144 PC	67.100.144
<b>A6</b>	Hair Pins (SAE)	150 PC	67.100.150
<b>A74</b>	Lynch Pins	50 PC	67.700.200
<b>A75</b>	Square PTO Lock Pins (SAE)	20 PC	67.700.220
<b>A76</b>	Round PTO Lock Pins (SAE)	20 PC	67.701.220




<b>B8</b>	Hex Head Set Screws (Metric)	200 PC	67.984.460
<b>B9</b>	Hex Head Set Screws (SAE)	200 PC	67.984.450
<b>B10</b>	Hex Head Cap Screws (SAE)	106 PC	67.100.106
<b>B11</b>	Hex Head Cap Screws (Metric)	106 PC	67.444.106
<b>B15</b>	Nuts, Bolts & Washers (Metric)	240 PC	67.444.240
<b>B16</b>	Nuts, Bolts & Washers (SAE)	240 PC	67.100.240
<b>B17</b>	Nylon Lock Nuts (Metric)	146 PC	67.444.146
<b>B18</b>	Nylon Lock Nuts (SAE)	150 PC	67.000.150



<b>D44</b>	Insulated Rubber Clamps	42 PC	67.999.042
<b>C45</b>	Rubber Grommets	125 PC	67.999.125
<b>D46</b>	Electrical Wire Connectors	158 PC	67.999.158
<b>D48</b>	Wire Terminal & Crimper	178 PC	67.999.175
<b>D49</b>	Black Heat Shrink Tubes	127 PC	67.999.127
<b>D55</b>	Automotive Fuses - ATO, Mini, Maxi, Bosch - D55	147 PC	67.999.147
<b>D57</b>	Automotive Bulbs - 12V	17 PC	67.999.017

<b>C23</b>	Internal & External Snap Rings (SAE)	285 PC	67.100.285
<b>C24</b>	Internal Snap Rings (Metric)	300 PC	67.200.300
<b>C25</b>	External Snap Rings (Metric)	300 PC	67.100.300
<b>C26</b>	External E-Clips (Metric)	300 PC	67.300.300
<b>C27</b>	Roll Pins (SAE)	120 PC	67.100.120
<b>C28</b>	Roll Pins (Metric)	120 PC	67.444.120
<b>C29</b>	Stainless Steel Hose Clamps	26 PC	67.999.026
<b>C31</b>	Copper Washers (SAE)	110 PC	67.000.110
<b>C32</b>	Wire Rope Clips & Shackles	30 PC	67.999.030
<b>C33</b>	Compression & Extension Springs	200 PC	67.000.200
<b>C36</b>	Woodruff Keys (Metric)	80 PC	67.200.080
<b>C37</b>	HNBR O-Rings (SAE & Metric)	270 PC	67.700.270
<b>C40</b>	Grease Fittings (Metric)	110 PC	67.444.110
<b>C41</b>	Grease Fittings (SAE)	30 PC	67.100.110
<b>C67</b>	Keystock (SAE)	30 PC	67.700.313
<b>C77</b>	Nitrile O-Rings (Metric)	407 PC	67.444.407
<b>C78</b>	Nitrile O-Rings (SAE)	407 PC	67.100.407



SCAN QR FOR  
MORE INFO  
ON KITS



## GENERATORS & INVERTERS

A portable generator will provide recreational, job site, or limited home standby power.

We have gas generators from 3,800 to 12,500 watt and 2,800 to 10,500 watt inverter generators that provides stable, clean power for sensitive equipment.

**4800 watt**  
GAS GENERATOR  
BE4800

**11,000 watt**  
GAS GENERATOR  
BE-11000

**2800 watt**  
GAS INVERTER  
BE2800I

**12,500 watt trifuel**  
GAS GENERATOR  
BE12500T

**4700 watt dual fuel**  
GAS INVERTER  
BE4700ID

**10,500 watt trifuel**  
GAS INVERTER  
BE10500IT

2800 WATT GAS INVERTER



12,500 WATT  
TRIFUEL  
GAS GENERATOR



# MAINTENANCE FLUIDS

## SPRAYER WINTERIZING FLUID

### Flaman

- Burst protection down to -50°C
- Economical anti-foam formula with seal protection
- Prevent freeze damage to the reservoir, lines, and tips of ground sprayer equipment
- Ready-to-use, no dilution required
- Suitable for metal and plastic systems

10L

18.9L

205L

1040L



## DIESEL EXHAUST FLUID

### Catalys

- Helps reduce emissions while benefiting both the environment and your bottom line
- Contains 32.5% high-purity urea and 67.5% deionized water
- Suitable for equipment requiring API Certified DEF
- Meets the ISO 22241 standard for quality

9.46L Jug

208L Drum

1040L Tote



## CITRUS HAND CLEANER

4L W/ PUMP

1710075-4CS



## PRESSURE WASHER SOAP

18.9L PAIL

1710050-18.9



## 2-STROKE FUEL OIL

*Keeping your ice auger running smoothly.*

Quality 2-stroke oil

946 ML GP2-01

3.79 L GP2-02

19.9 L GP2-05



## 4-STROKE FUEL OIL

*For 4-stroke powered machines such as lawn mowers.*

Quality 4-stroke oil

946 ML GP4-01

3.79 L GP4-02

19.9 L GP4-05

ASK US ABOUT OUR REFUNDABLE DEPOSITS

## MASSLOAD AXLE PAD SCALE

*Accurate portable weighing during seeding and harvest*

- Easy to mount with 6" low profile platform
- Can be used on gravel surfaces
- Fully automatic – single operator system
- Fork lift portable for use in multiple locations
- Made for temperature extremes -40° to +80°
- Rugged 26" super duty load cells
- 2 year load warranty / 4 year frame warranty



### EASY TO SET-UP, EASY TO USE

*Weigh your B Train in 90 seconds!*



Wireless or remote solar power display options are available.

**Even a small error in weighing can be costly.**  
**A farm scale can help you save money.**

## LARGE TIRE CHANGING SOLUTIONS

**Handle all your large tire changes the easy way!**

### WHEEL WRANGLER

Attaches to a front-end loader or forklift.

GAT-WW2500



ONLY AT  
FLAMAN



### HIGH CLEARANCE SPRAYER JACK

In combination with the Wheel Wrangler quickly make tire changes.

12,000 lb load multiple height adjustments.

GAT-JH3900



### FROST FIGHTER

Diesel / Kerosene Heater  
350,000 BTU  
IDF350



### EXTENSION CORDS

#### *Triple Outlet*

**100 foot** PRO GLOW D17666100

#### *Single Outlet*

**10' foot** BLOCK HEATER CORD  
D19007602

**25 foot** PRO GLOW D17330025  
**50 foot** PRO GLOW D17330050

## HOSE ORGANIZERS





### HOSE BOSS

*Wraps up to 16 hoses*

### FEATURES

- Can withstand temperatures from -50°C to 100°C
- Tough polyethylene coating with molded-in colour. Won't crack or fade.
- Laser-etched numbers to help identify pairs, groups or bundles of hoses. Won't be marred by grease and dirt.
- Easy to clean. Use any soap or solvent.
- Install by hand. No tools needed for installation.



### HOSE ORGANIZERS

### HOSE BOSS

*Wraps up to 16 hoses*

### HOSE TAMER

*Wraps up to 12 hoses*

# THE HANDLER

From 15 imp gal to 196 gal

2" to 3" models

Easily batch mix dry or liquid chemical

Load directly from bulk containers with double venturi system

Direct induction system avoids waste and spillage



## HANDLER I – 2"

15 US gal 30830

## HANDLER II

2" – 42 US gal 30831

2" – 42 US gal with 5.5 Pump 30832 *Special Order*

3" – 42 US gal 30835 *Special Order*

3" – 42 US gal with 6.5 Pump 30836 *Special Order*

## HANDLER III

2" – 70 US gal 30838 *Special Order*

2" – 70 US gal with 5.5 Pump 30839 *Special Order*

3" – 70 US gal 30842

3" – 70 US gal with 6.5 Pump 30845

3" HD – 70 US gal 30843

3" HD – 70 US gal with 13 Pump 30844

## HANDLER IV

3" – 230 US gal 30850 *Special Order*

3" – 230 US gal with 6.5 HP Pump 30849

3" – 230 US gal with 13 HP Pump 30847

## UPGRADED FEATURES

- Bolted fitting in the bottom of the tank for improved drainage.
- Possibility of leaks are reduced by the removal of threaded fittings on all wash, rinse, and agitation lines.
- Increase in the size of the wash line connections from 3/4" to 1".



ANTI FOAM AGENT  
HWF100090



TANK CLEANER  
HWF100092

Handler II and III come with venturi and recirculation kit.

# CHEMBINE



CHEMBINE HOT TANK  
1680 US GAL



CHEMBINE MIXER  
75 US GAL

## CHEMBINE CHEMICAL MIXER

*Incorporates all the features of a typical chemical mixer while dramatically improving the following areas:*

- New knife design empties jugs with speed
- Increased agitation
- Rotary rinse and drain
- Improved ergonomics and better stability
- Optional 6.5 HP or 13HP pump available

## CHEMBINE HOT TANK

*Reduce downtime by mixing your entire chemical ahead of time*

- Simple Operation with two 3-way valves to control all functions. Adds maximum speed and efficiency to your operation.
- There are four agitators at the bottom of the tank that agitate and mix the tank.
- There are two rotary rinse nozzles on the top of the tank that can be used to rinse the tank or mitigate foaming issues.

# SPRAYERS

**We have a wide range of sprayers for all your chemical spraying needs.**



## ENDURAPLAS

### 60 US GAL

UTV FIELD BOSS  
SFB060FG225GH

60 USG UTV  
FIELD BOSS SPRAYER

### 60 US GAL

FIELD BOSS XSTREAM  
SFB060FG290EX

20' STEEL BOOM  
ASBS20SS

### 100 US GAL

3PT SPRAYER WITH PTO  
SL100FG8GR

30' STEEL BOOM  
EXTENSION KIT  
ASBS30XKIT



## BE AGRIEASE

### 2 L Hand Sprayer

90.704.002

### 6 L Hand Sprayer

90.704.006

### 8 L Hand Sprayer

90.703.008

### 9 L 12v Pull Sprayer

90.709.014

### 16 L Lithium Ion

Backpack Pull Type

90.709.016

### 16 L Portable Sprayer

90.710.016

### 16 L Backpack Sprayer

90.704.016

# CHEM PUMPS



### AG RUNNER CHEM PUMP

W/ SURE FLO METER  
SF-1100-PTS



### DURA-PUMP AUTO BATCH

DPABS-4312V



*The Dura Pump will pump up to 55 litres per minute.*

### DURA-PUMP EASY CADDY

COMES W/ DURA METER  
DPEM-4312V



### DURA METER W/ VITON SEAL

DP-3000V  
DP-3000V

### DURA METER W/ AUTO BATCH

12V (VITON)  
DP-3000V  
DPAB-12V

# ENGINES

## POWEREASE ENGINES

225cc 85.570.070 / Manual Start

420cc 85.570.150 / Manual Start

420cc 85.575.152 / Electric Start

## ELECTRIC STICK ON HEATER

For conveyor and auger engines.

QQQ 78658935075



POWEREASE 420CC

85.570.150



## ENGINE COVERS

SMALL 13301

LARGE 13304



*Contact us about diesel engines  
for your auger or conveyor*

**PUMPS MORE THAN 3 MILLION LITRES OF WATER IN 15 HOURS USING ONLY 26 LITRES OF FUEL.**



850 US GAL / MIN  
700 IMP GAL / MIN

**OPTIONS: FUEL TANK AND 400' WARTHOG 6" HOSE**

HIGH IMPACT LPE FLOATING BASE IS DURABLE AND LIGHTWEIGHT

OPTIONAL FUEL TANK

DURABLE STEEL ON STEEL INTERNAL IMPELLER PARTS

QUICK CONNECT COUPLER INCLUDED FOR EASY ASSEMBLY AND BREAKDOWN



## WARTHOG FLOATING PUMPS

### Large Volume

If you need to move large volumes of water quickly and efficiently, the Warthog Pump is for you.

**Warthog Floating Pump SFP-100 / Fuel Tank FFT-100 / 400' Warthog 6" hose SFP-150**

**Pacer Pump –**  
*Polypropylene pump with excellent durability, strength, and resistance to chemicals.*



### High Volume Pump

**Honda**

#### 2" POLY PUMP

6.5 HP – 154 GPM  
PP77003-P Honda GX200 with protec seal  
WAP000057 223CC Powerease with protec seal

**Honda**

#### 3" POLY PUMP

6.5 HP – 265 GPM  
PP77006-P Honda GX200 with protec seal  
WAP000067 223CC Powerease with protec seal

*Cast aluminum pump for heavy duty applications.*



*Water or full trash available up to 1" solids.*

**Honda**

#### 4" WATER PUMP

13 HP – 580 GPM  
WP4013H

**Honda**

#### 4" FULL TRASH PUMP

13 HP – 580 GPM  
TP-4013HM

### BE PUMPS

1" 2.5 HP – 42 GPM WP-1020R  
2" 7 HP – 158 GPM WP-2070S  
3" 7 HP – 264 GPM WP-3070S

*Comes with a five year warranty*



### 1" HONDA BE PUMP

33 GPM WP-1015HT



### HONDA 2" WATER PUMP

6.5 HP – 158 GPM WP-2065HL

### HONDA 3" WATER PUMP

6.5 HP – 264 GPM WP-3065HL



### 3" HYPRO PUMP

*Honda GX390 with Electric Start*

13 HP – 440 GPM  
54 PSI  
125' total head  
25' max suction lift  
WAP000197

### 3" HYPRO PUMP

*Powerease with Electric Start*

15 HP – 440 GPM  
54 PSI  
125' total head  
25' max suction lift  
WAP000199

# FILTER FLOAT

*No need for waders when setting up your pump.*



FILTER FLOAT FOR  
SUPER FLO 2" SANDSCREEN  
PFF-2

FILTER FLOAT FOR  
3" SANDSCREEN  
PFF-3

Filter floats utilize either a sand screen or super flow filter, and come in 2 sizes.



## Aluminum Shovels

Aluminum grain shovels  
Fiberglass handle

28 INCH 511172

48 INCH 511171



## Steel Shovels

Fiberglass handle

Round 48 INCH 81518

Square 48 INCH 82519

## PVC Sand Screen Filter For Water

2" WAP100462

3" WAP100463

4" WAP100464

## Air Seeder Suction Hose

1", 1 1/4", 1 1/2", 2", 2 1/2", 3"

**5" & 6" available for custom order**



## Super-Flow Water Filters

2" SF2

3" SF3

SUPERFLOW ADAPTER KIT SF-4

## EPDM Hose

1", 1 1/4", 2", 2 1/2",  
3", and 4"



## Lay Flat Discharge Hose

1, 2, 3, 4 & 6 inch

1" – 300' ROLL PVCBLUE-100

1 1/2" – 300' ROLL PVCBLUE-150

2" – 300' ROLL PVCBLUE-200

3" – 300' ROLL PVCBLUE-300

4" – 300' ROLL PVCBLUE-400

6" – 300' ROLL PVCBLUE-600



## FITTINGS

*We have a Huge Selection of Plastic & Aluminum Fittings*



FITTINGS  
3/4" TO 3"



BANJO  
MANIFOLD FITTINGS  
3/4" TO 3"



BANJO  
CAM LOCKS  
3/4" TO 3"



BALL VALVES  
3/4" TO 3"



ELBOWS  
3/4" TO 3"



Y STRAINER  
3/4" TO 3"



## HORIZONTAL BURIAL TANK

Single and double compartment  
1,000 gal up to 34,000 gal

**Extensions Available**



## HOLDING & PUMPOUT BALL TANKS

Holding 750 and 1,100 gal  
Pumpout 750 and 1,000 gal

*All tanks come with built in  
36" riser*

*Additional  
risers available  
upon request*

## CLASSIC SEED TREATER

35 L TANK

Mounts in minutes

492363



# WATER & STORAGE TANKS



## UPRIGHT TANK

### 25 IMP GAL

VT0025

19"D X 30"H

### 50 IMP GAL

VT0050

29"D X 29"H

### 150 IMP GAL

WTR-HOUSTNK-150

29"D X 66"H

### 200 IMP GAL

60013-4

29"W X 51"H X 48)L

### 250 USG GAL

60198-2

30"D X 79"H

### 310 IMP GAL

60014-3 WHITE

29"W X 75"H X 48)L

### 500 IMP GAL

41061

48"D X 84"H

### 750 IMP GAL

41065

48"D X 116"H



## SMALL LEG TANK

### 35 IMP GAL

HL0030-20

19"D X 22"H X 30)L

### 55 IMP GAL

40087

24"D X 43)L

### 100 IMP GAL

41941

23"D X 33)L



## LEG TANKS

### 300 IMP GAL

**SPECIAL ORDER**

42366

38"D X 78" L

41430

38"D X 78" L

### 500 IMP GAL

**SPECIAL ORDER**

43005

49"D X 83" L

41393

49"D X 83" L



## HIPPO LEG TANK

### 950 IMP GAL

44922

74"W X 48"H X 105)L

44921

74"W X 48"H X 105)L



## TRANSPORT TANK

### 1075 IMP GAL

44929

84"W X 36"H X 126)L

WAT001076

84"W X 36"H X 126)L

### 1325 IMP GAL

45787

84"W X 42"H X 136)L

45310

84"W X 42"H X 136)L

### 2100 IMP GAL

44799

90"W X 51"H X 157)L

44952

90"W X 51"H X 157)L



## TURTLE TANK

### 185 IMP GAL

41213

60"W X 28"H X 48)L

### 275 IMP GAL

40693

65"W X 32"H X 49)L

### 350 IMP GAL

41227

65"W X 37"H X 49)L



## LOW PROFILE WATER HAULING TANKS

*Will fit in 6.6' truck box*

### 300 IMP GAL

300IMP BLUE LEG TANK

48"W X 40"H X 60)L



## LOW PROFILE

### 160 IMP GAL

TNKMULTI160

47"W X 16"H X 81)L

### 230 IMP GAL

TNKMULTI230

47"W X 21"H X 81)L

### 420 IMP GAL

60020-4 WHITE

56"W X 32"H X 72)L

### 600 IMP GAL

60136-2 WHITE

78"W X 34"H X 91)L

### 875 IMP GAL

60149-2 WHITE

89"W X 31"H X 100)L



## LOAF TANK

### 100 IMP GAL

60011-2 WHITE

24"W X 29"H X 49)L

### 200 IMP GAL

60012-3 WHITE

30"W X 37"H X 60)L



## LOBE TANKS

*Narrow enough to fit through most doorways*

### 600 IMP GAL

60152-2 WHITE

30"W X 78"H X 97)L

# FERTILIZER TANKS

## TRANSPORT FERTILIZER RATED TANKS



### 4500 US GAL

- THF02200CONFIG  
71" W X 72" H X 130" L
- THF04500CONFIG  
95" W X 84" H X 179" L

## GEN II



### 3180 US GAL

- 92" W X 78" H X 144" L

### 2340 US GAL

- 92" W X 62" H X 145" L



### 3180 US GAL

- 44509  
92" W X 76" H X 145" L

### 4200 US GAL

- 45276  
96" W X 84" H X 180" L



### 1350 IMP GAL

- 45811  
80" W X 53" H X 126" L
- 45810  
80" W X 53" H X 126" L

## CONE BOTTOM VERTICAL FERTILIZER



*Comes with two 3" bulk heads and built in tie downs*

### 4400 US GAL

- 1339/26004-11

## VERTICAL FERTILIZER



*Comes with two 3" bulk heads and built in tie downs*

### 3000 US GAL Enduraplas

- THV03000 / 100" D X 103" H

### 5000 US GAL Enduraplas

- THV05000 / 120" D X 120" H

### 10,000 US GAL Enduraplas

- THV10000 / 144" D X 178" H

## VERTICAL FERTILIZER



*Includes 2" to 3" bulk heads*

### 2580 IMP GAL

- 71125-1 / 96" D X 111" H

### 4680 IMP GAL

- 71126-1 / 116" D X 130" H

### 8300 IMP GAL

- 71072-1 / 149" D X 163" H

## VERTICAL FERTILIZER



### 1250 IMP GAL

*15 lb rating, 3" bulk head*

- 44624 / 87" D X 69" H

- 44578 / 87" D X 69" H

### 1650 IMP GAL

- 60024-3 / 88" W X 103" L X 69" H

### 1750 IMP GAL

- 40093 / 87" D X 89" H



## 9900 USG CONE BOTTOM TANK

### WAT009900

- 1.4 SG as per ASTMD1998 Standard
- 178" H x 150" D
- 10° Slope
- 22" Lid
- 3" Bulkhead with 3" Recirculation Bulkhead
- Sight Tube Included
- 12 Gauge Steel Stand on Heavy Duty 4 x 4 .125 Wall Double Skid
- PROPER BASE FOUNDATION REQUIRED



## FREEFORM PORTABLE LIQUID STORAGE

### WTT088030

- 8880 US gal Double Cone Trailer
- 3" 6.5 HP Honda w/ Banjo Wet Seal Pump
- (2) 4,440 US gal Tanks Rated at 20lbs SG
- Powder Coated Frame
- Lighting Package Comes Standard
- Plumbed with 3" Hose, Banjo Valves, and Cam-Lock Couplers
- 2 5/16" Ball Hitch

*Call to choose from a variety of other available tank sizes and shapes.*



#### 12" Catch Cover

The tight fit keeps snow, dirt, and road salt out of your fish house when traveling over the toughest roads.

SLDICEHOLECV

#### Hole Sleeve

4" SLDHOLESLEEVE4  
9" SLDHOLESLEEVE9  
18" SLDHOLESLEEVE18

#### Safety Cover

This safety cover rests in the catch cover ring and prevents objects from falling into the holes.

SLDHOLESCREEN



COMES  
WITH PIPE KIT

#### Wood Stove

Exceptional heat with little fuel, made of 20 gauge steel.

SLDSTOVWOOKIT

#### Propane Stove

12,000 BTU  
SLDSTOVPROKIT

**Keep ice shavings off the floor.**



#### Slush Bucket

Eliminates wet, slippery fish house floors.

SLDSLUSHBKT

## KOENDERS ICE FISHING SHACK

*Molded sled bottom design, fits on the back of your truck with "U" bolts.*

- One piece molded polyethylene design
- Vents, open and close
- Four pre-cut fishing holes with covers and seats.
- Opening window on door, lockable door



THE RATTLE  
SNAKE REEL



MULTI-FLEX  
ROD HOLDERS

Other Sleds  
Available

## KOENDERS SLEDS

*We have a range of poly sleds for agricultural, industrial, and recreation use.*



#### Trapper Sled

Enclosed hull protects your gear  
24"H x 24"W x 76"L  
Lid can be a separate sled  
Optional musher bar attachment

**Sled with lid & hitch** SLD-TRAPPER-000  
**Musher bar** SLD-SNOMUSHTRAP



#### Snow Tracker Sled

Capacity of 26 cu ft  
Lid can be a separate sled  
Optional musher bar attachment

**Sled with lid & hitch** SLD-SNOWTRK-000  
**Musher bar** SLD-SNOMUSH-000



#### Hunter Sled

Available in 6' or 8' lengths  
Spring loaded hitch for extreme conditions  
23" incline makes deep snow travel easy

**6' length with hitch** SLD-HUNTER0-006  
**8' length with hitch** SLD-HUNTER0-008



#### Calf Sled with Leg Lock

Designed so the cow can see and smell her calf while it is safely in the sled.

20"D X 26"W X 56" L  
LEG CALF SLED



## KOENDERS DOCKS

**Aluminum won't splinter, rust, or rot.**

Modular 4x10 sections  
Comes with aqua deck panel top  
(5', 6', and 7' legs not included)

**BTLDOCROLL20**  
4' x 20' roll in dock  
Two screw jacks  
Two standard 5' legs  
Two wheels

**BTLDOCROLL2045**  
4' x 20' roll in dock  
Four screw jack legs  
Four wheels

**BTLDOCKDECK810WHL**  
8' x 10' platform  
Four screw jack legs  
Four wheels

**BTLDOCKFRM410L5**  
4'x 10' Aluminum dock and two standard 5' legs